

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
1	1	0	273.75	236.5	-99999	0
2	1	456.25	2098.75	236.5	-99999	0
3	1	638.75	1916.25	235.8	-99999	0
4	1	638.75	2098.75	235.1	-99999	0
5	1	638.75	2098.75	234.9	-99999	0
6	1	1368.75	1916.25	233.6	-99999	0
7	1	1186.25	1733.75	233.3	-99999	0
8	1	638.75	1551.25	233	-99999	0
9	1	638.75	1186.25	232.8	-99999	0
10	1	1186.25	1733.75	232	-99999	0
11	1	1551.25	1916.25	231.3	-99999	0
12	1	1368.75	1733.75	230.3	-99999	0
13	1	273.75	638.75	229.7	-99999	0
14	1	638.75	1003.75	229	-99999	0
15	1	1368.75	1733.75	228.1	-99999	0
16	1	1003.75	1368.75	227	-99999	0
17	1	1733.75	2098.75	226.4	-99999	0
18	1	273.75	638.75	225.9	-99999	0
19	1	1733.75	2098.75	225.5	-99999	0
20	1	1003.75	1551.25	225.7	-99999	0
21	1	638.75	1003.75	224.9	-99999	0
22	1	273.75	1003.75	235.5	-99999	0
23	1	1551.25	2281.25	237	-99999	0
24	1	273.75	1003.75	232.5	-99999	0
25	1	273.75	821.25	240.5	-99999	0
26	1	273.75	1003.75	240.5	-99999	0
27	1	273.75	1003.75	240.8	-99999	0
28	1	273.75	1003.75	240.5	-99999	0
29	1	273.75	456.25	226.1	-99999	0
30	1	1186.25	1368.75	228.7	-99999	0
31	1	1733.75	2098.75	223.3	-99999	0
32	1	456.25	638.75	232	-99999	0
33	1	638.75	1551.25	230	-99999	0
34	1	273.75	821.25	227.03	-99999	0
35	1	273.75	821.25	227.03	-99999	0
36	1	273.75	821.25	227.04	-99999	0
37	1	273.75	821.25	227.04	-99999	0
38	1	273.75	821.25	227.02	-99999	0
39	1	273.75	821.25	227.01	-99999	0
40	1	273.75	821.25	227	-99999	0
41	1	273.75	821.25	226.99	-99999	0
42	1	273.75	821.25	227	-99999	0
43	1	273.75	821.25	227.02	-99999	0
44	1	273.75	821.25	227.02	-99999	0
45	1	273.75	821.25	227.01	-99999	0
46	1	273.75	821.25	227.04	-99999	0
47	1	273.75	821.25	227.05	-99999	0
48	1	273.75	821.25	227.04	-99999	0
49	1	273.75	821.25	227.05	-99999	0
50	1	273.75	821.25	227.07	-99999	0
51	1	273.75	821.25	227.07	-99999	0
52	1	273.75	821.25	227.07	-99999	0
53	1	273.75	821.25	227.09	-99999	0
54	1	273.75	821.25	227.1	-99999	0
55	1	273.75	821.25	227.11	-99999	0
56	1	273.75	821.25	227.12	-99999	0
57	1	273.75	821.25	227.12	-99999	0
58	1	273.75	821.25	227.14	-99999	0
59	1	273.75	821.25	227.15	-99999	0
60	1	273.75	821.25	227.15	-99999	0
61	1	273.75	821.25	227.15	-99999	0
62	1	273.75	821.25	227.15	-99999	0
63	1	273.75	821.25	227.15	-99999	0
64	1	273.75	821.25	227.15	-99999	0
65	1	273.75	821.25	227.15	-99999	0
66	1	273.75	821.25	227.15	-99999	0
67	1	273.75	821.25	227.15	-99999	0
68	1	273.75	821.25	227.15	-99999	0
69	1	273.75	821.25	227.15	-99999	0
70	1	273.75	821.25	227.15	-99999	0
71	1	273.75	821.25	227.15	-99999	0
72	1	273.75	821.25	227.15	-99999	0
73	1	273.75	821.25	227.16	-99999	0
74	1	273.75	821.25	227.17	-99999	0
75	1	273.75	821.25	227.21	-99999	0
76	1	273.75	821.25	227.19	-99999	0
77	1	273.75	821.25	227.22	-99999	0
78	1	273.75	821.25	227.22	-99999	0
79	1	273.75	821.25	227.25	-99999	0
80	1	273.75	821.25	227.26	-99999	0
81	1	273.75	821.25	227.28	-99999	0
82	1	273.75	821.25	227.28	-99999	0
83	1	273.75	821.25	227.29	-99999	0
84	1	273.75	821.25	227.3	-99999	0
85	1	273.75	821.25	227.27	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
86	1	273.75	821.25	227.26	-99999	0
87	1	273.75	821.25	227.31	-99999	0
88	1	273.75	821.25	227.29	-99999	0
89	1	273.75	821.25	227.29	-99999	0
90	1	273.75	821.25	227.35	-99999	0
91	1	273.75	821.25	227.31	-99999	0
92	1	273.75	821.25	227.33	-99999	0
93	1	273.75	821.25	227.34	-99999	0
94	1	273.75	821.25	227.39	-99999	0
95	1	273.75	821.25	227.4	-99999	0
96	1	273.75	821.25	227.35	-99999	0
97	1	273.75	821.25	227.43	-99999	0
98	1	273.75	821.25	227.46	-99999	0
99	1	273.75	821.25	227.4	-99999	0
100	1	273.75	821.25	227.47	-99999	0
101	1	273.75	821.25	227.42	-99999	0
102	1	273.75	821.25	227.5	-99999	0
103	1	273.75	821.25	227.44	-99999	0
104	1	273.75	821.25	227.46	-99999	0
105	1	273.75	821.25	227.53	-99999	0
106	1	273.75	821.25	227.47	-99999	0
107	1	273.75	821.25	227.54	-99999	0
108	1	273.75	821.25	227.47	-99999	0
109	1	273.75	821.25	227.58	-99999	0
110	1	273.75	821.25	227.5	-99999	0
111	1	273.75	821.25	227.6	-99999	0
112	1	273.75	821.25	227.52	-99999	0
113	1	273.75	821.25	227.62	-99999	0
114	1	273.75	821.25	227.53	-99999	0
115	1	273.75	821.25	227.56	-99999	0
116	1	273.75	821.25	227.65	-99999	0
117	1	273.75	821.25	227.65	-99999	0
118	1	273.75	821.25	227.56	-99999	0
119	1	273.75	821.25	227.58	-99999	0
120	1	273.75	821.25	227.68	-99999	0
121	1	273.75	821.25	227.6	-99999	0
122	1	273.75	821.25	227.61	-99999	0
123	1	273.75	821.25	227.71	-99999	0
124	1	273.75	821.25	227.72	-99999	0
125	1	273.75	821.25	227.63	-99999	0
126	1	273.75	821.25	227.75	-99999	0
127	1	273.75	821.25	227.65	-99999	0
128	1	273.75	821.25	227.74	-99999	0
129	1	273.75	821.25	227.66	-99999	0
130	1	273.75	821.25	227.66	-99999	0
131	1	273.75	821.25	227.85	-99999	0
133	1	273.75	821.25	228	-99999	0
134	1	273.75	821.25	227.99	-99999	0
135	1	273.75	821.25	227.98	-99999	0
136	1	273.75	821.25	227.97	-99999	0
137	1	273.75	821.25	227.96	-99999	0
138	1	273.75	821.25	227.69	-99999	0
139	1	456.25	638.75	228.01	-99999	0
145	1	273.75	821.25	227.77	-99999	0
153	1	456.25	638.75	228.03	-99999	0
154	1	456.25	638.75	228.03	-99999	0
155	1	456.25	638.75	228.03	-99999	0
156	1	456.25	638.75	228.05	-99999	0
157	1	456.25	638.75	228.06	-99999	0
158	1	456.25	638.75	228.07	-99999	0
159	1	456.25	638.75	228.08	-99999	0
160	1	456.25	638.75	228.1	-99999	0
161	1	456.25	638.75	228.1	-99999	0
162	1	456.25	638.75	228.1	-99999	0
163	1	456.25	638.75	228.11	-99999	0
164	1	456.25	638.75	228.12	-99999	0
165	1	456.25	638.75	228.13	-99999	0
166	1	456.25	638.75	228.14	-99999	0
167	1	456.25	638.75	228.14	-99999	0
168	1	456.25	638.75	228.15	-99999	0
169	1	456.25	638.75	228.16	-99999	0
170	1	456.25	638.75	228.16	-99999	0
171	1	456.25	638.75	228.17	-99999	0
172	1	456.25	638.75	228.21	-99999	0
173	1	456.25	638.75	228.24	-99999	0
174	1	456.25	638.75	228.27	-99999	0
175	1	456.25	638.75	228.3	-99999	0
176	1	456.25	638.75	228.3	-99999	0
177	1	456.25	638.75	228.35	-99999	0
178	1	456.25	638.75	228.36	-99999	0
179	1	456.25	638.75	228.42	-99999	0
180	1	456.25	638.75	228.45	-99999	0
181	1	456.25	638.75	228.48	-99999	0
182	1	456.25	638.75	228.54	-99999	0
183	1	456.25	638.75	228.54	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ³ /d) **	Maximum-Constraint (m ³ /d) **
184	1	456.25	638.75	228.63	-99999	0
185	1	456.25	638.75	228.63	-99999	0
186	1	456.25	638.75	228.71	-99999	0
187	1	456.25	638.75	228.72	-99999	0
188	1	456.25	638.75	228.79	-99999	0
189	1	456.25	638.75	228.84	-99999	0
190	1	456.25	638.75	228.88	-99999	0
191	1	456.25	638.75	228.95	-99999	0
192	1	456.25	638.75	228.95	-99999	0
193	1	456.25	638.75	228.96	-99999	0
194	1	456.25	638.75	228.98	-99999	0
195	1	456.25	638.75	229	-99999	0
196	1	456.25	638.75	229.01	-99999	0
197	1	456.25	638.75	229.01	-99999	0
198	1	456.25	638.75	229.03	-99999	0
199	1	456.25	638.75	229.04	-99999	0
200	1	456.25	638.75	229.06	-99999	0
201	1	456.25	638.75	229.06	-99999	0
202	1	456.25	638.75	229.04	-99999	0
203	1	456.25	638.75	228.87	-99999	0
204	1	456.25	638.75	228.6	-99999	0
205	1	456.25	638.75	228.62	-99999	0
206	1	456.25	638.75	228.65	-99999	0
207	1	456.25	638.75	228.65	-99999	0
208	1	456.25	638.75	228.66	-99999	0
209	1	456.25	638.75	228.71	-99999	0
210	1	456.25	638.75	228.71	-99999	0
211	1	456.25	638.75	228.72	-99999	0
212	1	456.25	638.75	228.78	-99999	0
213	1	456.25	638.75	228.84	-99999	0
214	1	456.25	638.75	228.84	-99999	0
215	1	456.25	638.75	228.85	-99999	0
216	1	456.25	638.75	228.92	-99999	0
217	1	456.25	638.75	228.93	-99999	0
218	1	456.25	638.75	229	-99999	0
219	1	456.25	638.75	229.02	-99999	0
220	1	456.25	638.75	229.07	-99999	0
221	1	456.25	638.75	229.13	-99999	0
222	1	456.25	638.75	229.16	-99999	0
223	1	456.25	638.75	229.2	-99999	0
224	1	456.25	638.75	229.24	-99999	0
225	1	456.25	638.75	229.25	-99999	0
226	1	456.25	638.75	229.32	-99999	0
227	1	456.25	638.75	229.35	-99999	0
228	1	456.25	638.75	229.42	-99999	0
229	1	456.25	638.75	229.49	-99999	0
230	1	456.25	638.75	229.5	-99999	0
231	1	456.25	638.75	229.58	-99999	0
232	1	456.25	638.75	229.65	-99999	0
233	1	456.25	638.75	229.66	-99999	0
234	1	456.25	638.75	229.75	-99999	0
235	1	456.25	638.75	229.84	-99999	0
236	1	456.25	638.75	229.85	-99999	0
237	1	456.25	638.75	229.9	-99999	0
238	1	456.25	638.75	229.9	-99999	0
239	1	456.25	638.75	229.92	-99999	0
240	1	456.25	638.75	229.93	-99999	0
241	1	456.25	638.75	229.94	-99999	0
242	1	456.25	638.75	230.47	-99999	0
243	1	456.25	638.75	230.48	-99999	0
244	1	456.25	638.75	230.48	-99999	0
245	1	456.25	638.75	230.49	-99999	0
246	1	456.25	638.75	230.5	-99999	0
247	1	456.25	638.75	230.5	-99999	0
248	1	456.25	638.75	230.51	-99999	0
250	1	456.25	638.75	230.52	-99999	0
253	1	456.25	638.75	230.53	-99999	0
263	1	456.25	638.75	230.61	-99999	0
271	1	456.25	638.75	230.93	-99999	0
272	1	456.25	638.75	231.06	-99999	0
273	1	456.25	638.75	231.14	-99999	0
274	1	456.25	638.75	231.29	-99999	0
275	1	456.25	638.75	231.37	-99999	0
276	1	456.25	638.75	231.59	-99999	0
277	1	456.25	638.75	231.74	-99999	0
278	1	456.25	638.75	231.94	-99999	0
279	1	456.25	638.75	232.1	-99999	0
280	1	456.25	638.75	232.35	-99999	0
281	1	456.25	638.75	232.76	-99999	0
282	1	456.25	638.75	232.81	-99999	0
283	1	456.25	638.75	233.31	-99999	0
284	1	456.25	638.75	233.51	-99999	0
285	1	456.25	638.75	233.8	-99999	0
286	1	456.25	638.75	234.15	-99999	0
287	1	456.25	638.75	234.27	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
288	1	456.25	638.75	234.55	-99999	0
289	1	456.25	638.75	234.58	-99999	0
290	1	456.25	638.75	234.91	-99999	0
291	1	456.25	638.75	235.05	-99999	0
292	1	456.25	638.75	235.4	-99999	0
293	1	456.25	638.75	235.53	-99999	0
294	1	456.25	638.75	235.9	-99999	0
295	1	456.25	638.75	235.95	-99999	0
296	1	456.25	638.75	236.31	-99999	0
297	1	456.25	638.75	236.38	-99999	0
298	1	456.25	638.75	236.73	-99999	0
299	1	456.25	638.75	236.81	-99999	0
300	1	456.25	638.75	237.31	-99999	0
301	1	456.25	638.75	237.24	-99999	0
302	1	456.25	638.75	237.59	-99999	0
303	1	456.25	638.75	237.79	-99999	0
304	1	456.25	638.75	238.03	-99999	0
305	1	456.25	638.75	237.92	-99999	0
306	1	456.25	638.75	238.17	-99999	0
307	1	456.25	638.75	238.29	-99999	0
308	1	456.25	638.75	238.63	-99999	0
309	1	456.25	638.75	238.58	-99999	0
310	1	456.25	638.75	238.96	-99999	0
311	1	456.25	638.75	238.87	-99999	0
312	1	456.25	638.75	239.14	-99999	0
313	1	456.25	638.75	239.69	-99999	0
315	1	456.25	638.75	239.51	-99999	0
317	1	456.25	638.75	239.5	-99999	0
318	1	456.25	638.75	240.04	-99999	0
319	1	456.25	638.75	240.01	-99999	0
320	1	456.25	638.75	240.13	-99999	0
321	1	456.25	638.75	240.24	-99999	0
322	1	456.25	638.75	240.21	-99999	0
323	1	456.25	638.75	240.43	-99999	0
324	1	456.25	638.75	240.31	-99999	0
325	1	456.25	638.75	240.29	-99999	0
326	1	456.25	638.75	240.36	-99999	0
327	1	456.25	638.75	240.34	-99999	0
328	1	456.25	638.75	240.43	-99999	0
329	1	456.25	638.75	240.38	-99999	0
330	1	456.25	638.75	240.58	-99999	0
331	1	456.25	638.75	240.58	-99999	0
332	1	456.25	638.75	240.47	-99999	0
333	1	456.25	638.75	240.52	-99999	0
334	1	456.25	638.75	240.72	-99999	0
335	1	456.25	638.75	240.56	-99999	0
336	1	456.25	638.75	240.65	-99999	0
337	1	456.25	638.75	240.87	-99999	0
338	1	456.25	638.75	240.82	-99999	0
339	1	456.25	638.75	240.74	-99999	0
340	1	456.25	638.75	240.82	-99999	0
341	1	456.25	638.75	240.9	-99999	0
342	1	456.25	638.75	240.97	-99999	0
343	1	456.25	638.75	241.15	-99999	0
344	1	456.25	638.75	241.05	-99999	0
345	1	456.25	638.75	241.2	-99999	0
346	1	456.25	638.75	241.48	-99999	0
347	1	456.25	638.75	241.36	-99999	0
348	1	456.25	638.75	241.54	-99999	0
349	1	456.25	638.75	241.75	-99999	0
350	1	456.25	638.75	241.73	-99999	0
351	1	456.25	638.75	241.95	-99999	0
352	1	456.25	638.75	241.92	-99999	0
353	1	456.25	638.75	242.15	-99999	0
354	1	456.25	638.75	242.13	-99999	0
355	1	456.25	638.75	242.34	-99999	0
356	1	456.25	638.75	242.52	-99999	0
357	1	456.25	638.75	242.39	-99999	0
358	1	456.25	638.75	242.7	-99999	0
359	1	456.25	638.75	242.65	-99999	0
360	1	456.25	638.75	242.88	-99999	0
361	1	456.25	638.75	242.96	-99999	0
362	1	456.25	638.75	243.17	-99999	0
363	1	456.25	638.75	243.12	-99999	0
364	1	456.25	638.75	243.25	-99999	0
365	1	456.25	638.75	243.52	-99999	0
366	1	456.25	638.75	243.42	-99999	0
367	1	456.25	638.75	243.66	-99999	0
368	1	456.25	638.75	243.6	-99999	0
369	1	456.25	638.75	243.79	-99999	0
370	1	456.25	638.75	243.93	-99999	0
371	1	456.25	638.75	243.79	-99999	0
372	1	456.25	638.75	244.06	-99999	0
373	1	456.25	638.75	244.19	-99999	0
374	1	456.25	638.75	243.99	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
375	1	456.25	638.75	244.32	-99999	0
376	1	456.25	638.75	244.49	-99999	0
377	1	456.25	638.75	244.4	-99999	0
378	1	456.25	638.75	244.66	-99999	0
379	1	456.25	638.75	244.83	-99999	0
380	1	456.25	638.75	245	-99999	0
381	1	456.25	638.75	244.82	-99999	0
382	1	456.25	638.75	244.94	-99999	0
383	1	456.25	638.75	245.15	-99999	0
384	1	456.25	638.75	245.07	-99999	0
385	1	456.25	638.75	245.3	-99999	0
386	1	456.25	638.75	245.19	-99999	0
387	1	456.25	638.75	245.45	-99999	0
388	1	456.25	638.75	245.32	-99999	0
389	1	456.25	638.75	245.59	-99999	0
390	1	456.25	638.75	245.44	-99999	0
391	1	456.25	638.75	245.72	-99999	0
392	1	456.25	638.75	245.57	-99999	0
393	1	456.25	638.75	245.84	-99999	0
394	1	456.25	638.75	245.8	-99999	0
395	1	456.25	638.75	245.94	-99999	0
396	1	456.25	638.75	245.9	-99999	0
397	1	456.25	638.75	246.03	-99999	0
398	1	456.25	638.75	246.13	-99999	0
399	1	456.25	638.75	246.06	-99999	0
400	1	456.25	638.75	246.13	-99999	0
401	1	456.25	638.75	246.23	-99999	0
402	1	456.25	638.75	246.19	-99999	0
403	1	456.25	638.75	246.25	-99999	0
404	1	456.25	638.75	246.33	-99999	0
405	1	456.25	638.75	246.26	-99999	0
406	1	456.25	638.75	246.38	-99999	0
407	1	456.25	638.75	246.35	-99999	0
408	1	456.25	638.75	246.32	-99999	0
409	1	456.25	638.75	246.43	-99999	0
410	1	456.25	638.75	246.41	-99999	0
411	1	456.25	638.75	246.43	-99999	0
412	1	456.25	638.75	246.44	-99999	0
413	1	456.25	638.75	246.44	-99999	0
429	1	456.25	638.75	227.95	-99999	0
431	1	456.25	638.75	227.86	-99999	0
432	1	456.25	638.75	228.07	-99999	0
433	1	456.25	638.75	228.07	-99999	0
436	1	456.25	638.75	228.09	-99999	0
437	1	456.25	638.75	228.1	-99999	0
438	1	456.25	638.75	228.1	-99999	0
439	1	456.25	638.75	228.13	-99999	0
440	1	456.25	638.75	228.14	-99999	0
441	1	456.25	638.75	228.14	-99999	0
442	1	456.25	638.75	228.16	-99999	0
443	1	456.25	638.75	228.19	-99999	0
444	1	456.25	638.75	228.2	-99999	0
445	1	456.25	638.75	228.24	-99999	0
446	1	456.25	638.75	228.26	-99999	0
447	1	456.25	638.75	228.32	-99999	0
448	1	456.25	638.75	228.38	-99999	0
449	1	456.25	638.75	228.4	-99999	0
450	1	456.25	638.75	228.49	-99999	0
451	1	456.25	638.75	228.51	-99999	0
452	1	456.25	638.75	228.57	-99999	0
453	1	456.25	638.75	228.57	-99999	0
454	1	456.25	638.75	228.61	-99999	0
455	1	456.25	638.75	228.64	-99999	0
456	1	456.25	638.75	228.66	-99999	0
457	1	456.25	638.75	228.71	-99999	0
458	1	456.25	638.75	228.75	-99999	0
459	1	456.25	638.75	228.75	-99999	0
460	1	456.25	638.75	228.74	-99999	0
461	1	456.25	638.75	228.77	-99999	0
462	1	456.25	638.75	228.77	-99999	0
463	1	456.25	638.75	228.77	-99999	0
464	1	456.25	638.75	228.78	-99999	0
465	1	456.25	638.75	228.81	-99999	0
466	1	456.25	638.75	228.81	-99999	0
467	1	456.25	638.75	228.81	-99999	0
468	1	456.25	638.75	228.81	-99999	0
469	1	456.25	638.75	228.83	-99999	0
470	1	456.25	638.75	228.33	-99999	0
471	1	456.25	638.75	228.56	-99999	0
472	1	456.25	638.75	228.35	-99999	0
473	1	456.25	638.75	228.33	-99999	0
474	1	456.25	638.75	228.35	-99999	0
475	1	456.25	638.75	228.35	-99999	0
476	1	456.25	638.75	228.37	-99999	0
477	1	456.25	638.75	228.41	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m²/d) **	Maximum-Constraint (m²/d) **
478	1	456.25	638.75	228.4	-99999	0
479	1	456.25	638.75	228.41	-99999	0
480	1	456.25	638.75	228.43	-99999	0
481	1	456.25	638.75	228.45	-99999	0
482	1	456.25	638.75	228.46	-99999	0
483	1	456.25	638.75	228.5	-99999	0
484	1	456.25	638.75	228.49	-99999	0
485	1	456.25	638.75	228.53	-99999	0
486	1	456.25	638.75	228.57	-99999	0
487	1	456.25	638.75	228.59	-99999	0
488	1	456.25	638.75	228.62	-99999	0
489	1	456.25	638.75	228.7	-99999	0
490	1	456.25	638.75	228.7	-99999	0
491	1	456.25	638.75	228.75	-99999	0
492	1	456.25	638.75	228.81	-99999	0
493	1	456.25	638.75	228.81	-99999	0
494	1	456.25	638.75	228.83	-99999	0
495	1	456.25	638.75	228.86	-99999	0
496	1	456.25	638.75	228.89	-99999	0
497	1	456.25	638.75	228.92	-99999	0
498	1	456.25	638.75	228.96	-99999	0
499	1	456.25	638.75	228.98	-99999	0
500	1	456.25	638.75	229.01	-99999	0
501	1	456.25	638.75	229.04	-99999	0
502	1	456.25	638.75	229.1	-99999	0
503	1	456.25	638.75	229.12	-99999	0
504	1	456.25	638.75	229.16	-99999	0
505	1	456.25	638.75	229.23	-99999	0
506	1	456.25	638.75	229.25	-99999	0
507	1	456.25	638.75	229.27	-99999	0
508	1	456.25	638.75	229.35	-99999	0
509	1	456.25	638.75	229.41	-99999	0
510	1	456.25	638.75	229.42	-99999	0
511	1	456.25	638.75	229.49	-99999	0
512	1	456.25	638.75	229.52	-99999	0
513	1	456.25	638.75	229.55	-99999	0
514	1	456.25	638.75	229.57	-99999	0
515	1	456.25	638.75	229.59	-99999	0
516	1	456.25	638.75	229.62	-99999	0
517	1	456.25	638.75	229.64	-99999	0
518	1	456.25	638.75	230.08	-99999	0
519	1	456.25	638.75	229.99	-99999	0
520	1	456.25	638.75	230.18	-99999	0
521	1	456.25	638.75	230.2	-99999	0
522	1	456.25	638.75	230.2	-99999	0
523	1	456.25	638.75	230.22	-99999	0
524	1	456.25	638.75	230.23	-99999	0
525	1	456.25	638.75	230.25	-99999	0
526	1	456.25	638.75	230.26	-99999	0
527	1	456.25	638.75	230.31	-99999	0
528	1	456.25	638.75	230.34	-99999	0
529	1	456.25	638.75	230.37	-99999	0
530	1	456.25	638.75	230.41	-99999	0
531	1	456.25	638.75	230.44	-99999	0
532	1	456.25	638.75	230.48	-99999	0
533	1	456.25	638.75	230.51	-99999	0
534	1	456.25	638.75	230.54	-99999	0
535	1	456.25	638.75	230.56	-99999	0
542	1	456.25	638.75	230.7	-99999	0
547	1	456.25	638.75	230.77	-99999	0
549	1	456.25	638.75	230.81	-99999	0
550	1	456.25	638.75	230.82	-99999	0
551	1	456.25	638.75	230.9	-99999	0
552	1	456.25	638.75	230.91	-99999	0
553	1	456.25	638.75	231.14	-99999	0
554	1	456.25	638.75	231.23	-99999	0
555	1	456.25	638.75	231.44	-99999	0
556	1	456.25	638.75	231.61	-99999	0
557	1	456.25	638.75	231.91	-99999	0
558	1	456.25	638.75	232.26	-99999	0
559	1	456.25	638.75	232.37	-99999	0
560	1	456.25	638.75	232.88	-99999	0
561	1	456.25	638.75	233.23	-99999	0
562	1	456.25	638.75	233.25	-99999	0
563	1	456.25	638.75	233.56	-99999	0
564	1	456.25	638.75	233.62	-99999	0
565	1	456.25	638.75	233.89	-99999	0
566	1	456.25	638.75	234.08	-99999	0
567	1	456.25	638.75	234.22	-99999	0
568	1	456.25	638.75	234.3	-99999	0
569	1	456.25	638.75	234.55	-99999	0
570	1	456.25	638.75	234.54	-99999	0
571	1	273.75	821.25	234.9	-99999	0
572	1	273.75	821.25	235.04	-99999	0
573	1	273.75	821.25	235.15	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
574	1	273.75	821.25	235.41	-99999	0
575	1	273.75	821.25	235.76	-99999	0
576	1	273.75	821.25	235.93	-99999	0
577	1	273.75	821.25	236.45	-99999	0
578	1	273.75	821.25	236.62	-99999	0
579	1	273.75	821.25	236.67	-99999	0
580	1	273.75	821.25	236.79	-99999	0
581	1	273.75	821.25	236.88	-99999	0
582	1	273.75	821.25	237.05	-99999	0
583	1	273.75	821.25	237.27	-99999	0
584	1	273.75	821.25	237.46	-99999	0
585	1	273.75	821.25	237.58	-99999	0
586	1	273.75	821.25	237.85	-99999	0
587	1	273.75	821.25	237.88	-99999	0
588	1	273.75	821.25	238.01	-99999	0
589	1	273.75	821.25	238.33	-99999	0
590	1	273.75	821.25	238.1	-99999	0
591	1	273.75	821.25	238.31	-99999	0
592	1	273.75	821.25	238.43	-99999	0
593	1	273.75	821.25	238.51	-99999	0
594	1	273.75	821.25	238.9	-99999	0
595	1	273.75	821.25	238.7	-99999	0
596	1	273.75	821.25	238.83	-99999	0
597	1	273.75	821.25	238.91	-99999	0
598	1	273.75	821.25	239.12	-99999	0
599	1	273.75	821.25	239.24	-99999	0
601	1	273.75	821.25	239.69	-99999	0
603	1	273.75	821.25	239.69	-99999	0
605	1	273.75	821.25	240.13	-99999	0
606	1	273.75	821.25	240.01	-99999	0
607	1	273.75	821.25	240.24	-99999	0
608	1	273.75	821.25	240.19	-99999	0
609	1	273.75	821.25	240.32	-99999	0
610	1	273.75	821.25	240.2	-99999	0
611	1	273.75	821.25	240.36	-99999	0
612	1	273.75	821.25	240.4	-99999	0
613	1	273.75	821.25	240.32	-99999	0
614	1	273.75	821.25	240.47	-99999	0
615	1	273.75	821.25	240.44	-99999	0
616	1	273.75	821.25	240.37	-99999	0
617	1	273.75	821.25	240.63	-99999	0
618	1	273.75	821.25	240.54	-99999	0
619	1	273.75	821.25	240.57	-99999	0
620	1	273.75	821.25	240.79	-99999	0
621	1	273.75	821.25	240.93	-99999	0
622	1	273.75	821.25	240.86	-99999	0
623	1	273.75	821.25	240.93	-99999	0
624	1	273.75	821.25	241.1	-99999	0
625	1	273.75	821.25	241.1	-99999	0
626	1	273.75	821.25	241.28	-99999	0
627	1	273.75	821.25	241.47	-99999	0
628	1	273.75	821.25	241.42	-99999	0
629	1	273.75	821.25	241.64	-99999	0
630	1	273.75	821.25	241.64	-99999	0
631	1	273.75	821.25	241.82	-99999	0
632	1	273.75	821.25	242.01	-99999	0
633	1	273.75	821.25	241.85	-99999	0
634	1	273.75	821.25	242.19	-99999	0
635	1	273.75	821.25	242.03	-99999	0
636	1	273.75	821.25	242.4	-99999	0
637	1	273.75	821.25	242.22	-99999	0
638	1	273.75	821.25	242.41	-99999	0
639	1	273.75	821.25	242.63	-99999	0
640	1	273.75	821.25	242.6	-99999	0
641	1	273.75	821.25	242.86	-99999	0
642	1	273.75	821.25	242.79	-99999	0
643	1	273.75	821.25	243.1	-99999	0
644	1	273.75	821.25	242.97	-99999	0
645	1	273.75	821.25	243.11	-99999	0
646	1	273.75	821.25	243.29	-99999	0
647	1	273.75	821.25	243.22	-99999	0
648	1	273.75	821.25	243.43	-99999	0
649	1	273.75	821.25	243.6	-99999	0
650	1	273.75	821.25	243.58	-99999	0
651	1	273.75	821.25	243.77	-99999	0
652	1	273.75	821.25	243.6	-99999	0
653	1	273.75	821.25	243.71	-99999	0
654	1	273.75	821.25	243.91	-99999	0
655	1	273.75	821.25	243.86	-99999	0
656	1	273.75	821.25	244.05	-99999	0
657	1	273.75	821.25	243.98	-99999	0
658	1	273.75	821.25	244.18	-99999	0
659	1	273.75	821.25	244.11	-99999	0
660	1	273.75	821.25	244.32	-99999	0
661	1	273.75	821.25	244.24	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
662	1	273.75	821.25	244.45	-99999	0
663	1	273.75	821.25	244.37	-99999	0
664	1	273.75	821.25	244.49	-99999	0
665	1	273.75	821.25	244.72	-99999	0
666	1	273.75	821.25	244.62	-99999	0
667	1	273.75	821.25	244.75	-99999	0
668	1	273.75	821.25	244.98	-99999	0
669	1	273.75	821.25	244.87	-99999	0
670	1	273.75	821.25	245.18	-99999	0
671	1	273.75	821.25	245.08	-99999	0
672	1	273.75	821.25	245.37	-99999	0
673	1	273.75	821.25	245.27	-99999	0
674	1	273.75	821.25	245.5	-99999	0
675	1	273.75	821.25	245.41	-99999	0
676	1	273.75	821.25	245.63	-99999	0
677	1	273.75	821.25	245.55	-99999	0
678	1	273.75	821.25	245.71	-99999	0
679	1	273.75	821.25	245.67	-99999	0
680	1	273.75	821.25	245.78	-99999	0
681	1	273.75	821.25	245.75	-99999	0
682	1	273.75	821.25	245.86	-99999	0
683	1	273.75	821.25	245.84	-99999	0
684	1	273.75	821.25	245.94	-99999	0
685	1	273.75	821.25	246.01	-99999	0
686	1	273.75	821.25	245.93	-99999	0
687	1	273.75	821.25	246.09	-99999	0
688	1	273.75	821.25	246.02	-99999	0
689	1	273.75	821.25	246.17	-99999	0
690	1	273.75	821.25	246.11	-99999	0
691	1	273.75	821.25	246.25	-99999	0
692	1	273.75	821.25	246.22	-99999	0
693	1	273.75	1003.75	246.35	-99999	0
694	1	273.75	1003.75	246.37	-99999	0
695	1	273.75	1003.75	246.33	-99999	0
696	1	273.75	1003.75	246.42	-99999	0
697	1	273.75	1003.75	246.41	-99999	0
698	1	273.75	1003.75	246.48	-99999	0
699	1	273.75	1003.75	246.57	-99999	0
700	1	273.75	1003.75	246.37	-99999	0
701	1	273.75	1003.75	246.61	-99999	0
702	1	273.75	1003.75	245.96	-99999	0
703	1	273.75	1003.75	246.54	-99999	0
704	1	273.75	1003.75	245.97	-99999	0
705	1	273.75	1003.75	246.61	-99999	0
706	1	273.75	1003.75	246.65	-99999	0
707	1	273.75	1003.75	245.96	-99999	0
708	1	273.75	1003.75	246.62	-99999	0
709	1	273.75	1003.75	245.95	-99999	0
710	1	273.75	1003.75	245.94	-99999	0
711	1	273.75	1003.75	246.7	-99999	0
712	1	273.75	1003.75	245.95	-99999	0
713	1	273.75	1003.75	246.68	-99999	0
714	1	273.75	1003.75	246.75	-99999	0
715	1	273.75	1003.75	245.94	-99999	0
716	1	273.75	1003.75	246.73	-99999	0
717	1	273.75	1003.75	246.8	-99999	0
718	1	273.75	1003.75	245.93	-99999	0
719	1	273.75	1003.75	246.79	-99999	0
720	1	273.75	1003.75	246.84	-99999	0
721	1	273.75	1003.75	245.92	-99999	0
722	1	273.75	1003.75	245.92	-99999	0
723	1	273.75	1003.75	246.83	-99999	0
724	1	273.75	1003.75	246.89	-99999	0
725	1	273.75	1003.75	245.92	-99999	0
726	1	273.75	1003.75	245.91	-99999	0
727	1	273.75	1003.75	246.89	-99999	0
728	1	273.75	1003.75	246.87	-99999	0
729	1	273.75	1003.75	245.91	-99999	0
730	1	273.75	1003.75	246.93	-99999	0
731	1	273.75	1003.75	246.89	-99999	0
732	1	273.75	1003.75	245.9	-99999	0
733	1	273.75	1003.75	246.92	-99999	0
734	1	273.75	1003.75	246.97	-99999	0
735	1	273.75	1003.75	246.97	-99999	0
736	1	273.75	1003.75	246.96	-99999	0
737	1	273.75	1003.75	245.89	-99999	0
738	1	273.75	1003.75	247.01	-99999	0
739	1	273.75	1003.75	245.89	-99999	0
740	1	273.75	1003.75	247	-99999	0
741	1	273.75	1003.75	246.99	-99999	0
742	1	273.75	1003.75	247.01	-99999	0
743	1	273.75	1003.75	247	-99999	0
744	1	273.75	1003.75	247.03	-99999	0
745	1	273.75	1003.75	245.89	-99999	0
746	1	273.75	1003.75	247.05	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
747	1	273.75	1003.75	245.88	-99999	0
748	1	273.75	1003.75	247.02	-99999	0
749	1	273.75	1003.75	247.07	-99999	0
750	1	273.75	1003.75	247.06	-99999	0
751	1	273.75	1003.75	247.04	-99999	0
752	1	273.75	1003.75	245.88	-99999	0
753	1	273.75	1003.75	247.05	-99999	0
754	1	273.75	1003.75	245.88	-99999	0
755	1	273.75	1003.75	245.87	-99999	0
756	1	273.75	1003.75	247.08	-99999	0
757	1	273.75	1003.75	247.09	-99999	0
758	1	273.75	1003.75	245.88	-99999	0
759	1	273.75	1003.75	245.88	-99999	0
760	1	273.75	1003.75	247.07	-99999	0
761	1	273.75	1003.75	245.87	-99999	0
762	1	273.75	1003.75	247.08	-99999	0
763	1	273.75	1003.75	245.87	-99999	0
764	1	273.75	1003.75	247.11	-99999	0
765	1	273.75	1003.75	247.1	-99999	0
766	1	273.75	1003.75	245.87	-99999	0
767	1	273.75	1003.75	247.13	-99999	0
768	1	273.75	1003.75	247.13	-99999	0
769	1	273.75	1003.75	245.86	-99999	0
770	1	273.75	1003.75	245.86	-99999	0
771	1	273.75	1003.75	247.17	-99999	0
772	1	273.75	1003.75	247.16	-99999	0
773	1	273.75	1003.75	245.85	-99999	0
774	1	273.75	1003.75	245.84	-99999	0
775	1	273.75	1003.75	247.21	-99999	0
776	1	273.75	1003.75	245.84	-99999	0
777	1	273.75	1003.75	245.84	-99999	0
778	1	273.75	1003.75	247.24	-99999	0
779	1	273.75	1003.75	245.83	-99999	0
780	1	273.75	1003.75	245.82	-99999	0
781	1	273.75	1003.75	247.28	-99999	0
782	1	273.75	1003.75	245.81	-99999	0
783	1	273.75	1003.75	245.81	-99999	0
784	1	273.75	1003.75	247.31	-99999	0
785	1	273.75	1003.75	247.32	-99999	0
786	1	273.75	1003.75	245.8	-99999	0
787	1	273.75	1003.75	245.8	-99999	0
788	1	273.75	1003.75	245.79	-99999	0
789	1	273.75	1003.75	245.78	-99999	0
790	1	273.75	1003.75	246.11	-99999	0
791	1	273.75	1003.75	245.77	-99999	0
792	1	273.75	1003.75	246.02	-99999	0
793	1	273.75	1003.75	245.76	-99999	0
794	1	273.75	1003.75	245.75	-99999	0
795	1	273.75	1003.75	245.98	-99999	0
796	1	273.75	1003.75	245.97	-99999	0
797	1	273.75	1003.75	245.96	-99999	0
798	1	273.75	1003.75	245.95	-99999	0
799	1	273.75	1003.75	245.95	-99999	0
800	1	273.75	1003.75	245.74	-99999	0
801	1	273.75	1003.75	245.94	-99999	0
802	1	273.75	1003.75	245.94	-99999	0
803	1	273.75	1003.75	245.94	-99999	0
804	1	273.75	1003.75	245.94	-99999	0
805	1	273.75	1003.75	245.74	-99999	0
806	1	273.75	1003.75	245.74	-99999	0
807	1	273.75	1003.75	245.94	-99999	0
808	1	273.75	1003.75	245.74	-99999	0
809	1	273.75	1003.75	245.74	-99999	0
810	1	273.75	1003.75	245.94	-99999	0
811	1	273.75	1003.75	245.74	-99999	0
812	1	273.75	1003.75	245.74	-99999	0
813	1	273.75	1003.75	245.94	-99999	0
814	1	273.75	1003.75	245.74	-99999	0
815	1	273.75	1003.75	245.74	-99999	0
816	1	273.75	1003.75	245.94	-99999	0
817	1	273.75	1003.75	245.74	-99999	0
818	1	273.75	1003.75	245.74	-99999	0
819	1	273.75	1003.75	245.74	-99999	0
820	1	273.75	1003.75	245.94	-99999	0
821	1	273.75	1003.75	245.74	-99999	0
823	1	273.75	456.25	239.35	-99999	0
824	1	273.75	456.25	239.51	-99999	0
825	1	273.75	456.25	239.61	-99999	0
826	1	273.75	456.25	239.56	-99999	0
827	1	273.75	456.25	239.63	-99999	0
828	1	273.75	456.25	239.66	-99999	0
829	1	273.75	456.25	239.71	-99999	0
830	1	273.75	456.25	239.68	-99999	0
831	1	273.75	456.25	239.77	-99999	0
832	1	273.75	456.25	239.77	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
833	1	273.75	456.25	239.8	-99999	0
834	1	273.75	456.25	239.84	-99999	0
835	1	273.75	456.25	239.74	-99999	0
836	1	273.75	456.25	239.91	-99999	0
837	1	273.75	456.25	239.91	-99999	0
838	1	273.75	456.25	239.93	-99999	0
839	1	273.75	456.25	239.94	-99999	0
840	1	273.75	456.25	239.95	-99999	0
841	1	273.75	456.25	239.95	-99999	0
842	1	273.75	456.25	239.94	-99999	0
843	1	273.75	456.25	239.97	-99999	0
844	1	273.75	456.25	240	-99999	0
845	1	273.75	456.25	239.99	-99999	0
846	1	273.75	456.25	240.02	-99999	0
847	1	273.75	456.25	240.06	-99999	0
848	1	273.75	456.25	240.04	-99999	0
849	1	273.75	456.25	240.09	-99999	0
850	1	273.75	456.25	240.13	-99999	0
851	1	273.75	456.25	240.12	-99999	0
852	1	273.75	456.25	240.16	-99999	0
853	1	273.75	456.25	240.22	-99999	0
854	1	273.75	456.25	240.17	-99999	0
855	1	273.75	456.25	240.15	-99999	0
856	1	273.75	456.25	240.1	-99999	0
857	1	273.75	456.25	240.06	-99999	0
858	1	273.75	456.25	240.08	-99999	0
859	1	273.75	456.25	240.02	-99999	0
860	1	273.75	456.25	240.03	-99999	0
861	1	273.75	456.25	239.95	-99999	0
862	1	273.75	456.25	239.88	-99999	0
863	1	273.75	456.25	239.91	-99999	0
864	1	273.75	456.25	239.73	-99999	0
865	1	273.75	456.25	239.78	-99999	0
866	1	273.75	456.25	239.61	-99999	0
867	1	273.75	456.25	239.65	-99999	0
868	1	273.75	456.25	239.5	-99999	0
869	1	273.75	456.25	239.51	-99999	0
870	1	273.75	456.25	239.44	-99999	0
871	1	273.75	456.25	239.38	-99999	0
872	1	273.75	456.25	239.39	-99999	0
873	1	273.75	456.25	239.32	-99999	0
874	1	273.75	456.25	239.26	-99999	0
875	1	273.75	456.25	239.2	-99999	0
876	1	273.75	456.25	239.26	-99999	0
877	1	273.75	456.25	239.15	-99999	0
878	1	273.75	456.25	239.14	-99999	0
879	1	273.75	456.25	239.04	-99999	0
880	1	273.75	456.25	239.02	-99999	0
881	1	273.75	456.25	238.89	-99999	0
882	1	273.75	456.25	238.81	-99999	0
883	1	273.75	456.25	238.84	-99999	0
884	1	273.75	456.25	238.73	-99999	0
885	1	273.75	456.25	238.65	-99999	0
886	1	273.75	456.25	238.71	-99999	0
887	1	273.75	456.25	238.61	-99999	0
888	1	273.75	456.25	238.57	-99999	0
889	1	273.75	456.25	238.52	-99999	0
890	1	273.75	456.25	238.58	-99999	0
891	1	273.75	456.25	238.52	-99999	0
892	1	273.75	456.25	238.46	-99999	0
893	1	273.75	456.25	238.44	-99999	0
894	1	273.75	456.25	238.42	-99999	0
895	1	273.75	456.25	238.45	-99999	0
896	1	273.75	456.25	238.41	-99999	0
897	1	273.75	456.25	238.38	-99999	0
898	1	273.75	456.25	238.42	-99999	0
899	1	273.75	456.25	238.47	-99999	0
900	1	273.75	456.25	238.37	-99999	0
901	1	273.75	456.25	238.35	-99999	0
902	1	273.75	456.25	238.37	-99999	0
903	1	273.75	456.25	238.36	-99999	0
904	1	273.75	456.25	238.32	-99999	0
905	1	273.75	456.25	238.37	-99999	0
906	1	273.75	456.25	238.33	-99999	0
907	1	273.75	456.25	238.3	-99999	0
908	1	273.75	456.25	238.33	-99999	0
909	1	273.75	456.25	238.3	-99999	0
910	1	273.75	456.25	238.26	-99999	0
911	1	273.75	456.25	238.36	-99999	0
912	1	273.75	456.25	238.23	-99999	0
913	1	273.75	456.25	238.26	-99999	0
914	1	273.75	456.25	238.18	-99999	0
915	1	273.75	456.25	238.21	-99999	0
916	1	273.75	456.25	238.12	-99999	0
917	1	273.75	456.25	238.22	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
918	1	273.75	456.25	238.16	-99999	0
919	1	273.75	456.25	238.06	-99999	0
920	1	273.75	456.25	238.16	-99999	0
921	1	273.75	456.25	238.07	-99999	0
922	1	273.75	456.25	238.11	-99999	0
923	1	273.75	456.25	238.02	-99999	0
924	1	273.75	456.25	237.97	-99999	0
925	1	273.75	456.25	238.03	-99999	0
926	1	273.75	456.25	237.94	-99999	0
927	1	273.75	456.25	237.98	-99999	0
928	1	273.75	456.25	237.95	-99999	0
929	1	273.75	456.25	237.98	-99999	0
930	1	273.75	456.25	237.9	-99999	0
931	1	273.75	456.25	237.96	-99999	0
932	1	273.75	456.25	237.93	-99999	0
933	1	273.75	456.25	237.88	-99999	0
934	1	273.75	456.25	237.85	-99999	0
935	1	273.75	456.25	237.9	-99999	0
936	1	273.75	456.25	237.82	-99999	0
937	1	273.75	456.25	237.81	-99999	0
938	1	273.75	456.25	237.83	-99999	0
939	1	273.75	456.25	237.81	-99999	0
940	1	273.75	456.25	237.3	-99999	0
941	1	273.75	456.25	237.75	-99999	0
942	1	273.75	456.25	237.85	-99999	0
943	1	273.75	456.25	237.3	-99999	0
944	1	273.75	456.25	237.32	-99999	0
945	1	273.75	456.25	237.3	-99999	0
946	1	273.75	456.25	237.33	-99999	0
947	1	273.75	456.25	237.82	-99999	0
948	1	273.75	456.25	237.81	-99999	0
949	1	273.75	456.25	237.3	-99999	0
950	1	273.75	456.25	237.81	-99999	0
951	1	273.75	456.25	237.33	-99999	0
952	1	273.75	456.25	237.8	-99999	0
953	1	273.75	456.25	237.34	-99999	0
954	1	273.75	456.25	237.3	-99999	0
955	1	273.75	456.25	237.63	-99999	0
956	1	273.75	456.25	237.32	-99999	0
957	1	273.75	456.25	237.33	-99999	0
958	1	273.75	456.25	237.39	-99999	0
959	1	273.75	456.25	237.35	-99999	0
960	1	273.75	456.25	237.45	-99999	0
961	1	273.75	456.25	237.4	-99999	0
962	1	273.75	456.25	237.44	-99999	0
963	1	273.75	456.25	237.54	-99999	0
964	1	273.75	456.25	237.48	-99999	0
965	1	273.75	456.25	237.66	-99999	0
966	1	273.75	456.25	237.56	-99999	0
967	1	273.75	456.25	237.77	-99999	0
968	1	273.75	456.25	237.65	-99999	0
969	1	273.75	456.25	237.88	-99999	0
970	1	273.75	456.25	237.74	-99999	0
971	1	273.75	456.25	237.97	-99999	0
972	1	273.75	456.25	237.9	-99999	0
973	1	273.75	456.25	238.21	-99999	0
974	1	273.75	456.25	237.98	-99999	0
975	1	273.75	456.25	238.44	-99999	0
976	1	273.75	456.25	238.15	-99999	0
977	1	273.75	456.25	238.75	-99999	0
978	1	273.75	456.25	238.47	-99999	0
979	1	273.75	456.25	239.12	-99999	0
980	1	273.75	456.25	239.3	-99999	0
981	1	273.75	456.25	238.88	-99999	0
982	1	273.75	456.25	239.43	-99999	0
983	1	273.75	456.25	239.69	-99999	0
984	1	273.75	456.25	239.9	-99999	0
985	1	273.75	456.25	239.18	-99999	0
986	1	273.75	456.25	240.08	-99999	0
987	1	273.75	456.25	239.43	-99999	0
988	1	273.75	456.25	240.23	-99999	0
989	1	273.75	456.25	240.42	-99999	0
990	1	273.75	456.25	239.78	-99999	0
991	1	273.75	456.25	240.58	-99999	0
992	1	273.75	456.25	240.77	-99999	0
993	1	273.75	456.25	240.2	-99999	0
994	1	273.75	456.25	241.05	-99999	0
995	1	273.75	456.25	241.49	-99999	0
996	1	273.75	456.25	240.61	-99999	0
997	1	273.75	456.25	241.69	-99999	0
998	1	273.75	456.25	241.85	-99999	0
999	1	273.75	456.25	242.18	-99999	0
1000	1	273.75	456.25	241.06	-99999	0
1001	1	273.75	456.25	242.37	-99999	0
1002	1	273.75	456.25	242.59	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1003	1	273.75	456.25	241.57	-99999	0
1004	1	273.75	456.25	242.77	-99999	0
1005	1	273.75	456.25	242.92	-99999	0
1006	1	273.75	456.25	243.15	-99999	0
1007	1	273.75	456.25	241.92	-99999	0
1008	1	273.75	456.25	243.32	-99999	0
1009	1	273.75	456.25	243.48	-99999	0
1010	1	273.75	456.25	243.64	-99999	0
1011	1	273.75	456.25	242.29	-99999	0
1012	1	273.75	456.25	243.82	-99999	0
1013	1	273.75	456.25	244.02	-99999	0
1014	1	273.75	456.25	244.21	-99999	0
1015	1	273.75	456.25	242.79	-99999	0
1016	1	273.75	456.25	244.43	-99999	0
1017	1	273.75	456.25	244.63	-99999	0
1018	1	273.75	456.25	244.8	-99999	0
1019	1	273.75	456.25	243.35	-99999	0
1020	1	273.75	456.25	244.97	-99999	0
1021	1	273.75	456.25	245.13	-99999	0
1022	1	273.75	456.25	245.29	-99999	0
1023	1	273.75	456.25	245.4	-99999	0
1024	1	273.75	456.25	245.54	-99999	0
1025	1	273.75	456.25	246.24	-99999	0
1026	1	273.75	456.25	246.24	-99999	0
1027	1	273.75	456.25	246.24	-99999	0
1028	1	273.75	456.25	246.24	-99999	0
1029	1	273.75	456.25	245.67	-99999	0
1030	1	273.75	456.25	246.24	-99999	0
1031	1	273.75	456.25	243.84	-99999	0
1032	1	273.75	456.25	246.24	-99999	0
1033	1	273.75	456.25	246.24	-99999	0
1034	1	273.75	456.25	246.24	-99999	0
1035	1	273.75	456.25	244.21	-99999	0
1036	1	273.75	456.25	246.24	-99999	0
1037	1	273.75	456.25	245.74	-99999	0
1038	1	273.75	456.25	246.24	-99999	0
1039	1	273.75	456.25	244.63	-99999	0
1040	1	273.75	456.25	246.24	-99999	0
1041	1	273.75	456.25	246.24	-99999	0
1042	1	273.75	456.25	244.98	-99999	0
1043	1	273.75	456.25	245.22	-99999	0
1044	1	273.75	456.25	246.24	-99999	0
1045	1	273.75	456.25	245.4	-99999	0
1046	1	273.75	456.25	246.24	-99999	0
1047	1	273.75	456.25	245.61	-99999	0
1048	1	273.75	456.25	246.24	-99999	0
1049	1	273.75	456.25	246.09	-99999	0
1050	1	273.75	456.25	246.24	-99999	0
1051	1	273.75	456.25	246.24	-99999	0
1052	1	273.75	456.25	246.24	-99999	0
1053	1	273.75	456.25	246.24	-99999	0
1054	1	273.75	456.25	246.24	-99999	0
1055	1	273.75	456.25	246.24	-99999	0
1056	1	273.75	456.25	246.24	-99999	0
1057	1	273.75	456.25	246.24	-99999	0
1058	1	273.75	821.25	238.67	-99999	0
1059	1	273.75	821.25	238.66	-99999	0
1060	1	273.75	821.25	238.73	-99999	0
1061	1	273.75	821.25	238.83	-99999	0
1062	1	273.75	821.25	238.78	-99999	0
1063	1	273.75	821.25	238.84	-99999	0
1064	1	273.75	821.25	238.9	-99999	0
1065	1	273.75	821.25	238.98	-99999	0
1066	1	273.75	821.25	238.92	-99999	0
1067	1	273.75	821.25	238.9	-99999	0
1068	1	273.75	821.25	238.98	-99999	0
1069	1	273.75	821.25	238.95	-99999	0
1070	1	273.75	821.25	239.01	-99999	0
1071	1	273.75	821.25	239.14	-99999	0
1072	1	273.75	821.25	239.11	-99999	0
1073	1	273.75	821.25	239.08	-99999	0
1074	1	273.75	821.25	239.15	-99999	0
1075	1	273.75	821.25	239.29	-99999	0
1076	1	273.75	821.25	239.25	-99999	0
1077	1	273.75	821.25	239.22	-99999	0
1078	1	273.75	821.25	239.29	-99999	0
1079	1	273.75	821.25	239.4	-99999	0
1080	1	273.75	821.25	239.34	-99999	0
1081	1	273.75	821.25	239.39	-99999	0
1082	1	273.75	821.25	239.44	-99999	0
1083	1	273.75	821.25	239.42	-99999	0
1084	1	273.75	821.25	239.43	-99999	0
1085	1	273.75	821.25	239.46	-99999	0
1086	1	273.75	821.25	239.49	-99999	0
1087	1	273.75	821.25	239.48	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
1088	1	273.75	821.25	239.5	-99999	0
1089	1	273.75	821.25	239.53	-99999	0
1090	1	273.75	821.25	239.56	-99999	0
1091	1	273.75	821.25	239.56	-99999	0
1092	1	273.75	821.25	239.58	-99999	0
1093	1	273.75	821.25	239.61	-99999	0
1094	1	273.75	821.25	239.56	-99999	0
1095	1	273.75	821.25	239.56	-99999	0
1096	1	273.75	821.25	239.51	-99999	0
1097	1	273.75	821.25	239.43	-99999	0
1098	1	273.75	821.25	239.47	-99999	0
1099	1	273.75	821.25	239.41	-99999	0
1100	1	273.75	821.25	239.34	-99999	0
1101	1	273.75	821.25	239.36	-99999	0
1102	1	273.75	821.25	239.3	-99999	0
1103	1	273.75	821.25	239.25	-99999	0
1104	1	273.75	821.25	239.25	-99999	0
1105	1	273.75	821.25	239.09	-99999	0
1106	1	273.75	821.25	239.16	-99999	0
1107	1	273.75	821.25	239.06	-99999	0
1108	1	273.75	821.25	238.92	-99999	0
1109	1	273.75	821.25	238.97	-99999	0
1110	1	273.75	821.25	238.88	-99999	0
1111	1	273.75	821.25	238.66	-99999	0
1112	1	273.75	821.25	238.75	-99999	0
1113	1	273.75	821.25	238.61	-99999	0
1114	1	273.75	821.25	238.55	-99999	0
1115	1	273.75	821.25	238.39	-99999	0
1116	1	273.75	821.25	238.48	-99999	0
1117	1	273.75	821.25	238.42	-99999	0
1118	1	273.75	821.25	238.35	-99999	0
1119	1	273.75	821.25	238.29	-99999	0
1120	1	273.75	821.25	238.14	-99999	0
1121	1	273.75	821.25	238.22	-99999	0
1122	1	273.75	821.25	238.15	-99999	0
1123	1	273.75	821.25	238.09	-99999	0
1124	1	273.75	821.25	238.02	-99999	0
1125	1	273.75	821.25	237.89	-99999	0
1126	1	273.75	821.25	237.95	-99999	0
1127	1	273.75	821.25	237.89	-99999	0
1128	1	273.75	821.25	237.82	-99999	0
1129	1	273.75	821.25	237.71	-99999	0
1130	1	273.75	821.25	237.69	-99999	0
1131	1	273.75	821.25	237.59	-99999	0
1132	1	273.75	821.25	237.56	-99999	0
1133	1	273.75	456.25	237.53	-99999	0
1134	1	273.75	456.25	237.53	-99999	0
1135	1	273.75	456.25	236.98	-99999	0
1136	1	273.75	456.25	237.53	-99999	0
1137	1	273.75	456.25	236.98	-99999	0
1138	1	273.75	456.25	237.53	-99999	0
1139	1	273.75	456.25	237.49	-99999	0
1140	1	273.75	456.25	236.95	-99999	0
1141	1	273.75	456.25	236.96	-99999	0
1142	1	273.75	456.25	236.91	-99999	0
1143	1	273.75	456.25	236.93	-99999	0
1144	1	273.75	456.25	236.87	-99999	0
1145	1	273.75	456.25	236.87	-99999	0
1146	1	273.75	456.25	236.83	-99999	0
1147	1	273.75	456.25	236.82	-99999	0
1148	1	273.75	456.25	236.78	-99999	0
1149	1	273.75	456.25	236.74	-99999	0
1150	1	273.75	456.25	236.76	-99999	0
1151	1	273.75	456.25	236.69	-99999	0
1152	1	273.75	456.25	236.7	-99999	0
1153	1	273.75	456.25	236.65	-99999	0
1154	1	273.75	456.25	236.67	-99999	0
1155	1	273.75	456.25	236.63	-99999	0
1156	1	273.75	456.25	236.76	-99999	0
1157	1	273.75	456.25	236.7	-99999	0
1158	1	273.75	456.25	236.84	-99999	0
1159	1	273.75	456.25	236.8	-99999	0
1160	1	273.75	456.25	236.92	-99999	0
1161	1	273.75	456.25	236.87	-99999	0
1162	1	273.75	456.25	236.94	-99999	0
1163	1	273.75	456.25	237.02	-99999	0
1164	1	273.75	456.25	237.03	-99999	0
1165	1	273.75	456.25	237.13	-99999	0
1166	1	273.75	456.25	237.12	-99999	0
1167	1	273.75	456.25	237.15	-99999	0
1168	1	273.75	456.25	237.15	-99999	0
1169	1	273.75	456.25	237.41	-99999	0
1170	1	273.75	456.25	237.27	-99999	0
1171	1	273.75	456.25	237.47	-99999	0
1172	1	273.75	456.25	237.7	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1173	1	273.75	456.25	237.67	-99999	0
1174	1	273.75	456.25	237.92	-99999	0
1175	1	273.75	456.25	237.89	-99999	0
1176	1	273.75	456.25	238.16	-99999	0
1177	1	273.75	456.25	238.1	-99999	0
1178	1	273.75	456.25	238.41	-99999	0
1179	1	273.75	456.25	238.3	-99999	0
1180	1	273.75	456.25	238.66	-99999	0
1181	1	273.75	456.25	238.5	-99999	0
1182	1	273.75	456.25	238.85	-99999	0
1183	1	273.75	456.25	239.12	-99999	0
1184	1	273.75	456.25	239.55	-99999	0
1185	1	273.75	456.25	239.13	-99999	0
1186	1	273.75	456.25	239.88	-99999	0
1187	1	273.75	456.25	239.43	-99999	0
1188	1	273.75	456.25	239.59	-99999	0
1189	1	273.75	456.25	240.21	-99999	0
1190	1	273.75	456.25	239.76	-99999	0
1191	1	273.75	456.25	239.92	-99999	0
1192	1	273.75	456.25	240.6	-99999	0
1193	1	273.75	456.25	240.09	-99999	0
1194	1	273.75	456.25	240.33	-99999	0
1195	1	273.75	456.25	240.96	-99999	0
1196	1	273.75	456.25	240.59	-99999	0
1197	1	273.75	456.25	241.28	-99999	0
1198	1	273.75	456.25	240.85	-99999	0
1199	1	273.75	456.25	241.59	-99999	0
1200	1	273.75	456.25	241.14	-99999	0
1201	1	273.75	456.25	241.91	-99999	0
1202	1	273.75	456.25	241.41	-99999	0
1203	1	273.75	456.25	242.39	-99999	0
1204	1	273.75	456.25	241.58	-99999	0
1205	1	273.75	456.25	241.76	-99999	0
1206	1	273.75	456.25	241.99	-99999	0
1207	1	273.75	456.25	242.85	-99999	0
1208	1	273.75	456.25	242.21	-99999	0
1209	1	273.75	456.25	243.26	-99999	0
1210	1	273.75	456.25	242.44	-99999	0
1211	1	273.75	456.25	242.68	-99999	0
1212	1	273.75	456.25	243.67	-99999	0
1213	1	273.75	456.25	242.91	-99999	0
1214	1	273.75	456.25	243.12	-99999	0
1215	1	273.75	456.25	244.15	-99999	0
1216	1	273.75	456.25	243.32	-99999	0
1217	1	273.75	456.25	243.51	-99999	0
1218	1	273.75	456.25	244.74	-99999	0
1219	1	273.75	456.25	243.75	-99999	0
1220	1	273.75	456.25	245.07	-99999	0
1221	1	273.75	456.25	243.99	-99999	0
1222	1	273.75	456.25	245.41	-99999	0
1223	1	273.75	456.25	244.27	-99999	0
1224	1	273.75	456.25	244.54	-99999	0
1225	1	273.75	456.25	246.24	-99999	0
1226	1	273.75	456.25	246.24	-99999	0
1227	1	273.75	456.25	244.72	-99999	0
1228	1	273.75	456.25	246.24	-99999	0
1229	1	273.75	456.25	244.91	-99999	0
1230	1	273.75	456.25	245.1	-99999	0
1231	1	273.75	456.25	245.19	-99999	0
1232	1	273.75	456.25	245.29	-99999	0
1233	1	273.75	456.25	246.24	-99999	0
1234	1	273.75	456.25	245.38	-99999	0
1235	1	273.75	456.25	245.48	-99999	0
1236	1	273.75	456.25	245.57	-99999	0
1237	1	273.75	456.25	245.67	-99999	0
1238	1	273.75	456.25	246.24	-99999	0
1239	1	273.75	456.25	246.24	-99999	0
1240	1	273.75	456.25	246.24	-99999	0
1241	1	273.75	456.25	246.24	-99999	0
1242	1	273.75	456.25	246.24	-99999	0
1243	1	273.75	456.25	246.24	-99999	0
1244	1	273.75	456.25	246.24	-99999	0
1245	1	273.75	456.25	247.23	-99999	0
1246	1	273.75	456.25	247.11	-99999	0
1247	1	273.75	456.25	246.99	-99999	0
1248	1	273.75	456.25	246.83	-99999	0
1249	1	273.75	456.25	246.63	-99999	0
1250	1	273.75	456.25	246.46	-99999	0
1251	1	273.75	456.25	246.29	-99999	0
1252	1	273.75	456.25	246.24	-99999	0
1253	1	273.75	456.25	246.24	-99999	0
1254	1	273.75	456.25	246.24	-99999	0
1255	1	273.75	456.25	246.24	-99999	0
1256	1	273.75	456.25	246.24	-99999	0
1257	1	273.75	456.25	247.17	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1258	1	273.75	456.25	247.05	-99999	0
1259	1	273.75	456.25	246.24	-99999	0
1260	1	273.75	456.25	246.24	-99999	0
1261	1	273.75	456.25	247.23	-99999	0
1262	1	273.75	456.25	246.24	-99999	0
1263	1	273.75	456.25	246.24	-99999	0
1264	1	273.75	456.25	246.24	-99999	0
1265	1	273.75	456.25	246.24	-99999	0
1266	1	273.75	456.25	246.24	-99999	0
1267	1	273.75	456.25	246.31	-99999	0
1268	1	273.75	456.25	246.24	-99999	0
1269	1	273.75	456.25	246.42	-99999	0
1270	1	273.75	456.25	246.54	-99999	0
1271	1	273.75	456.25	246.66	-99999	0
1272	1	273.75	456.25	246.8	-99999	0
1273	1	273.75	456.25	246.94	-99999	0
1274	1	273.75	456.25	247.02	-99999	0
1275	1	273.75	456.25	247.09	-99999	0
1276	1	273.75	456.25	247.19	-99999	0
1277	1	273.75	456.25	247.23	-99999	0
1278	1	273.75	456.25	246.24	-99999	0
1279	1	273.75	456.25	246.24	-99999	0
1280	1	273.75	456.25	246.88	-99999	0
1281	1	273.75	456.25	246.24	-99999	0
1282	1	273.75	456.25	246.24	-99999	0
1283	1	273.75	456.25	246.26	-99999	0
1284	1	273.75	456.25	246.33	-99999	0
1285	1	273.75	456.25	246.47	-99999	0
1286	1	273.75	456.25	246.55	-99999	0
1287	1	273.75	456.25	246.63	-99999	0
1288	1	273.75	456.25	246.79	-99999	0
1289	1	273.75	456.25	246.85	-99999	0
1290	1	273.75	456.25	246.91	-99999	0
1291	1	273.75	456.25	247	-99999	0
1292	1	273.75	456.25	247.23	-99999	0
1293	1	273.75	456.25	247.1	-99999	0
1294	1	273.75	456.25	247.23	-99999	0
1295	1	273.75	456.25	247.19	-99999	0
1296	1	273.75	638.75	227.27	-99999	0
1297	1	456.25	1003.75	229.75	-99999	0
1298	1	456.25	1003.75	229.7	-99999	0
1299	1	456.25	1003.75	229.65	-99999	0
1300	1	456.25	1003.75	229.59	-99999	0
1301	1	456.25	1003.75	229.63	-99999	0
1302	1	456.25	1003.75	229.6	-99999	0
1303	1	456.25	1003.75	229.59	-99999	0
1304	1	456.25	1003.75	229.58	-99999	0
1305	1	456.25	1003.75	229.57	-99999	0
1306	1	456.25	1003.75	229.59	-99999	0
1307	1	456.25	1003.75	229.57	-99999	0
1308	1	456.25	1003.75	229.55	-99999	0
1309	1	456.25	1003.75	229.56	-99999	0
1310	1	456.25	1003.75	229.54	-99999	0
1311	1	456.25	1003.75	229.52	-99999	0
1312	1	456.25	1003.75	229.54	-99999	0
1313	1	456.25	1003.75	229.51	-99999	0
1314	1	456.25	1003.75	229.52	-99999	0
1315	1	456.25	1003.75	229.49	-99999	0
1316	1	456.25	1003.75	229.5	-99999	0
1317	1	456.25	1003.75	229.48	-99999	0
1318	1	456.25	1003.75	229.49	-99999	0
1319	1	456.25	1003.75	229.48	-99999	0
1320	1	456.25	1003.75	229.46	-99999	0
1321	1	456.25	1003.75	229.45	-99999	0
1322	1	456.25	1003.75	229.44	-99999	0
1323	1	456.25	1003.75	229.45	-99999	0
1324	1	456.25	1003.75	229.42	-99999	0
1325	1	456.25	1003.75	229.43	-99999	0
1326	1	456.25	1003.75	229.41	-99999	0
1327	1	456.25	1003.75	229.42	-99999	0
1328	1	456.25	1003.75	229.4	-99999	0
1329	1	456.25	1003.75	229.4	-99999	0
1330	1	456.25	1003.75	229.4	-99999	0
1331	1	456.25	1003.75	229.39	-99999	0
1332	1	456.25	1003.75	229.37	-99999	0
1333	1	456.25	1003.75	229.38	-99999	0
1334	1	456.25	1003.75	229.37	-99999	0
1335	1	456.25	1003.75	229.37	-99999	0
1336	1	456.25	1003.75	229.37	-99999	0
1337	1	456.25	1003.75	232.28	-99999	0
1338	1	456.25	1003.75	232.52	-99999	0
1339	1	456.25	1003.75	232.12	-99999	0
1340	1	456.25	1003.75	232.55	-99999	0
1341	1	456.25	1003.75	231.96	-99999	0
1342	1	456.25	1003.75	232.84	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1343	1	456.25	1003.75	232.42	-99999	0
1344	1	456.25	1003.75	231.96	-99999	0
1345	1	456.25	1003.75	232.13	-99999	0
1346	1	456.25	1003.75	233.13	-99999	0
1347	1	456.25	1003.75	233.52	-99999	0
1348	1	456.25	1003.75	233.27	-99999	0
1349	1	456.25	1003.75	233.97	-99999	0
1350	1	456.25	1003.75	233.49	-99999	0
1351	1	456.25	1003.75	234.41	-99999	0
1352	1	456.25	1003.75	231.87	-99999	0
1353	1	456.25	1003.75	232.39	-99999	0
1354	1	456.25	1003.75	233.19	-99999	0
1355	1	456.25	1003.75	232.79	-99999	0
1356	1	456.25	1003.75	231.94	-99999	0
1357	1	456.25	1003.75	235.76	-99999	0
1358	1	456.25	1003.75	234.11	-99999	0
1359	1	456.25	1003.75	233.4	-99999	0
1360	1	456.25	1003.75	232.38	-99999	0
1361	1	456.25	1003.75	237.26	-99999	0
1362	1	456.25	1003.75	232.05	-99999	0
1363	1	456.25	1003.75	234.93	-99999	0
1364	1	456.25	1003.75	231.41	-99999	0
1365	1	456.25	1003.75	232.75	-99999	0
1366	1	456.25	1003.75	232.93	-99999	0
1367	1	456.25	1003.75	236.42	-99999	0
1368	1	456.25	1003.75	234.16	-99999	0
1369	1	456.25	1003.75	232.28	-99999	0
1370	1	456.25	1003.75	233.37	-99999	0
1371	1	456.25	1003.75	232.78	-99999	0
1372	1	456.25	1003.75	232.31	-99999	0
1373	1	456.25	1003.75	232.84	-99999	0
1374	1	456.25	1003.75	232.79	-99999	0
1375	1	456.25	1003.75	235.79	-99999	0
1376	1	456.25	1003.75	232.97	-99999	0
1377	1	456.25	1003.75	232.29	-99999	0
1378	1	456.25	1003.75	232.12	-99999	0
1379	1	456.25	1003.75	231.56	-99999	0
1380	1	456.25	1003.75	233.1	-99999	0
1381	1	456.25	1003.75	233.73	-99999	0
1382	1	456.25	1003.75	235.25	-99999	0
1383	1	456.25	1003.75	232.2	-99999	0
1384	1	456.25	1003.75	236.64	-99999	0
1385	1	456.25	1003.75	233.35	-99999	0
1386	1	456.25	1003.75	231.2	-99999	0
1387	1	456.25	1003.75	230.94	-99999	0
1388	1	456.25	1003.75	231.56	-99999	0
1389	1	456.25	1003.75	231.68	-99999	0
1390	1	456.25	1003.75	234.75	-99999	0
1391	1	456.25	1003.75	234.2	-99999	0
1392	1	456.25	1003.75	235.8	-99999	0
1393	1	456.25	1003.75	235.2	-99999	0
1394	1	456.25	1003.75	233.35	-99999	0
1395	1	456.25	1003.75	233.76	-99999	0
1396	1	456.25	1003.75	233.46	-99999	0
1397	1	456.25	1003.75	236.3	-99999	0
1398	1	456.25	1003.75	233.74	-99999	0
1399	1	456.25	1003.75	234.01	-99999	0
1400	1	456.25	1003.75	235.81	-99999	0
1401	1	456.25	1003.75	234.95	-99999	0
1402	1	456.25	1003.75	237	-99999	0
1403	1	456.25	1003.75	234.29	-99999	0
1404	1	456.25	1003.75	231.45	-99999	0
1405	1	456.25	1003.75	231.18	-99999	0
1406	1	456.25	1003.75	230.5	-99999	0
1407	1	456.25	1003.75	230.78	-99999	0
1408	1	456.25	1003.75	230.92	-99999	0
1409	1	456.25	1003.75	230.41	-99999	0
1410	1	456.25	1003.75	230.06	-99999	0
1411	1	456.25	1003.75	230.48	-99999	0
1412	1	456.25	1003.75	230.63	-99999	0
1413	1	456.25	1003.75	230.03	-99999	0
1414	1	456.25	1003.75	230	-99999	0
1415	1	456.25	1003.75	230.33	-99999	0
1416	1	456.25	1003.75	230.32	-99999	0
1417	1	456.25	1003.75	229.96	-99999	0
1418	1	456.25	1003.75	230.21	-99999	0
1419	1	456.25	1003.75	230.11	-99999	0
1420	1	456.25	1003.75	230.11	-99999	0
1421	1	456.25	1003.75	229.92	-99999	0
1422	1	456.25	1003.75	230	-99999	0
1423	1	456.25	1003.75	229.91	-99999	0
1424	1	456.25	1003.75	229.89	-99999	0
1425	1	638.75	1003.75	238.1	-99999	0
1426	1	638.75	1003.75	238.11	-99999	0
1427	1	638.75	1003.75	238.09	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
1428	1	638.75	1003.75	238.12	-99999	0
1429	1	638.75	1003.75	238.1	-99999	0
1430	1	638.75	1003.75	238.11	-99999	0
1431	1	638.75	1003.75	238.15	-99999	0
1432	1	638.75	1003.75	238.1	-99999	0
1433	1	638.75	1003.75	238.17	-99999	0
1434	1	638.75	1003.75	238.14	-99999	0
1435	1	638.75	1003.75	238.22	-99999	0
1436	1	638.75	1003.75	238.17	-99999	0
1437	1	638.75	1003.75	238.19	-99999	0
1438	1	638.75	1003.75	238.25	-99999	0
1439	1	638.75	1003.75	238.21	-99999	0
1440	1	638.75	1003.75	238.28	-99999	0
1441	1	638.75	1003.75	238.29	-99999	0
1442	1	638.75	1003.75	238.27	-99999	0
1443	1	638.75	1003.75	238.3	-99999	0
1444	1	638.75	1003.75	238.4	-99999	0
1446	1	638.75	1003.75	238.25	-99999	0
1447	1	638.75	1003.75	238.4	-99999	0
1448	1	638.75	1003.75	238.28	-99999	0
1449	1	638.75	1003.75	238.4	-99999	0
1450	1	638.75	1003.75	238.3	-99999	0
1452	1	638.75	1003.75	238.4	-99999	0
1453	1	638.75	1003.75	238.39	-99999	0
1455	1	638.75	1003.75	238.28	-99999	0
1456	1	638.75	1003.75	238.4	-99999	0
1458	1	638.75	1003.75	238.32	-99999	0
1459	1	638.75	1003.75	238.3	-99999	0
1460	1	638.75	1003.75	238.38	-99999	0
1462	1	638.75	1003.75	238.34	-99999	0
1465	1	638.75	1003.75	238.36	-99999	0
1466	1	638.75	1003.75	238.29	-99999	0
1467	1	638.75	1003.75	238.37	-99999	0
1468	1	638.75	1003.75	238.39	-99999	0
1469	1	638.75	1003.75	238.31	-99999	0
1470	1	638.75	1003.75	238.3	-99999	0
1471	1	638.75	1003.75	238.4	-99999	0
1478	1	638.75	1003.75	238.35	-99999	0
1479	1	638.75	1003.75	238.4	-99999	0
1481	1	638.75	1003.75	238.39	-99999	0
1483	1	638.75	1003.75	238.35	-99999	0
1484	1	638.75	1003.75	238.34	-99999	0
1488	1	638.75	1003.75	238.38	-99999	0
1491	1	638.75	1003.75	238.36	-99999	0
1492	1	638.75	1003.75	238.34	-99999	0
1493	1	638.75	1003.75	238.39	-99999	0
1495	1	638.75	1003.75	238.34	-99999	0
1496	1	638.75	1003.75	238.35	-99999	0
1499	1	638.75	1003.75	238.34	-99999	0
1500	1	638.75	1003.75	238.34	-99999	0
1501	1	638.75	1003.75	238.35	-99999	0
1503	1	638.75	1003.75	238.35	-99999	0
1504	1	638.75	1003.75	238.35	-99999	0
1507	1	638.75	1003.75	238.37	-99999	0
1508	1	638.75	1003.75	238.35	-99999	0
1509	1	638.75	1003.75	238.4	-99999	0
1513	1	638.75	1003.75	238.35	-99999	0
1514	1	638.75	1003.75	238.39	-99999	0
1515	1	638.75	1003.75	238.38	-99999	0
1517	1	638.75	1003.75	238.35	-99999	0
1518	1	638.75	1003.75	238.36	-99999	0
1519	1	638.75	1003.75	238.38	-99999	0
1521	1	638.75	1003.75	238.35	-99999	0
1522	1	638.75	1003.75	238.35	-99999	0
1523	1	638.75	1003.75	238.35	-99999	0
1524	1	638.75	1003.75	238.36	-99999	0
1525	1	638.75	1003.75	238.37	-99999	0
1526	1	638.75	1003.75	234.5	-99999	0
1527	1	273.75	638.75	226.1	-99999	0
1528	1	273.75	638.75	229.12	-99999	0
1529	1	273.75	638.75	229.12	-99999	0
1530	1	273.75	638.75	229.12	-99999	0
1531	1	273.75	638.75	229.11	-99999	0
1532	1	273.75	638.75	229.12	-99999	0
1533	1	273.75	638.75	229.11	-99999	0
1534	1	273.75	638.75	229.12	-99999	0
1535	1	273.75	638.75	229.12	-99999	0
1536	1	273.75	638.75	229.11	-99999	0
1537	1	273.75	638.75	229.11	-99999	0
1538	1	273.75	638.75	229.12	-99999	0
1539	1	273.75	638.75	229.09	-99999	0
1540	1	273.75	638.75	229.07	-99999	0
1541	1	273.75	638.75	229.11	-99999	0
1542	1	273.75	638.75	229.09	-99999	0
1543	1	273.75	638.75	229.04	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1544	1	273.75	638.75	229.06	-99999	0
1545	1	273.75	638.75	229.01	-99999	0
1546	1	273.75	638.75	228.98	-99999	0
1547	1	273.75	638.75	229.02	-99999	0
1548	1	273.75	638.75	228.95	-99999	0
1549	1	273.75	638.75	228.97	-99999	0
1550	1	273.75	638.75	228.93	-99999	0
1551	1	273.75	638.75	228.93	-99999	0
1552	1	273.75	638.75	228.88	-99999	0
1553	1	273.75	638.75	228.88	-99999	0
1554	1	273.75	638.75	228.83	-99999	0
1555	1	273.75	638.75	228.8	-99999	0
1556	1	273.75	638.75	228.83	-99999	0
1557	1	273.75	638.75	228.8	-99999	0
1558	1	273.75	638.75	228.77	-99999	0
1559	1	273.75	638.75	228.77	-99999	0
1560	1	273.75	638.75	228.73	-99999	0
1561	1	273.75	638.75	228.73	-99999	0
1562	1	273.75	638.75	228.69	-99999	0
1563	1	273.75	638.75	228.66	-99999	0
1564	1	273.75	638.75	228.7	-99999	0
1565	1	273.75	638.75	228.65	-99999	0
1566	1	273.75	638.75	228.62	-99999	0
1567	1	273.75	638.75	228.57	-99999	0
1568	1	273.75	638.75	228.6	-99999	0
1569	1	273.75	638.75	228.56	-99999	0
1570	1	273.75	638.75	228.52	-99999	0
1571	1	273.75	638.75	228.51	-99999	0
1572	1	273.75	638.75	228.46	-99999	0
1573	1	273.75	638.75	228.47	-99999	0
1574	1	273.75	638.75	228.43	-99999	0
1575	1	273.75	638.75	228.46	-99999	0
1576	1	273.75	638.75	228.41	-99999	0
1577	1	273.75	638.75	228.42	-99999	0
1578	1	273.75	638.75	228.39	-99999	0
1579	1	273.75	638.75	228.43	-99999	0
1580	1	273.75	638.75	228.39	-99999	0
1581	1	273.75	638.75	228.39	-99999	0
1582	1	273.75	638.75	228.38	-99999	0
1583	1	273.75	638.75	228.38	-99999	0
1584	1	273.75	638.75	228.39	-99999	0
1585	1	273.75	638.75	228.38	-99999	0
1586	1	273.75	638.75	228.39	-99999	0
1587	1	273.75	638.75	228.38	-99999	0
1588	1	273.75	638.75	228.38	-99999	0
1589	1	273.75	638.75	228.38	-99999	0
1590	1	273.75	638.75	224.9	-99999	0
1591	1	273.75	638.75	224.9	-99999	0
1592	1	273.75	638.75	224.9	-99999	0
1593	1	273.75	638.75	225.38	-99999	0
1594	1	273.75	638.75	225.21	-99999	0
1595	1	273.75	638.75	224.9	-99999	0
1596	1	273.75	638.75	224.9	-99999	0
1597	1	273.75	638.75	225.36	-99999	0
1598	1	273.75	638.75	224.9	-99999	0
1599	1	273.75	638.75	225.16	-99999	0
1600	1	273.75	638.75	224.9	-99999	0
1601	1	273.75	638.75	225.35	-99999	0
1602	1	273.75	638.75	225.09	-99999	0
1603	1	273.75	638.75	225.67	-99999	0
1604	1	273.75	638.75	225.01	-99999	0
1605	1	273.75	638.75	225.34	-99999	0
1606	1	273.75	638.75	226.32	-99999	0
1607	1	273.75	638.75	225.91	-99999	0
1608	1	273.75	638.75	225.33	-99999	0
1609	1	273.75	638.75	225.92	-99999	0
1610	1	273.75	638.75	226.35	-99999	0
1611	1	273.75	638.75	227.05	-99999	0
1612	1	273.75	638.75	226.36	-99999	0
1613	1	273.75	638.75	226.66	-99999	0
1614	1	273.75	638.75	227.39	-99999	0
1615	1	273.75	638.75	226.17	-99999	0
1616	1	273.75	638.75	227.89	-99999	0
1617	1	273.75	638.75	228.69	-99999	0
1618	1	273.75	638.75	229.3	-99999	0
1619	1	273.75	638.75	229.11	-99999	0
1620	1	273.75	638.75	229.69	-99999	0
1621	1	273.75	638.75	230.43	-99999	0
1622	1	273.75	638.75	230.34	-99999	0
1623	1	273.75	638.75	230.92	-99999	0
1624	1	273.75	638.75	231.55	-99999	0
1625	1	273.75	638.75	232.14	-99999	0
1626	1	273.75	638.75	231.57	-99999	0
1627	1	273.75	638.75	232.28	-99999	0
1628	1	273.75	638.75	232.62	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
1629	1	273.75	638.75	232.86	-99999	0
1630	1	273.75	638.75	232.82	-99999	0
1631	1	273.75	638.75	232.47	-99999	0
1632	1	273.75	638.75	232.97	-99999	0
1633	1	273.75	638.75	232.76	-99999	0
1634	1	273.75	638.75	233.1	-99999	0
1635	1	273.75	638.75	232.95	-99999	0
1636	1	273.75	638.75	233.1	-99999	0
1637	1	273.75	638.75	233.1	-99999	0
1638	1	273.75	638.75	233.1	-99999	0
1639	1	638.75	1003.75	233.5	-99999	0
1640	1	1003.75	1186.25	235.84	-99999	0
1641	1	1003.75	1186.25	235.84	-99999	0
1642	1	1003.75	1186.25	235.84	-99999	0
1643	1	1003.75	1186.25	235.82	-99999	0
1644	1	1003.75	1186.25	235.8	-99999	0
1645	1	1003.75	1186.25	235.8	-99999	0
1646	1	1003.75	1186.25	235.8	-99999	0
1647	1	1003.75	1186.25	235.78	-99999	0
1648	1	1003.75	1186.25	235.78	-99999	0
1649	1	1003.75	1186.25	235.77	-99999	0
1650	1	1003.75	1186.25	235.75	-99999	0
1651	1	1003.75	1186.25	235.77	-99999	0
1652	1	1003.75	1186.25	235.74	-99999	0
1653	1	1003.75	1186.25	235.73	-99999	0
1654	1	1003.75	1186.25	235.75	-99999	0
1655	1	1003.75	1186.25	235.73	-99999	0
1656	1	1003.75	1186.25	235.71	-99999	0
1657	1	1003.75	1186.25	235.71	-99999	0
1658	1	1003.75	1186.25	235.68	-99999	0
1659	1	1003.75	1186.25	235.68	-99999	0
1660	1	1003.75	1186.25	235.67	-99999	0
1661	1	1003.75	1186.25	235.68	-99999	0
1662	1	1003.75	1186.25	235.68	-99999	0
1663	1	1003.75	1186.25	235.67	-99999	0
1665	1	1003.75	1186.25	235.67	-99999	0
1666	1	1003.75	1186.25	235.67	-99999	0
1668	1	1003.75	1186.25	235.66	-99999	0
1670	1	1003.75	1186.25	235.66	-99999	0
1671	1	1003.75	1186.25	235.66	-99999	0
1672	1	1003.75	1186.25	235.66	-99999	0
1674	1	1003.75	1186.25	235.65	-99999	0
1677	1	821.25	912.25	235.7	-99999	0
1678	1	821.25	912.25	235.7	-99999	0
1679	1	821.25	912.25	235.7	-99999	0
1680	1	821.25	912.25	235.7	-99999	0
1681	1	821.25	912.25	235.7	-99999	0
1682	1	821.25	912.25	235.7	-99999	0
1683	1	821.25	912.25	235.7	-99999	0
1684	1	821.25	912.25	235.7	-99999	0
1685	1	821.25	912.25	235.7	-99999	0
1686	1	821.25	912.25	235.7	-99999	0
1687	1	821.25	912.25	235.7	-99999	0
1688	1	821.25	912.25	235.7	-99999	0
1689	1	821.25	912.25	235.7	-99999	0
1690	1	821.25	912.25	235.7	-99999	0
1691	1	821.25	912.25	235.7	-99999	0
1692	1	821.25	912.25	235.7	-99999	0
1693	1	821.25	912.25	235.7	-99999	0
1694	1	791.25	821.25	228	-99999	0
1695	1	273.75	668.75	217.47	-99999	0
1696	1	273.75	668.75	220.06	-99999	0
1697	1	273.75	668.75	220.39	-99999	0
1698	1	273.75	668.75	220.4	-99999	0
1699	1	273.75	668.75	220.09	-99999	0
1700	1	273.75	668.75	220.73	-99999	0
1701	1	273.75	668.75	220.41	-99999	0
1702	1	273.75	668.75	221.05	-99999	0
1703	1	273.75	668.75	220.43	-99999	0
1704	1	273.75	668.75	220.76	-99999	0
1705	1	273.75	668.75	221.08	-99999	0
1706	1	273.75	668.75	221.1	-99999	0
1707	1	273.75	668.75	222.24	-99999	0
1708	1	273.75	668.75	223.34	-99999	0
1709	1	273.75	668.75	223.67	-99999	0
1710	1	273.75	668.75	224.5	-99999	0
1711	1	273.75	668.75	225.66	-99999	0
1712	1	273.75	668.75	226.22	-99999	0
1713	1	273.75	668.75	227.1	-99999	0
1714	1	273.75	668.75	228.56	-99999	0
1715	1	273.75	668.75	228.79	-99999	0
1716	1	273.75	668.75	229.74	-99999	0
1717	1	273.75	668.75	230.82	-99999	0
1718	1	273.75	668.75	230.65	-99999	0
1719	1	273.75	668.75	231.81	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
1720	1	273.75	668.75	231.43	-99999	0
1721	1	273.75	668.75	233.18	-99999	0
1722	1	273.75	668.75	232.36	-99999	0
1723	1	273.75	668.75	233.72	-99999	0
1724	1	668.75	1003.75	234.04	-99999	0
1725	1	668.75	1003.75	234.02	-99999	0
1726	1	668.75	1003.75	234	-99999	0
1727	1	668.75	1003.75	233.98	-99999	0
1728	1	668.75	1003.75	234.04	-99999	0
1729	1	668.75	1003.75	234.01	-99999	0
1730	1	668.75	1003.75	233.95	-99999	0
1731	1	668.75	1003.75	233.93	-99999	0
1732	1	668.75	1003.75	234.02	-99999	0
1733	1	668.75	1003.75	233.97	-99999	0
1734	1	668.75	1003.75	233.9	-99999	0
1735	1	668.75	1003.75	234	-99999	0
1736	1	668.75	1003.75	233.87	-99999	0
1737	1	668.75	1003.75	233.94	-99999	0
1738	1	668.75	1003.75	233.98	-99999	0
1739	1	668.75	1003.75	233.85	-99999	0
1740	1	668.75	1003.75	233.97	-99999	0
1741	1	668.75	1003.75	233.92	-99999	0
1742	1	668.75	1003.75	233.9	-99999	0
1743	1	668.75	1003.75	233.87	-99999	0
1744	1	668.75	1003.75	233.85	-99999	0
1745	1	821.25	912.25	233.4	-99999	0
1746	1	1003.75	1186.25	233.82	-99999	0
1747	1	1003.75	1186.25	233.81	-99999	0
1748	1	1003.75	1186.25	233.79	-99999	0
1749	1	1003.75	1186.25	233.82	-99999	0
1750	1	1003.75	1186.25	233.82	-99999	0
1751	1	1003.75	1186.25	233.76	-99999	0
1752	1	1003.75	1186.25	233.79	-99999	0
1753	1	1003.75	1186.25	233.8	-99999	0
1754	1	1003.75	1186.25	233.74	-99999	0
1755	1	1003.75	1186.25	233.76	-99999	0
1756	1	1003.75	1186.25	233.78	-99999	0
1757	1	1003.75	1186.25	233.72	-99999	0
1758	1	1003.75	1186.25	233.74	-99999	0
1759	1	1003.75	1186.25	233.71	-99999	0
1760	1	1003.75	1186.25	233.71	-99999	0
1761	1	1003.75	1186.25	233.7	-99999	0
1762	1	1003.75	1186.25	233.72	-99999	0
1763	1	1003.75	1186.25	233.69	-99999	0
1764	1	1003.75	1186.25	233.69	-99999	0
1765	1	1003.75	1186.25	233.69	-99999	0
1766	1	1003.75	1186.25	233.7	-99999	0
1767	1	1003.75	1186.25	233.69	-99999	0
1768	1	1003.75	1186.25	233.7	-99999	0
1769	1	1368.75	1916.25	228.18	-99999	0
1770	1	1368.75	1916.25	228.13	-99999	0
1771	1	1368.75	1916.25	228.07	-99999	0
1772	1	1368.75	1916.25	228.18	-99999	0
1773	1	1368.75	1916.25	228.18	-99999	0
1774	1	1368.75	1916.25	228.13	-99999	0
1775	1	1368.75	1916.25	228.1	-99999	0
1776	1	1368.75	1916.25	228	-99999	0
1777	1	1368.75	1916.25	228.12	-99999	0
1778	1	1368.75	1916.25	228.08	-99999	0
1779	1	1368.75	1916.25	227.92	-99999	0
1780	1	1368.75	1916.25	228.2	-99999	0
1781	1	1368.75	1916.25	228.02	-99999	0
1782	1	1368.75	1916.25	227.96	-99999	0
1783	1	1368.75	1916.25	227.85	-99999	0
1784	1	1368.75	1916.25	228.08	-99999	0
1785	1	1368.75	1916.25	228.05	-99999	0
1786	1	1368.75	1916.25	227.79	-99999	0
1787	1	1368.75	1916.25	227.89	-99999	0
1788	1	1368.75	1916.25	227.99	-99999	0
1789	1	1368.75	1916.25	227.71	-99999	0
1790	1	1368.75	1916.25	227.92	-99999	0
1791	1	1368.75	1916.25	227.81	-99999	0
1792	1	1368.75	1916.25	227.64	-99999	0
1793	1	1368.75	1916.25	227.74	-99999	0
1794	1	1368.75	1916.25	227.84	-99999	0
1795	1	1368.75	1916.25	227.77	-99999	0
1796	1	1368.75	1916.25	227.65	-99999	0
1797	1	1368.75	1916.25	227.71	-99999	0
1798	1	1368.75	1916.25	227.66	-99999	0
1799	1	1003.75	1186.25	232.65	-99999	0
1800	1	1003.75	1186.25	232.25	-99999	0
1801	1	1003.75	1186.25	231.84	-99999	0
1802	1	1003.75	1186.25	231.42	-99999	0
1803	1	1003.75	1186.25	230.62	-99999	0
1804	1	1003.75	1186.25	232.65	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
1805	1	1003.75	1186.25	230.27	-99999	0
1806	1	1003.75	1186.25	232.09	-99999	0
1807	1	1003.75	1186.25	229.91	-99999	0
1808	1	1003.75	1186.25	231.62	-99999	0
1809	1	1003.75	1186.25	229.56	-99999	0
1810	1	1003.75	1186.25	229.2	-99999	0
1811	1	1003.75	1186.25	230.87	-99999	0
1812	1	1003.75	1186.25	228.85	-99999	0
1813	1	1003.75	1186.25	230.33	-99999	0
1814	1	1003.75	1186.25	228.5	-99999	0
1815	1	1003.75	1186.25	229.42	-99999	0
1816	1	1003.75	1186.25	228.81	-99999	0
1817	1	638.75	1003.75	233.32	-99999	0
1818	1	638.75	1003.75	233.6	-99999	0
1819	1	638.75	1003.75	233.91	-99999	0
1820	1	638.75	1003.75	234.25	-99999	0
1821	1	638.75	1003.75	234.53	-99999	0
1822	1	638.75	1003.75	234.8	-99999	0
1823	1	638.75	1003.75	235.09	-99999	0
1824	1	638.75	1003.75	232.97	-99999	0
1825	1	638.75	1003.75	235.46	-99999	0
1826	1	638.75	1003.75	233.39	-99999	0
1827	1	638.75	1003.75	235.75	-99999	0
1828	1	638.75	1003.75	233.84	-99999	0
1829	1	638.75	1003.75	234.25	-99999	0
1830	1	638.75	1003.75	235.95	-99999	0
1831	1	638.75	1003.75	234.77	-99999	0
1832	1	638.75	1003.75	235.15	-99999	0
1833	1	638.75	1003.75	236.11	-99999	0
1834	1	638.75	1003.75	235.39	-99999	0
1835	1	638.75	1003.75	235.92	-99999	0
1836	1	638.75	1003.75	235.7	-99999	0
1837	1	638.75	1003.75	236.35	-99999	0
1838	1	638.75	1003.75	236.06	-99999	0
1839	1	638.75	1003.75	236.57	-99999	0
1840	1	638.75	1003.75	236.26	-99999	0
1841	1	638.75	1003.75	236.72	-99999	0
1842	1	638.75	1003.75	236.45	-99999	0
1843	1	638.75	1003.75	236.8	-99999	0
1844	1	638.75	1003.75	236.63	-99999	0
1845	1	638.75	1003.75	236.8	-99999	0
1846	1	638.75	1003.75	236.94	-99999	0
1847	1	638.75	1003.75	236.87	-99999	0
1848	1	638.75	1003.75	237	-99999	0
1849	1	638.75	1003.75	236.94	-99999	0
1850	1	638.75	1003.75	237.04	-99999	0
1851	1	638.75	1003.75	237.01	-99999	0
1852	1	638.75	1003.75	237.04	-99999	0
1853	1	638.75	1003.75	237.05	-99999	0
1854	1	638.75	1003.75	237.04	-99999	0
1855	1	638.75	1003.75	237.04	-99999	0
1856	1	638.75	1003.75	237.05	-99999	0
1857	1	638.75	1003.75	237.05	-99999	0
1858	1	1186.25	1551.25	228.89	-99999	0
1859	1	1186.25	1551.25	228.71	-99999	0
1860	1	1186.25	1551.25	229.19	-99999	0
1861	1	1186.25	1551.25	228.53	-99999	0
1862	1	1186.25	1551.25	229.58	-99999	0
1863	1	1186.25	1551.25	228.45	-99999	0
1864	1	1186.25	1551.25	229	-99999	0
1865	1	1186.25	1551.25	228.8	-99999	0
1866	1	1186.25	1551.25	228.62	-99999	0
1867	1	1186.25	1551.25	228.4	-99999	0
1868	1	1186.25	1551.25	229.36	-99999	0
1869	1	1186.25	1551.25	228.38	-99999	0
1870	1	1186.25	1551.25	228.38	-99999	0
1871	1	1186.25	1551.25	230.08	-99999	0
1872	1	1186.25	1551.25	228.37	-99999	0
1873	1	1186.25	1551.25	228.39	-99999	0
1874	1	1186.25	1551.25	228.36	-99999	0
1875	1	1186.25	1551.25	228.38	-99999	0
1876	1	1186.25	1551.25	228.36	-99999	0
1877	1	1186.25	1551.25	228.47	-99999	0
1878	1	1186.25	1551.25	228.91	-99999	0
1879	1	1186.25	1551.25	228.37	-99999	0
1880	1	1186.25	1551.25	229.83	-99999	0
1881	1	1186.25	1551.25	228.71	-99999	0
1882	1	1186.25	1551.25	228.36	-99999	0
1883	1	1186.25	1551.25	228.37	-99999	0
1884	1	1186.25	1551.25	228.41	-99999	0
1885	1	1186.25	1551.25	229.2	-99999	0
1886	1	1186.25	1551.25	228.38	-99999	0
1887	1	1186.25	1551.25	228.35	-99999	0
1888	1	1186.25	1551.25	228.36	-99999	0
1889	1	1186.25	1551.25	228.56	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1890	1	1186.25	1551.25	229.58	-99999	0
1891	1	1186.25	1551.25	228.36	-99999	0
1892	1	1186.25	1551.25	228.41	-99999	0
1893	1	1186.25	1551.25	228.35	-99999	0
1894	1	1186.25	1551.25	230.31	-99999	0
1895	1	1186.25	1551.25	228.35	-99999	0
1896	1	1186.25	1551.25	230.06	-99999	0
1897	1	1186.25	1551.25	228.36	-99999	0
1898	1	1186.25	1551.25	228.34	-99999	0
1899	1	1186.25	1551.25	228.35	-99999	0
1900	1	1186.25	1551.25	228.33	-99999	0
1901	1	1186.25	1551.25	228.32	-99999	0
1902	1	1186.25	1551.25	228.33	-99999	0
1903	1	1186.25	1551.25	228.33	-99999	0
1904	1	1186.25	1551.25	228.31	-99999	0
1905	1	1186.25	1551.25	228.32	-99999	0
1906	1	1186.25	1551.25	228.31	-99999	0
1907	1	1186.25	1551.25	228.3	-99999	0
1908	1	1186.25	1551.25	228.3	-99999	0
1909	1	1186.25	1551.25	228.29	-99999	0
1910	1	1186.25	1551.25	228.29	-99999	0
1911	1	1186.25	1551.25	228.28	-99999	0
1912	1	1186.25	1551.25	228.28	-99999	0
1913	1	1186.25	1551.25	228.26	-99999	0
1914	1	1186.25	1551.25	228.27	-99999	0
1915	1	1186.25	1551.25	228.26	-99999	0
1916	1	1186.25	1551.25	228.24	-99999	0
1917	1	1186.25	1551.25	228.25	-99999	0
1918	1	1186.25	1551.25	228.24	-99999	0
1919	1	1186.25	1551.25	228.24	-99999	0
1920	1	1186.25	1551.25	228.24	-99999	0
1921	1	1186.25	1551.25	228.24	-99999	0
1922	1	1186.25	1551.25	228.22	-99999	0
1923	1	1551.25	1733.75	230.62	-99999	0
1924	1	1551.25	1733.75	231.05	-99999	0
1925	1	1551.25	1733.75	230.56	-99999	0
1926	1	1551.25	1733.75	231.42	-99999	0
1927	1	1551.25	1733.75	230.89	-99999	0
1928	1	1551.25	1733.75	231.81	-99999	0
1929	1	1551.25	1733.75	231.44	-99999	0
1930	1	1551.25	1733.75	232.11	-99999	0
1931	1	1551.25	1733.75	231.99	-99999	0
1932	1	1368.75	1733.75	232.41	-99999	0
1933	1	1368.75	1733.75	232.31	-99999	0
1934	1	1368.75	1733.75	232.69	-99999	0
1935	1	1368.75	1733.75	232.66	-99999	0
1936	1	1368.75	1733.75	233.04	-99999	0
1937	1	1368.75	1733.75	232.92	-99999	0
1938	1	1368.75	1733.75	233.3	-99999	0
1939	1	1368.75	1733.75	233.2	-99999	0
1940	1	1368.75	1733.75	233.47	-99999	0
1941	1	1368.75	1733.75	233.75	-99999	0
1942	1	1368.75	1733.75	233.73	-99999	0
1943	1	1368.75	1733.75	233.93	-99999	0
1944	1	1368.75	1733.75	234.1	-99999	0
1945	1	1368.75	1733.75	234.03	-99999	0
1946	1	1368.75	1733.75	234.3	-99999	0
1947	1	1368.75	1733.75	234.51	-99999	0
1948	1	1368.75	1733.75	234.51	-99999	0
1949	1	1368.75	1733.75	234.72	-99999	0
1950	1	1368.75	1733.75	235.01	-99999	0
1951	1	1368.75	1733.75	234.93	-99999	0
1952	1	1368.75	1733.75	235.06	-99999	0
1953	1	1368.75	1733.75	235.25	-99999	0
1954	1	1368.75	1733.75	235.2	-99999	0
1955	1	1368.75	1733.75	235.4	-99999	0
1956	1	1368.75	1733.75	235.4	-99999	0
1957	1	1368.75	1733.75	235.4	-99999	0
1958	1	1368.75	1733.75	235.48	-99999	0
1959	1	1368.75	1733.75	235.4	-99999	0
1960	1	1368.75	1733.75	235.49	-99999	0
1961	1	1368.75	1733.75	235.49	-99999	0
1962	1	1368.75	1733.75	235.46	-99999	0
1963	1	1368.75	1733.75	235.43	-99999	0
1964	1	1368.75	1733.75	235.46	-99999	0
1965	1	1368.75	1733.75	235.43	-99999	0
1966	1	1368.75	1733.75	235.46	-99999	0
1967	1	1368.75	1733.75	235.38	-99999	0
1968	1	1368.75	1733.75	235.43	-99999	0
1969	1	1368.75	1733.75	235.33	-99999	0
1970	1	1368.75	1733.75	235.43	-99999	0
1971	1	1368.75	1733.75	235.37	-99999	0
1972	1	1368.75	1733.75	235.28	-99999	0
1973	1	1368.75	1733.75	235.31	-99999	0
1974	1	1368.75	1733.75	235.23	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
1975	1	1368.75	1733.75	235.33	-99999	0
1976	1	1368.75	1733.75	235.26	-99999	0
1977	1	1368.75	1733.75	235.15	-99999	0
1978	1	1368.75	1733.75	235.03	-99999	0
1979	1	1368.75	1733.75	234.87	-99999	0
1980	1	1368.75	1733.75	234.67	-99999	0
1981	1	1368.75	1733.75	234.59	-99999	0
1982	1	1368.75	1733.75	234.3	-99999	0
1983	1	1368.75	1733.75	234.31	-99999	0
1984	1	1003.75	1368.75	234.21	-99999	0
1985	1	1003.75	1368.75	234.21	-99999	0
1986	1	1003.75	1368.75	234.63	-99999	0
1987	1	1003.75	1368.75	234.59	-99999	0
1988	1	1003.75	1368.75	235.04	-99999	0
1989	1	1003.75	1368.75	234.97	-99999	0
1990	1	1003.75	1368.75	235.36	-99999	0
1991	1	1003.75	1368.75	235.46	-99999	0
1992	1	1003.75	1368.75	235.84	-99999	0
1993	1	1003.75	1368.75	235.99	-99999	0
1994	1	1003.75	1368.75	236.25	-99999	0
1995	1	1003.75	1368.75	236.28	-99999	0
1996	1	1003.75	1368.75	236.47	-99999	0
1997	1	1003.75	1368.75	236.46	-99999	0
1998	1	1003.75	1368.75	236.7	-99999	0
1999	1	1003.75	1368.75	236.85	-99999	0
2000	1	1003.75	1368.75	237.11	-99999	0
2001	1	1003.75	1368.75	237.15	-99999	0
2002	1	1003.75	1368.75	237.27	-99999	0
2003	1	1003.75	1368.75	237.37	-99999	0
2004	1	1003.75	1368.75	237.35	-99999	0
2005	1	1003.75	1368.75	237.48	-99999	0
2006	1	1003.75	1368.75	237.5	-99999	0
2007	1	1003.75	1368.75	237.59	-99999	0
2008	1	1003.75	1368.75	237.59	-99999	0
2009	1	1003.75	1368.75	237.62	-99999	0
2010	1	1003.75	1368.75	237.65	-99999	0
2011	1	1003.75	1368.75	237.72	-99999	0
2012	1	1003.75	1368.75	237.71	-99999	0
2013	1	1003.75	1368.75	237.74	-99999	0
2014	1	1003.75	1368.75	237.76	-99999	0
2015	1	1003.75	1368.75	237.76	-99999	0
2016	1	1003.75	1368.75	237.76	-99999	0
2017	1	1003.75	1368.75	237.77	-99999	0
2018	1	1003.75	1368.75	237.74	-99999	0
2019	1	1003.75	1368.75	237.75	-99999	0
2020	1	1003.75	1368.75	237.68	-99999	0
2021	1	1003.75	1368.75	237.68	-99999	0
2022	1	1003.75	1368.75	237.62	-99999	0
2023	1	1003.75	1368.75	237.56	-99999	0
2024	1	1003.75	1368.75	237.5	-99999	0
2025	1	1003.75	1368.75	237.47	-99999	0
2026	1	1003.75	1368.75	237.44	-99999	0
2027	1	1003.75	1368.75	237.4	-99999	0
2028	1	1003.75	1368.75	237.31	-99999	0
2029	1	1003.75	1368.75	237.37	-99999	0
2030	1	1003.75	1368.75	237.31	-99999	0
2031	1	1003.75	1368.75	237.21	-99999	0
2032	1	1003.75	1368.75	237.26	-99999	0
2033	1	638.75	1003.75	237.07	-99999	0
2034	1	638.75	1003.75	237.2	-99999	0
2035	1	638.75	1003.75	237.02	-99999	0
2036	1	638.75	1003.75	237.17	-99999	0
2037	1	638.75	1003.75	237.08	-99999	0
2038	1	638.75	1003.75	237.04	-99999	0
2039	1	638.75	1003.75	236.99	-99999	0
2040	1	638.75	1003.75	237.04	-99999	0
2041	1	638.75	1003.75	237.14	-99999	0
2042	1	638.75	1003.75	237.08	-99999	0
2043	1	638.75	1003.75	237.03	-99999	0
2044	1	638.75	1003.75	237.03	-99999	0
2045	1	638.75	1003.75	236.96	-99999	0
2046	1	638.75	1003.75	237.01	-99999	0
2047	1	638.75	1003.75	236.97	-99999	0
2048	1	638.75	1003.75	237.02	-99999	0
2049	1	638.75	1003.75	237.09	-99999	0
2050	1	638.75	1003.75	237.05	-99999	0
2051	1	638.75	1003.75	237.01	-99999	0
2052	1	638.75	1003.75	237.03	-99999	0
2053	1	638.75	1003.75	237.01	-99999	0
2054	1	638.75	1003.75	237	-99999	0
2055	1	638.75	1003.75	237.02	-99999	0
2056	1	638.75	1003.75	237	-99999	0
2057	1	638.75	1003.75	237.02	-99999	0
2058	1	638.75	1003.75	237	-99999	0
2059	1	638.75	1003.75	237.02	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2060	1	638.75	1003.75	235.46	-99999	0
2061	1	638.75	1003.75	235.43	-99999	0
2062	1	638.75	1003.75	235.46	-99999	0
2063	1	638.75	1003.75	235.46	-99999	0
2064	1	638.75	1003.75	235.43	-99999	0
2065	1	638.75	1003.75	235.46	-99999	0
2066	1	638.75	1003.75	235.43	-99999	0
2067	1	638.75	1003.75	235.33	-99999	0
2068	1	638.75	1003.75	235.43	-99999	0
2069	1	638.75	1003.75	235.46	-99999	0
2070	1	638.75	1003.75	235.43	-99999	0
2071	1	638.75	1003.75	235.36	-99999	0
2072	1	638.75	1003.75	235.33	-99999	0
2073	1	638.75	1003.75	235.18	-99999	0
2074	1	638.75	1003.75	235.23	-99999	0
2075	1	638.75	1003.75	235.08	-99999	0
2076	1	638.75	1003.75	234.92	-99999	0
2077	1	638.75	1003.75	234.93	-99999	0
2078	1	638.75	1003.75	234.67	-99999	0
2079	1	638.75	1003.75	234.69	-99999	0
2080	1	638.75	1003.75	234.41	-99999	0
2081	1	638.75	1003.75	234.07	-99999	0
2082	1	638.75	1003.75	234.45	-99999	0
2083	1	638.75	1003.75	234.09	-99999	0
2084	1	638.75	1003.75	234.13	-99999	0
2085	1	638.75	1003.75	233.84	-99999	0
2086	1	638.75	1003.75	234.21	-99999	0
2087	1	638.75	1003.75	233.88	-99999	0
2088	1	638.75	1003.75	233.5	-99999	0
2089	1	638.75	1003.75	233.5	-99999	0
2090	1	638.75	1003.75	233.97	-99999	0
2091	1	638.75	1003.75	233.5	-99999	0
2092	1	638.75	1003.75	233.5	-99999	0
2093	1	638.75	1003.75	233.5	-99999	0
2094	1	638.75	1003.75	233.5	-99999	0
2095	1	638.75	1003.75	233.5	-99999	0
2096	1	638.75	1003.75	233.5	-99999	0
2097	1	638.75	1003.75	233.5	-99999	0
2098	1	638.75	1003.75	233.5	-99999	0
2099	1	273.75	638.75	233.3	-99999	0
2100	1	273.75	638.75	233.3	-99999	0
2101	1	273.75	638.75	232.99	-99999	0
2102	1	273.75	638.75	232.84	-99999	0
2103	1	273.75	638.75	232.7	-99999	0
2104	1	273.75	638.75	233.06	-99999	0
2105	1	273.75	638.75	232.7	-99999	0
2106	1	273.75	638.75	233.05	-99999	0
2107	1	273.75	638.75	232.7	-99999	0
2108	1	273.75	638.75	232.35	-99999	0
2109	1	273.75	638.75	232.53	-99999	0
2110	1	273.75	638.75	232.09	-99999	0
2111	1	273.75	638.75	232.28	-99999	0
2112	1	273.75	638.75	232.7	-99999	0
2113	1	273.75	638.75	232.39	-99999	0
2114	1	273.75	638.75	231.83	-99999	0
2115	1	273.75	638.75	232.02	-99999	0
2116	1	273.75	638.75	232.44	-99999	0
2117	1	273.75	638.75	231.76	-99999	0
2118	1	273.75	638.75	231.48	-99999	0
2119	1	273.75	638.75	231.93	-99999	0
2120	1	273.75	638.75	231.51	-99999	0
2121	1	273.75	638.75	231.98	-99999	0
2122	1	273.75	638.75	231.51	-99999	0
2123	1	273.75	638.75	231.04	-99999	0
2124	1	273.75	638.75	231.68	-99999	0
2125	1	273.75	638.75	231.18	-99999	0
2126	1	273.75	638.75	231.74	-99999	0
2127	1	273.75	638.75	231.51	-99999	0
2128	1	273.75	638.75	231.63	-99999	0
2129	1	273.75	638.75	231.51	-99999	0
2130	1	273.75	638.75	231.51	-99999	0
2131	1	273.75	638.75	231.34	-99999	0
2132	1	273.75	638.75	231.06	-99999	0
2133	1	273.75	638.75	230.95	-99999	0
2134	1	273.75	638.75	231.4	-99999	0
2135	1	273.75	638.75	230.65	-99999	0
2136	1	273.75	638.75	231.29	-99999	0
2137	1	273.75	638.75	230.94	-99999	0
2138	1	273.75	638.75	231.02	-99999	0
2139	1	273.75	638.75	230.34	-99999	0
2140	1	273.75	638.75	230.54	-99999	0
2141	1	273.75	638.75	230.92	-99999	0
2142	1	273.75	638.75	230	-99999	0
2143	1	273.75	638.75	230.14	-99999	0
2144	1	273.75	638.75	229.6	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
2145	1	273.75	638.75	229.81	-99999	0
2146	1	273.75	638.75	230.33	-99999	0
2147	1	273.75	638.75	229.36	-99999	0
2148	1	273.75	638.75	229.49	-99999	0
2149	1	273.75	638.75	229.71	-99999	0
2150	1	273.75	638.75	229.36	-99999	0
2151	1	273.75	638.75	229.21	-99999	0
2152	1	273.75	638.75	229.29	-99999	0
2153	1	273.75	638.75	229.36	-99999	0
2154	1	273.75	638.75	229.17	-99999	0
2155	1	273.75	638.75	229.01	-99999	0
2156	1	273.75	638.75	229.23	-99999	0
2157	1	273.75	638.75	229.05	-99999	0
2158	1	273.75	638.75	229.09	-99999	0
2159	1	273.75	638.75	228.81	-99999	0
2160	1	273.75	638.75	228.8	-99999	0
2161	1	273.75	638.75	228.77	-99999	0
2162	1	273.75	638.75	228.89	-99999	0
2163	1	273.75	638.75	228.67	-99999	0
2164	1	273.75	638.75	228.78	-99999	0
2165	1	273.75	638.75	228.7	-99999	0
2166	1	273.75	638.75	228.57	-99999	0
2167	1	273.75	638.75	228.66	-99999	0
2168	1	273.75	638.75	228.47	-99999	0
2169	1	273.75	638.75	228.34	-99999	0
2170	1	273.75	638.75	228.43	-99999	0
2171	1	273.75	638.75	228.23	-99999	0
2172	1	273.75	638.75	228.27	-99999	0
2173	1	273.75	638.75	228.1	-99999	0
2174	1	273.75	638.75	228.12	-99999	0
2175	1	273.75	638.75	228.02	-99999	0
2176	1	273.75	638.75	227.93	-99999	0
2177	1	273.75	638.75	227.87	-99999	0
2178	1	273.75	638.75	227.93	-99999	0
2179	1	273.75	638.75	227.76	-99999	0
2180	1	273.75	638.75	227.72	-99999	0
2181	1	273.75	638.75	227.67	-99999	0
2182	1	273.75	638.75	227.75	-99999	0
2183	1	273.75	638.75	227.62	-99999	0
2184	1	273.75	638.75	227.54	-99999	0
2185	1	273.75	638.75	227.63	-99999	0
2186	1	273.75	638.75	227.52	-99999	0
2187	1	273.75	638.75	227.4	-99999	0
2188	1	273.75	638.75	227.38	-99999	0
2189	1	273.75	638.75	227.26	-99999	0
2190	1	273.75	638.75	227.34	-99999	0
2191	1	273.75	638.75	227.24	-99999	0
2192	1	273.75	638.75	227.16	-99999	0
2193	1	273.75	638.75	227.15	-99999	0
2194	1	273.75	638.75	227.14	-99999	0
2195	1	273.75	638.75	227.11	-99999	0
2196	1	273.75	638.75	226.97	-99999	0
2197	1	273.75	638.75	226.95	-99999	0
2198	1	273.75	638.75	227.08	-99999	0
2199	1	273.75	638.75	226.89	-99999	0
2200	1	273.75	638.75	226.83	-99999	0
2201	1	273.75	638.75	226.84	-99999	0
2202	1	273.75	638.75	226.84	-99999	0
2203	1	273.75	638.75	226.78	-99999	0
2204	1	273.75	638.75	226.72	-99999	0
2205	1	273.75	638.75	226.73	-99999	0
2206	1	273.75	638.75	226.73	-99999	0
2207	1	273.75	638.75	226.71	-99999	0
2208	1	273.75	638.75	226.71	-99999	0
2209	1	273.75	638.75	226.71	-99999	0
2210	1	273.75	638.75	226.71	-99999	0
2211	1	273.75	638.75	226.71	-99999	0
2212	1	456.25	2281.25	239.49	-99999	0
2213	1	456.25	2281.25	239.45	-99999	0
2214	1	456.25	2281.25	239.59	-99999	0
2215	1	456.25	2281.25	239.72	-99999	0
2216	1	456.25	2281.25	239.51	-99999	0
2217	1	456.25	2281.25	239.65	-99999	0
2218	1	456.25	2281.25	239.93	-99999	0
2219	1	456.25	2281.25	239.4	-99999	0
2220	1	456.25	2281.25	239.6	-99999	0
2221	1	456.25	2281.25	240.14	-99999	0
2222	1	456.25	2281.25	239.82	-99999	0
2223	1	456.25	2281.25	240.4	-99999	0
2224	1	456.25	2281.25	244.44	-99999	0
2225	1	456.25	2281.25	239.37	-99999	0
2226	1	456.25	2281.25	239.12	-99999	0
2227	1	456.25	2281.25	240.07	-99999	0
2228	1	456.25	2281.25	240.79	-99999	0
2229	1	456.25	2281.25	238.87	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
2230	1	456.25	2281.25	239.81	-99999	0
2231	1	456.25	2281.25	239.59	-99999	0
2232	1	456.25	2281.25	239.08	-99999	0
2233	1	456.25	2281.25	241.14	-99999	0
2234	1	456.25	2281.25	240.6	-99999	0
2235	1	456.25	2281.25	241.33	-99999	0
2236	1	456.25	2281.25	240.13	-99999	0
2237	1	456.25	2281.25	239.51	-99999	0
2238	1	456.25	2281.25	240.91	-99999	0
2239	1	456.25	2281.25	240.42	-99999	0
2241	1	456.25	2281.25	240.72	-99999	0
2242	1	456.25	2281.25	240.04	-99999	0
2243	1	456.25	2281.25	244.44	-99999	0
2244	1	456.25	2281.25	241.34	-99999	0
2245	1	456.25	2281.25	244.44	-99999	0
2246	1	456.25	2281.25	244.44	-99999	0
2247	1	456.25	2281.25	241.61	-99999	0
2249	1	456.25	2281.25	240.43	-99999	0
2250	1	456.25	2281.25	241.1	-99999	0
2251	1	456.25	2281.25	245.01	-99999	0
2254	1	456.25	2281.25	244.8	-99999	0
2255	1	456.25	2281.25	240.91	-99999	0
2256	1	456.25	2281.25	241.5	-99999	0
2257	1	456.25	2281.25	242.79	-99999	0
2258	1	456.25	2281.25	244.44	-99999	0
2259	1	456.25	2281.25	244.32	-99999	0
2260	1	456.25	2281.25	242.99	-99999	0
2261	1	456.25	2281.25	243.89	-99999	0
2262	1	456.25	2281.25	244.85	-99999	0
2264	1	456.25	2281.25	243.2	-99999	0
2265	1	456.25	2281.25	243.39	-99999	0
2267	1	456.25	2281.25	244.44	-99999	0
2268	1	456.25	2281.25	241.66	-99999	0
2270	1	456.25	2281.25	244.44	-99999	0
2271	1	456.25	2281.25	243.16	-99999	0
2272	1	456.25	2281.25	243.81	-99999	0
2273	1	456.25	2281.25	244.78	-99999	0
2274	1	456.25	2281.25	244.26	-99999	0
2275	1	456.25	2281.25	243.49	-99999	0
2276	1	456.25	2281.25	242.01	-99999	0
2280	1	456.25	2281.25	244.68	-99999	0
2281	1	456.25	2281.25	243.83	-99999	0
2282	1	456.25	2281.25	242.59	-99999	0
2283	1	456.25	2281.25	244.55	-99999	0
2284	1	456.25	2281.25	243.3	-99999	0
2285	1	456.25	2281.25	244.08	-99999	0
2287	1	456.25	2281.25	244.67	-99999	0
2288	1	456.25	2281.25	244.46	-99999	0
2289	1	456.25	2281.25	244.37	-99999	0
2290	1	456.25	2281.25	243.55	-99999	0
2291	1	456.25	2281.25	244.15	-99999	0
2292	1	456.25	2281.25	243.79	-99999	0
2293	1	456.25	2281.25	244.03	-99999	0
2294	1	273.75	456.25	237.64	-99999	0
2295	1	273.75	456.25	237.64	-99999	0
2296	1	273.75	456.25	237.64	-99999	0
2297	1	273.75	456.25	237.64	-99999	0
2298	1	273.75	456.25	236.61	-99999	0
2299	1	273.75	456.25	237.57	-99999	0
2300	1	273.75	456.25	236.13	-99999	0
2301	1	273.75	456.25	236.89	-99999	0
2302	1	273.75	456.25	237.64	-99999	0
2303	1	273.75	456.25	236.13	-99999	0
2304	1	273.75	456.25	237.17	-99999	0
2305	1	273.75	456.25	236.66	-99999	0
2306	1	273.75	456.25	236.13	-99999	0
2307	1	273.75	456.25	236.13	-99999	0
2308	1	273.75	456.25	236.13	-99999	0
2309	1	273.75	456.25	236.13	-99999	0
2310	1	273.75	456.25	236.13	-99999	0
2311	1	273.75	456.25	236.14	-99999	0
2312	1	273.75	456.25	236.14	-99999	0
2313	1	273.75	456.25	236.14	-99999	0
2314	1	273.75	456.25	236.14	-99999	0
2315	1	273.75	456.25	236.15	-99999	0
2316	1	273.75	456.25	236.15	-99999	0
2317	1	273.75	456.25	236.15	-99999	0
2318	1	273.75	456.25	236.15	-99999	0
2319	1	273.75	456.25	236.15	-99999	0
2320	1	273.75	456.25	236.15	-99999	0
2321	1	273.75	456.25	236.15	-99999	0
2322	1	273.75	456.25	236.16	-99999	0
2323	1	273.75	456.25	236.16	-99999	0
2324	1	273.75	456.25	236.16	-99999	0
2325	1	273.75	456.25	236.16	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2326	1	273.75	456.25	236.16	-99999	0
2327	1	273.75	456.25	236.16	-99999	0
2328	1	273.75	456.25	236.17	-99999	0
2329	1	273.75	456.25	236.16	-99999	0
2330	1	273.75	456.25	236.17	-99999	0
2331	1	273.75	456.25	236.17	-99999	0
2332	1	273.75	456.25	236.17	-99999	0
2333	1	273.75	456.25	236.17	-99999	0
2334	1	273.75	456.25	236.18	-99999	0
2335	1	273.75	456.25	236.18	-99999	0
2336	1	273.75	456.25	236.18	-99999	0
2337	1	273.75	456.25	236.18	-99999	0
2338	1	273.75	456.25	236.19	-99999	0
2339	1	273.75	456.25	236.19	-99999	0
2340	1	273.75	456.25	236.19	-99999	0
2341	1	273.75	456.25	236.19	-99999	0
2342	1	273.75	456.25	236.2	-99999	0
2343	1	273.75	456.25	236.2	-99999	0
2344	1	273.75	456.25	236.2	-99999	0
2345	1	273.75	456.25	236.2	-99999	0
2346	1	273.75	456.25	236.2	-99999	0
2347	1	273.75	456.25	236.2	-99999	0
2348	1	273.75	456.25	236.2	-99999	0
2349	1	273.75	456.25	236.2	-99999	0
2350	1	273.75	456.25	236.19	-99999	0
2351	1	273.75	456.25	236.18	-99999	0
2352	1	273.75	456.25	236.15	-99999	0
2353	1	273.75	456.25	236.14	-99999	0
2354	1	273.75	456.25	236	-99999	0
2355	1	273.75	456.25	236.11	-99999	0
2356	1	273.75	456.25	236.11	-99999	0
2357	1	273.75	456.25	236.12	-99999	0
2358	1	273.75	456.25	236	-99999	0
2359	1	273.75	456.25	236.05	-99999	0
2360	1	273.75	456.25	236.09	-99999	0
2361	1	273.75	456.25	236	-99999	0
2362	1	273.75	456.25	236	-99999	0
2363	1	273.75	456.25	235.95	-99999	0
2364	1	273.75	456.25	235.95	-99999	0
2365	1	273.75	456.25	235.9	-99999	0
2366	1	273.75	456.25	235.87	-99999	0
2367	1	273.75	456.25	235.83	-99999	0
2368	1	273.75	456.25	235.81	-99999	0
2369	1	273.75	456.25	235.77	-99999	0
2370	1	273.75	456.25	235.74	-99999	0
2371	1	273.75	456.25	235.71	-99999	0
2372	1	273.75	456.25	235.68	-99999	0
2373	1	273.75	456.25	235.66	-99999	0
2374	1	273.75	456.25	235.6	-99999	0
2375	1	273.75	456.25	235.61	-99999	0
2376	1	273.75	456.25	235.54	-99999	0
2377	1	273.75	456.25	235.55	-99999	0
2378	1	273.75	456.25	235.49	-99999	0
2379	1	273.75	456.25	235.45	-99999	0
2380	1	273.75	456.25	235.4	-99999	0
2381	1	273.75	456.25	235.36	-99999	0
2382	1	273.75	456.25	235.3	-99999	0
2383	1	273.75	456.25	235.32	-99999	0
2384	1	273.75	456.25	235.28	-99999	0
2385	1	273.75	456.25	235.25	-99999	0
2386	1	273.75	456.25	235.23	-99999	0
2387	1	273.75	456.25	235.2	-99999	0
2388	1	273.75	456.25	235.14	-99999	0
2389	1	273.75	456.25	235.15	-99999	0
2390	1	273.75	456.25	235.09	-99999	0
2391	1	273.75	456.25	235.11	-99999	0
2392	1	273.75	456.25	235.06	-99999	0
2393	1	273.75	456.25	235.04	-99999	0
2394	1	273.75	456.25	234.98	-99999	0
2395	1	273.75	456.25	234.92	-99999	0
2396	1	273.75	456.25	234.9	-99999	0
2397	1	273.75	456.25	234.85	-99999	0
2398	1	273.75	456.25	234.85	-99999	0
2399	1	273.75	456.25	234.8	-99999	0
2400	1	273.75	456.25	234.82	-99999	0
2401	1	273.75	456.25	234.8	-99999	0
2402	1	273.75	456.25	234.75	-99999	0
2403	1	273.75	456.25	234.8	-99999	0
2404	1	273.75	456.25	234.8	-99999	0
2405	1	273.75	456.25	234.7	-99999	0
2406	1	273.75	456.25	234.69	-99999	0
2407	1	273.75	456.25	234.66	-99999	0
2408	1	273.75	456.25	234.65	-99999	0
2409	1	273.75	456.25	234.6	-99999	0
2410	1	273.75	456.25	234.6	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2411	1	273.75	456.25	234.6	-99999	0
2412	1	273.75	456.25	234.6	-99999	0
2413	1	273.75	456.25	234.51	-99999	0
2414	1	273.75	456.25	234.51	-99999	0
2415	1	273.75	456.25	234.42	-99999	0
2416	1	273.75	456.25	234.41	-99999	0
2417	1	273.75	456.25	234.25	-99999	0
2425	1	821.25	1003.75	227.03	-99999	0
2426	1	821.25	1003.75	226.99	-99999	0
2427	1	821.25	1003.75	227.03	-99999	0
2428	1	821.25	1003.75	227.05	-99999	0
2429	1	821.25	1003.75	226.94	-99999	0
2430	1	821.25	1003.75	226.98	-99999	0
2431	1	821.25	1003.75	227.02	-99999	0
2432	1	821.25	1003.75	227.06	-99999	0
2433	1	821.25	1003.75	226.9	-99999	0
2434	1	821.25	1003.75	227	-99999	0
2435	1	821.25	1003.75	227.05	-99999	0
2436	1	821.25	1003.75	227.04	-99999	0
2437	1	821.25	1003.75	226.98	-99999	0
2438	1	821.25	1003.75	226.92	-99999	0
2439	1	821.25	1003.75	226.85	-99999	0
2440	1	821.25	1003.75	226.96	-99999	0
2441	1	821.25	1003.75	227.01	-99999	0
2442	1	821.25	1003.75	227.05	-99999	0
2443	1	821.25	1003.75	226.94	-99999	0
2444	1	821.25	1003.75	226.98	-99999	0
2445	1	821.25	1003.75	226.81	-99999	0
2446	1	821.25	1003.75	226.86	-99999	0
2447	1	821.25	1003.75	226.92	-99999	0
2448	1	821.25	1003.75	226.96	-99999	0
2449	1	821.25	1003.75	227.01	-99999	0
2450	1	821.25	1003.75	226.9	-99999	0
2451	1	821.25	1003.75	227.04	-99999	0
2452	1	821.25	1003.75	226.77	-99999	0
2453	1	821.25	1003.75	226.94	-99999	0
2454	1	821.25	1003.75	226.81	-99999	0
2455	1	821.25	1003.75	226.87	-99999	0
2456	1	821.25	1003.75	226.74	-99999	0
2457	1	821.25	1003.75	226.97	-99999	0
2458	1	821.25	1003.75	226.91	-99999	0
2459	1	821.25	1003.75	227.01	-99999	0
2460	1	821.25	1003.75	226.73	-99999	0
2461	1	821.25	1003.75	226.88	-99999	0
2462	1	821.25	1003.75	226.73	-99999	0
2463	1	821.25	1003.75	226.84	-99999	0
2464	1	821.25	1003.75	226.74	-99999	0
2465	1	821.25	1003.75	226.76	-99999	0
2466	1	821.25	1003.75	226.92	-99999	0
2467	1	821.25	1003.75	226.73	-99999	0
2468	1	821.25	1003.75	226.82	-99999	0
2469	1	821.25	1003.75	226.86	-99999	0
2470	1	821.25	1003.75	226.78	-99999	0
2471	1	821.25	1003.75	226.75	-99999	0
2472	1	821.25	1003.75	226.73	-99999	0
2473	1	821.25	1003.75	226.95	-99999	0
2474	1	821.25	1003.75	226.8	-99999	0
2475	1	821.25	1003.75	226.84	-99999	0
2476	1	821.25	1003.75	226.73	-99999	0
2477	1	821.25	1003.75	226.76	-99999	0
2478	1	821.25	1003.75	226.78	-99999	0
2479	1	821.25	1003.75	226.83	-99999	0
2480	1	821.25	1003.75	226.88	-99999	0
2481	1	821.25	1003.75	226.73	-99999	0
2482	1	821.25	1003.75	226.76	-99999	0
2483	1	821.25	1003.75	226.73	-99999	0
2484	1	821.25	1003.75	226.8	-99999	0
2485	1	821.25	1003.75	226.75	-99999	0
2486	1	821.25	1003.75	226.9	-99999	0
2487	1	821.25	1003.75	226.84	-99999	0
2488	1	821.25	1003.75	226.73	-99999	0
2489	1	821.25	1003.75	226.76	-99999	0
2490	1	821.25	1003.75	226.85	-99999	0
2491	1	821.25	1003.75	226.73	-99999	0
2492	1	821.25	1003.75	226.78	-99999	0
2493	1	821.25	1003.75	226.75	-99999	0
2494	1	821.25	1003.75	226.73	-99999	0
2495	1	821.25	1003.75	226.76	-99999	0
2496	1	821.25	1003.75	226.8	-99999	0
2497	1	821.25	1003.75	226.78	-99999	0
2498	1	821.25	1003.75	226.75	-99999	0
2499	1	821.25	1003.75	226.73	-99999	0
2500	1	821.25	1003.75	226.76	-99999	0
2501	1	821.25	1003.75	226.73	-99999	0
2502	1	821.25	1003.75	226.76	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2503	1	821.25	1003.75	226.73	-99999	0
2504	1	821.25	1003.75	226.74	-99999	0
2505	1	821.25	1003.75	226.75	-99999	0
2506	1	821.25	1003.75	226.75	-99999	0
2507	1	821.25	1003.75	226.73	-99999	0
2508	1	821.25	1003.75	226.74	-99999	0
2509	1	821.25	1003.75	226.73	-99999	0
2510	1	1003.75	1368.75	227.36	-99999	0
2511	1	1003.75	1368.75	227.36	-99999	0
2512	1	1003.75	1368.75	227.3	-99999	0
2513	1	1003.75	1368.75	227.37	-99999	0
2514	1	1003.75	1368.75	227.32	-99999	0
2515	1	1003.75	1368.75	227.35	-99999	0
2516	1	1003.75	1368.75	227.25	-99999	0
2517	1	1003.75	1368.75	227.39	-99999	0
2518	1	1003.75	1368.75	227.32	-99999	0
2519	1	1003.75	1368.75	227.28	-99999	0
2520	1	1003.75	1368.75	227.36	-99999	0
2521	1	1003.75	1368.75	227.22	-99999	0
2522	1	1003.75	1368.75	227.3	-99999	0
2523	1	1003.75	1368.75	227.34	-99999	0
2524	1	1003.75	1368.75	227.2	-99999	0
2525	1	1003.75	1368.75	227.28	-99999	0
2526	1	1003.75	1368.75	227.38	-99999	0
2527	1	1003.75	1368.75	227.24	-99999	0
2528	1	1003.75	1368.75	227.32	-99999	0
2529	1	1003.75	1368.75	227.26	-99999	0
2530	1	1003.75	1368.75	227.17	-99999	0
2531	1	1003.75	1368.75	227.3	-99999	0
2532	1	1003.75	1368.75	227.24	-99999	0
2533	1	1003.75	1368.75	227.34	-99999	0
2534	1	1003.75	1368.75	227.2	-99999	0
2535	1	1003.75	1368.75	227.37	-99999	0
2536	1	1003.75	1368.75	227.29	-99999	0
2537	1	1003.75	1368.75	227.14	-99999	0
2538	1	1003.75	1368.75	227.27	-99999	0
2539	1	1003.75	1368.75	227.3	-99999	0
2540	1	1003.75	1368.75	227.2	-99999	0
2541	1	1003.75	1368.75	227.16	-99999	0
2542	1	1003.75	1368.75	227.25	-99999	0
2543	1	1003.75	1368.75	227.33	-99999	0
2544	1	1003.75	1368.75	227.18	-99999	0
2545	1	1003.75	1368.75	227.23	-99999	0
2546	1	1003.75	1368.75	227.07	-99999	0
2547	1	1003.75	1368.75	227.26	-99999	0
2548	1	1003.75	1368.75	227.16	-99999	0
2549	1	1003.75	1368.75	227.12	-99999	0
2550	1	1003.75	1368.75	227.2	-99999	0
2551	1	1003.75	1368.75	227.28	-99999	0
2552	1	1003.75	1368.75	227.14	-99999	0
2553	1	1003.75	1368.75	227.22	-99999	0
2554	1	1003.75	1368.75	227.12	-99999	0
2555	1	1003.75	1368.75	227.08	-99999	0
2556	1	1003.75	1368.75	227.17	-99999	0
2557	1	1003.75	1368.75	227.24	-99999	0
2558	1	1003.75	1368.75	227.14	-99999	0
2559	1	1003.75	1368.75	227.18	-99999	0
2560	1	1003.75	1368.75	227.08	-99999	0
2561	1	1003.75	1368.75	227.11	-99999	0
2562	1	1003.75	1368.75	227.16	-99999	0
2563	1	1003.75	1368.75	227.2	-99999	0
2564	1	1003.75	1368.75	227.09	-99999	0
2565	1	1003.75	1368.75	227.13	-99999	0
2566	1	1003.75	1368.75	227.08	-99999	0
2567	1	1003.75	1368.75	227.16	-99999	0
2568	1	1003.75	1368.75	227.11	-99999	0
2569	1	1003.75	1368.75	227.08	-99999	0
2570	1	1003.75	1368.75	227.12	-99999	0
2571	1	1003.75	1368.75	227.08	-99999	0
2572	1	1368.75	1733.75	227.61	-99999	0
2573	1	1368.75	1733.75	227.64	-99999	0
2574	1	1368.75	1733.75	227.64	-99999	0
2575	1	1368.75	1733.75	227.63	-99999	0
2576	1	1368.75	1733.75	227.58	-99999	0
2577	1	1368.75	1733.75	227.64	-99999	0
2578	1	1368.75	1733.75	227.61	-99999	0
2579	1	1368.75	1733.75	227.63	-99999	0
2580	1	1368.75	1733.75	227.63	-99999	0
2581	1	1368.75	1733.75	227.61	-99999	0
2582	1	1368.75	1733.75	227.62	-99999	0
2583	1	1368.75	1733.75	227.54	-99999	0
2584	1	1368.75	1733.75	227.61	-99999	0
2585	1	1368.75	1733.75	227.57	-99999	0
2586	1	1368.75	1733.75	227.59	-99999	0
2587	1	1368.75	1733.75	227.66	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2588	1	1368.75	1733.75	227.65	-99999	0
2589	1	1368.75	1733.75	227.65	-99999	0
2590	1	1368.75	1733.75	227.64	-99999	0
2591	1	1368.75	1733.75	227.58	-99999	0
2592	1	1368.75	1733.75	227.65	-99999	0
2593	1	1368.75	1733.75	227.53	-99999	0
2594	1	1368.75	1733.75	227.64	-99999	0
2595	1	1368.75	1733.75	227.62	-99999	0
2596	1	1368.75	1733.75	227.55	-99999	0
2597	1	1368.75	1733.75	227.47	-99999	0
2598	1	1368.75	1733.75	227.6	-99999	0
2599	1	1368.75	1733.75	227.63	-99999	0
2600	1	1368.75	1733.75	227.5	-99999	0
2601	1	1368.75	1733.75	227.57	-99999	0
2602	1	1368.75	1733.75	227.65	-99999	0
2603	1	1368.75	1733.75	227.5	-99999	0
2604	1	1368.75	1733.75	227.43	-99999	0
2605	1	1368.75	1733.75	227.46	-99999	0
2606	1	1368.75	1733.75	227.59	-99999	0
2607	1	1368.75	1733.75	227.54	-99999	0
2608	1	1368.75	1733.75	227.46	-99999	0
2609	1	1368.75	1733.75	227.56	-99999	0
2610	1	1368.75	1733.75	227.42	-99999	0
2611	1	1368.75	1733.75	227.51	-99999	0
2612	1	1368.75	1733.75	227.44	-99999	0
2613	1	1368.75	1733.75	227.57	-99999	0
2614	1	1368.75	1733.75	227.52	-99999	0
2615	1	1368.75	1733.75	227.42	-99999	0
2616	1	1368.75	1733.75	227.45	-99999	0
2617	1	1368.75	1733.75	227.43	-99999	0
2618	1	1368.75	1733.75	227.5	-99999	0
2619	1	1368.75	1733.75	227.45	-99999	0
2620	1	1368.75	1733.75	227.42	-99999	0
2621	1	1368.75	1733.75	227.45	-99999	0
2622	1	1368.75	1733.75	227.42	-99999	0
2623	1	273.75	456.25	228	-99999	0
2624	1	273.75	456.25	229.9	-99999	0
2625	1	273.75	456.25	230.4	-99999	0
2626	1	273.75	456.25	229.42	-99999	0
2627	1	273.75	456.25	230.9	-99999	0
2628	1	273.75	456.25	228.7	-99999	0
2629	1	273.75	456.25	231.76	-99999	0
2630	1	273.75	456.25	229.93	-99999	0
2631	1	273.75	456.25	230.31	-99999	0
2632	1	273.75	456.25	229.24	-99999	0
2633	1	273.75	456.25	232.62	-99999	0
2634	1	273.75	456.25	230.93	-99999	0
2635	1	273.75	456.25	228.66	-99999	0
2636	1	273.75	456.25	234.47	-99999	0
2637	1	273.75	456.25	232.65	-99999	0
2638	1	273.75	456.25	236.06	-99999	0
2639	1	273.75	456.25	234.36	-99999	0
2640	1	273.75	456.25	237.77	-99999	0
2641	1	273.75	456.25	236.07	-99999	0
2642	1	273.75	456.25	238.07	-99999	0
2643	1	273.75	456.25	236.93	-99999	0
2644	1	273.75	456.25	238.99	-99999	0
2645	1	273.75	456.25	237.79	-99999	0
2646	1	273.75	456.25	239.92	-99999	0
2647	1	273.75	456.25	238.15	-99999	0
2648	1	273.75	456.25	240.85	-99999	0
2649	1	273.75	456.25	239.14	-99999	0
2650	1	273.75	456.25	241.77	-99999	0
2651	1	273.75	456.25	240.13	-99999	0
2652	1	273.75	456.25	242.7	-99999	0
2653	1	273.75	456.25	241.12	-99999	0
2654	1	273.75	456.25	243.62	-99999	0
2655	1	273.75	456.25	241.98	-99999	0
2656	1	273.75	456.25	243.16	-99999	0
2657	1	273.75	456.25	244.55	-99999	0
2658	1	273.75	456.25	242.83	-99999	0
2659	1	273.75	456.25	244.55	-99999	0
2660	1	273.75	456.25	243.69	-99999	0
2661	1	273.75	456.25	244.55	-99999	0
2662	1	273.75	456.25	244.55	-99999	0
2663	1	1368.75	1916.25	245.34	-99999	0
2664	1	1368.75	1916.25	245.2	-99999	0
2665	1	1368.75	1916.25	245.03	-99999	0
2666	1	1368.75	1916.25	244.95	-99999	0
2667	1	1368.75	1916.25	244.87	-99999	0
2668	1	1368.75	1733.75	244.69	-99999	0
2669	1	1186.25	1733.75	244.51	-99999	0
2670	1	1186.25	1733.75	244.44	-99999	0
2671	1	1186.25	1733.75	244.37	-99999	0
2672	1	1186.25	1733.75	244.23	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
2673	1	1186.25	1733.75	244.14	-99999	0
2674	1	1186.25	1733.75	244.05	-99999	0
2675	1	1186.25	1733.75	243.9	-99999	0
2676	1	1186.25	1733.75	243.74	-99999	0
2677	1	1186.25	1733.75	243.63	-99999	0
2678	1	1186.25	1733.75	243.51	-99999	0
2679	1	1186.25	1733.75	243.38	-99999	0
2680	1	1186.25	1733.75	243.24	-99999	0
2681	1	1186.25	1733.75	243.09	-99999	0
2682	1	1186.25	1733.75	242.94	-99999	0
2683	1	1186.25	1733.75	242.79	-99999	0
2684	1	1003.75	1733.75	242.65	-99999	0
2685	1	1003.75	1733.75	242.45	-99999	0
2686	1	1003.75	1733.75	242.36	-99999	0
2687	1	1003.75	1733.75	242.26	-99999	0
2688	1	1003.75	1733.75	242.13	-99999	0
2689	1	1003.75	1733.75	241.99	-99999	0
2690	1	1003.75	1733.75	241.85	-99999	0
2691	1	1003.75	1733.75	241.72	-99999	0
2692	1	1003.75	1551.25	241.58	-99999	0
2693	1	1003.75	1551.25	241.43	-99999	0
2694	1	1003.75	1551.25	241.21	-99999	0
2695	1	1003.75	1551.25	241.1	-99999	0
2696	1	1003.75	1551.25	240.98	-99999	0
2697	1	1003.75	1551.25	240.88	-99999	0
2698	1	1003.75	1551.25	240.77	-99999	0
2699	1	912.25	1551.25	240.6	-99999	0
2700	1	912.25	1551.25	240.51	-99999	0
2701	1	912.25	1551.25	240.42	-99999	0
2702	1	912.25	1551.25	240.3	-99999	0
2703	1	912.25	1551.25	240.19	-99999	0
2704	1	912.25	1551.25	240.08	-99999	0
2705	1	912.25	1551.25	239.97	-99999	0
2706	1	912.25	1551.25	239.89	-99999	0
2707	1	912.25	1551.25	239.82	-99999	0
2708	1	912.25	1368.75	239.73	-99999	0
2709	1	912.25	1368.75	239.65	-99999	0
2710	1	821.25	1368.75	239.55	-99999	0
2711	1	821.25	1368.75	239.44	-99999	0
2712	1	821.25	1368.75	239.32	-99999	0
2713	1	821.25	1368.75	239.2	-99999	0
2714	1	821.25	1368.75	239.08	-99999	0
2715	1	821.25	1368.75	238.95	-99999	0
2716	1	791.25	1368.75	238.8	-99999	0
2717	1	791.25	1368.75	238.65	-99999	0
2718	1	791.25	1368.75	238.48	-99999	0
2719	1	668.75	1368.75	238.32	-99999	0
2720	1	668.75	1368.75	238.17	-99999	0
2721	1	668.75	1368.75	237.93	-99999	0
2722	1	668.75	1368.75	237.65	-99999	0
2723	1	668.75	1368.75	237.37	-99999	0
2724	1	668.75	1368.75	236.89	-99999	0
2725	1	668.75	1368.75	236.33	-99999	0
2726	1	668.75	1368.75	236.27	-99999	0
2727	1	668.75	1368.75	236.21	-99999	0
2728	1	668.75	1368.75	236.09	-99999	0
2729	1	668.75	1368.75	235.95	-99999	0
2730	1	668.75	1368.75	235.69	-99999	0
2731	1	668.75	1368.75	235.34	-99999	0
2732	1	668.75	1368.75	235.04	-99999	0
2733	1	668.75	1368.75	234.73	-99999	0
2734	1	668.75	1368.75	234.34	-99999	0
2735	1	668.75	1368.75	233.95	-99999	0
2736	1	668.75	1368.75	233.52	-99999	0
2737	1	668.75	1368.75	233.1	-99999	0
2738	1	638.75	1368.75	232.7	-99999	0
2739	1	638.75	1368.75	232.3	-99999	0
2740	1	638.75	1368.75	231.96	-99999	0
2741	1	638.75	1368.75	231.62	-99999	0
2742	1	638.75	1368.75	231.22	-99999	0
2743	1	638.75	1368.75	230.81	-99999	0
2744	1	638.75	1368.75	230.46	-99999	0
2745	1	638.75	1368.75	230.11	-99999	0
2746	1	638.75	1368.75	229.69	-99999	0
2747	1	638.75	1368.75	229.38	-99999	0
2748	1	638.75	1368.75	229.1	-99999	0
2749	1	638.75	1368.75	228.87	-99999	0
2750	1	638.75	1368.75	228.67	-99999	0
2751	1	1368.75	1916.25	245.38	-99999	0
2752	1	1368.75	1916.25	245.26	-99999	0
2753	1	1368.75	1916.25	245.09	-99999	0
2754	1	1368.75	1916.25	244.93	-99999	0
2755	1	1368.75	1916.25	244.84	-99999	0
2756	1	1368.75	1733.75	244.76	-99999	0
2757	1	1186.25	1733.75	244.59	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2758	1	1186.25	1733.75	244.39	-99999	0
2759	1	1186.25	1733.75	244.2	-99999	0
2760	1	1186.25	1733.75	244.06	-99999	0
2761	1	1186.25	1733.75	243.93	-99999	0
2762	1	1186.25	1733.75	243.74	-99999	0
2763	1	1186.25	1733.75	243.55	-99999	0
2764	1	1186.25	1733.75	243.45	-99999	0
2765	1	1186.25	1733.75	243.35	-99999	0
2766	1	1186.25	1733.75	243.25	-99999	0
2767	1	1186.25	1733.75	243.14	-99999	0
2768	1	1186.25	1733.75	243.07	-99999	0
2769	1	1186.25	1733.75	242.99	-99999	0
2770	1	1186.25	1733.75	242.84	-99999	0
2771	1	1003.75	1733.75	242.71	-99999	0
2772	1	1003.75	1733.75	242.64	-99999	0
2773	1	1003.75	1733.75	242.57	-99999	0
2774	1	1003.75	1733.75	242.46	-99999	0
2775	1	1003.75	1733.75	242.34	-99999	0
2776	1	1003.75	1733.75	242.23	-99999	0
2777	1	1003.75	1733.75	242.11	-99999	0
2778	1	1003.75	1733.75	241.96	-99999	0
2779	1	1003.75	1733.75	241.81	-99999	0
2780	1	1003.75	1733.75	241.71	-99999	0
2781	1	1003.75	1551.25	241.61	-99999	0
2782	1	1003.75	1551.25	241.49	-99999	0
2783	1	1003.75	1551.25	241.37	-99999	0
2784	1	1003.75	1551.25	241.25	-99999	0
2785	1	1003.75	1551.25	241.12	-99999	0
2786	1	1003.75	1551.25	240.95	-99999	0
2787	1	1003.75	1551.25	240.85	-99999	0
2788	1	1003.75	1551.25	240.74	-99999	0
2789	1	912.25	1551.25	240.54	-99999	0
2790	1	912.25	1551.25	240.45	-99999	0
2791	1	912.25	1551.25	240.35	-99999	0
2792	1	912.25	1551.25	240.15	-99999	0
2793	1	912.25	1551.25	240.01	-99999	0
2794	1	912.25	1551.25	239.92	-99999	0
2795	1	912.25	1551.25	239.82	-99999	0
2796	1	912.25	1368.75	239.72	-99999	0
2797	1	821.25	1368.75	239.53	-99999	0
2798	1	821.25	1368.75	239.36	-99999	0
2799	1	821.25	1368.75	239.21	-99999	0
2800	1	821.25	1368.75	239.05	-99999	0
2801	1	821.25	1368.75	238.96	-99999	0
2802	1	821.25	1368.75	238.88	-99999	0
2803	1	791.25	1368.75	238.79	-99999	0
2804	1	791.25	1368.75	238.7	-99999	0
2805	1	791.25	1368.75	238.6	-99999	0
2806	1	791.25	1368.75	238.49	-99999	0
2807	1	791.25	1368.75	238.38	-99999	0
2808	1	668.75	1368.75	238.26	-99999	0
2809	1	668.75	1368.75	238.08	-99999	0
2810	1	668.75	1368.75	237.89	-99999	0
2811	1	668.75	1368.75	237.63	-99999	0
2812	1	668.75	1368.75	237.37	-99999	0
2813	1	668.75	1368.75	237.23	-99999	0
2814	1	668.75	1368.75	237.09	-99999	0
2815	1	668.75	1368.75	236.8	-99999	0
2816	1	668.75	1368.75	236.65	-99999	0
2817	1	668.75	1368.75	236.42	-99999	0
2818	1	668.75	1368.75	236.2	-99999	0
2819	1	668.75	1368.75	235.99	-99999	0
2820	1	668.75	1368.75	235.78	-99999	0
2821	1	668.75	1368.75	235.48	-99999	0
2822	1	668.75	1368.75	235.17	-99999	0
2823	1	668.75	1368.75	234.77	-99999	0
2824	1	668.75	1368.75	234.36	-99999	0
2825	1	668.75	1368.75	233.95	-99999	0
2826	1	668.75	1368.75	233.6	-99999	0
2827	1	668.75	1368.75	233.24	-99999	0
2828	1	638.75	1368.75	232.74	-99999	0
2829	1	638.75	1368.75	232.33	-99999	0
2830	1	638.75	1368.75	231.92	-99999	0
2831	1	638.75	1368.75	231.51	-99999	0
2832	1	638.75	1368.75	231.1	-99999	0
2833	1	638.75	1368.75	230.69	-99999	0
2834	1	638.75	1368.75	230.29	-99999	0
2835	1	638.75	1368.75	229.88	-99999	0
2836	1	638.75	1368.75	229.49	-99999	0
2837	1	638.75	1368.75	229.11	-99999	0
2838	1	638.75	1368.75	228.89	-99999	0
2839	1	638.75	1368.75	228.62	-99999	0
2840	1	1186.25	1733.75	243.74	-99999	0
2841	1	912.25	1551.25	239.99	-99999	0
2842	1	456.25	1733.75	219.59	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
2843	1	456.25	1733.75	220.02	-99999	0
2844	1	456.25	1733.75	220.27	-99999	0
2845	1	456.25	1733.75	220.45	-99999	0
2846	1	456.25	1733.75	220.62	-99999	0
2847	1	456.25	1733.75	220.75	-99999	0
2848	1	456.25	1733.75	220.88	-99999	0
2849	1	456.25	1733.75	221.05	-99999	0
2850	1	456.25	1733.75	221.21	-99999	0
2851	1	456.25	1733.75	221.6	-99999	0
2852	1	456.25	1733.75	221.68	-99999	0
2853	1	456.25	1733.75	221.76	-99999	0
2854	1	456.25	1733.75	221.86	-99999	0
2855	1	456.25	1733.75	221.96	-99999	0
2856	1	456.25	1733.75	222.17	-99999	0
2857	1	456.25	1733.75	222.39	-99999	0
2858	1	456.25	1733.75	222.68	-99999	0
2859	1	456.25	1733.75	223.14	-99999	0
2860	1	456.25	1733.75	223.41	-99999	0
2861	1	456.25	1733.75	223.68	-99999	0
2862	1	456.25	1733.75	224.16	-99999	0
2863	1	456.25	1733.75	224.58	-99999	0
2864	1	456.25	1733.75	224.85	-99999	0
2865	1	456.25	1733.75	225.12	-99999	0
2866	1	456.25	1733.75	225.52	-99999	0
2867	1	456.25	1733.75	225.92	-99999	0
2868	1	456.25	1733.75	226.17	-99999	0
2869	1	456.25	1733.75	226.41	-99999	0
2870	1	456.25	1733.75	226.75	-99999	0
2871	1	456.25	1733.75	227.1	-99999	0
2872	1	456.25	1733.75	227.44	-99999	0
2873	1	456.25	1733.75	227.75	-99999	0
2874	1	456.25	1733.75	228.04	-99999	0
2875	1	456.25	1733.75	228.16	-99999	0
2876	1	456.25	1733.75	228.18	-99999	0
2877	1	456.25	1733.75	228.03	-99999	0
2878	1	456.25	1733.75	226.67	-99999	0
2879	1	456.25	1733.75	227.34	-99999	0
2880	1	456.25	1733.75	227.63	-99999	0
2881	1	456.25	1733.75	227.92	-99999	0
2882	1	456.25	1733.75	228.14	-99999	0
2883	1	456.25	1733.75	228.16	-99999	0
2884	1	456.25	1551.25	219.07	-99999	0
2885	1	638.75	1551.25	218.25	-99999	0
2886	1	638.75	1551.25	217.44	-99999	0
2887	1	638.75	1368.75	216.62	-99999	0
2888	1	668.75	1368.75	215.85	-99999	0
2889	1	668.75	1368.75	214.89	-99999	0
2890	1	668.75	1368.75	213.8	-99999	0
2891	1	668.75	1368.75	212.78	-99999	0
2892	1	668.75	1368.75	211.77	-99999	0
2893	1	668.75	1368.75	210.72	-99999	0
2894	1	668.75	1368.75	209.67	-99999	0
2895	1	791.25	1368.75	209.23	-99999	0
2896	1	791.25	1368.75	208.78	-99999	0
2897	1	791.25	1368.75	208.19	-99999	0
2898	1	821.25	1368.75	207.59	-99999	0
2899	1	821.25	1368.75	206.3	-99999	0
2900	1	821.25	1368.75	205.8	-99999	0
2901	1	821.25	1368.75	205.21	-99999	0
2902	1	821.25	1368.75	204.62	-99999	0
2903	1	821.25	1368.75	204.03	-99999	0
2904	1	821.25	1368.75	203.44	-99999	0
2905	1	821.25	1368.75	202.8	-99999	0
2906	1	821.25	1368.75	202.27	-99999	0
2907	1	912.25	1368.75	201.35	-99999	0
2908	1	912.25	1368.75	200.7	-99999	0
2909	1	912.25	1368.75	200.45	-99999	0
2910	1	912.25	1368.75	200.18	-99999	0
2911	1	912.25	1368.75	199.85	-99999	0
2912	1	912.25	1368.75	199.46	-99999	0
2913	1	912.25	1368.75	199.28	-99999	0
2914	1	912.25	1368.75	199.09	-99999	0
2915	1	1003.75	1368.75	198.9	-99999	0
2916	1	1003.75	1368.75	198.76	-99999	0
2917	1	1003.75	1368.75	198.62	-99999	0
2918	1	1003.75	1368.75	198.48	-99999	0
2919	1	1003.75	1368.75	198.34	-99999	0
2920	1	1003.75	1368.75	198.23	-99999	0
2921	1	1003.75	1368.75	198.12	-99999	0
2922	1	1003.75	1368.75	197.9	-99999	0
2923	1	1003.75	1368.75	197.78	-99999	0
2924	1	1003.75	1368.75	197.65	-99999	0
2925	1	1003.75	1368.75	197.52	-99999	0
2926	1	1003.75	1368.75	197.4	-99999	0
2927	1	1003.75	1368.75	197.26	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
2928	1	1003.75	1368.75	197.12	-99999	0
2929	1	1003.75	1368.75	196.97	-99999	0
2930	1	1003.75	1368.75	196.83	-99999	0
2931	1	1003.75	1368.75	196.63	-99999	0
2932	1	912.25	1368.75	196.44	-99999	0
2933	1	912.25	1368.75	196.23	-99999	0
2934	1	912.25	1368.75	196.13	-99999	0
2935	1	912.25	1368.75	196.02	-99999	0
2936	1	912.25	1368.75	195.82	-99999	0
2937	1	912.25	1368.75	195.71	-99999	0
2938	1	912.25	1368.75	195.61	-99999	0
2939	1	912.25	1368.75	195.46	-99999	0
2940	1	821.25	1368.75	195.3	-99999	0
2941	1	821.25	1368.75	195.14	-99999	0
2942	1	821.25	1368.75	194.99	-99999	0
2943	1	821.25	1368.75	194.85	-99999	0
2944	1	821.25	1368.75	194.71	-99999	0
2945	1	821.25	1368.75	194.6	-99999	0
2946	1	821.25	1368.75	194.43	-99999	0
2947	1	821.25	1368.75	194.34	-99999	0
2948	1	821.25	1368.75	194.25	-99999	0
2949	1	791.25	1368.75	194.06	-99999	0
2950	1	668.75	1368.75	193.82	-99999	0
2951	1	668.75	1368.75	193.57	-99999	0
2952	1	668.75	1368.75	193.42	-99999	0
2953	1	668.75	1368.75	193.27	-99999	0
2954	1	668.75	1368.75	193.12	-99999	0
2955	1	668.75	1368.75	192.96	-99999	0
2956	1	668.75	1368.75	192.8	-99999	0
2957	1	668.75	1368.75	192.64	-99999	0
2958	1	668.75	1368.75	192.48	-99999	0
2959	1	668.75	1368.75	192.32	-99999	0
2960	1	668.75	1368.75	192.18	-99999	0
2961	1	668.75	1368.75	192.04	-99999	0
2962	1	456.25	1551.25	191.83	-99999	0
2963	1	456.25	1551.25	191.63	-99999	0
2964	1	456.25	1551.25	191.5	-99999	0
2965	1	456.25	1551.25	191.37	-99999	0
2966	1	456.25	1551.25	191.1	-99999	0
2967	1	456.25	1551.25	190.98	-99999	0
2968	1	456.25	1551.25	190.87	-99999	0
2969	1	456.25	1551.25	190.64	-99999	0
2970	1	456.25	1551.25	190.51	-99999	0
2971	1	456.25	1551.25	190.39	-99999	0
2972	1	456.25	1551.25	190.27	-99999	0
2973	1	456.25	1551.25	190.15	-99999	0
2974	1	273.75	1551.25	190.06	-99999	0
2975	1	273.75	1551.25	190.03	-99999	0
2976	1	273.75	1551.25	190.04	-99999	0
2977	1	273.75	1551.25	190.13	-99999	0
2978	1	273.75	1551.25	190.27	-99999	0
2979	1	273.75	1551.25	190.48	-99999	0
2980	1	273.75	1551.25	190.7	-99999	0
2981	1	273.75	1551.25	190.96	-99999	0
2982	1	273.75	1551.25	191.21	-99999	0
2983	1	273.75	1551.25	191.47	-99999	0
2984	1	273.75	1551.25	191.83	-99999	0
2988	1	821.25	1551.25	192.9	-99999	0
2989	1	821.25	1551.25	193.47	-99999	0
2990	1	821.25	1551.25	194.05	-99999	0
2991	1	821.25	1551.25	194.45	-99999	0
2992	1	912.25	1551.25	194.8	-99999	0
2993	1	912.25	1551.25	195.27	-99999	0
2994	1	912.25	1551.25	195.42	-99999	0
2995	1	912.25	1551.25	195.57	-99999	0
2996	1	912.25	1551.25	195.54	-99999	0
2997	1	912.25	1551.25	195.48	-99999	0
2998	1	1003.75	1551.25	195.38	-99999	0
2999	1	1003.75	1551.25	195.31	-99999	0
3000	1	1003.75	1733.75	195.26	-99999	0
3001	1	1003.75	1733.75	195.22	-99999	0
3002	1	1003.75	1733.75	195.13	-99999	0
3003	1	1003.75	1733.75	195.09	-99999	0
3004	1	1003.75	1733.75	195.04	-99999	0
3005	1	1003.75	1733.75	195.01	-99999	0
3006	1	1003.75	1733.75	194.98	-99999	0
3007	1	1003.75	1733.75	194.96	-99999	0
3008	1	1003.75	1733.75	194.93	-99999	0
3009	1	1003.75	1733.75	194.9	-99999	0
3010	1	1003.75	1733.75	194.88	-99999	0
3011	1	1368.75	1733.75	194.88	-99999	0
3012	1	1368.75	1733.75	195.17	-99999	0
3013	1	1368.75	1733.75	195.36	-99999	0
3014	1	1368.75	1733.75	195.56	-99999	0
3015	1	1368.75	1733.75	195.87	-99999	0

Bellage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
3016	1	1368.75	1733.75	196.18	-99999	0
3017	1	1368.75	1733.75	196.47	-99999	0
3018	1	1368.75	1733.75	196.76	-99999	0
3019	1	1368.75	1733.75	196.88	-99999	0
3020	1	1368.75	1733.75	196.99	-99999	0
3021	1	1368.75	1733.75	197.11	-99999	0
3022	1	1368.75	1733.75	197.18	-99999	0
3023	1	1368.75	1733.75	197.31	-99999	0
3024	1	1368.75	1733.75	197.37	-99999	0
3025	1	1368.75	1733.75	197.42	-99999	0
3026	1	1551.25	1916.25	197.51	-99999	0
3027	1	1551.25	1916.25	197.59	-99999	0
3028	1	1551.25	1916.25	197.67	-99999	0
3029	1	1551.25	1916.25	197.7	-99999	0
3030	1	1551.25	1916.25	197.74	-99999	0
3031	1	1551.25	1916.25	197.79	-99999	0
3032	1	1551.25	1916.25	197.85	-99999	0
3033	1	1551.25	1916.25	197.88	-99999	0
3034	1	1551.25	1916.25	197.9	-99999	0
3035	1	1551.25	1916.25	197.95	-99999	0
3036	1	1551.25	1916.25	198.03	-99999	0
3037	1	1551.25	1916.25	198.1	-99999	0
3038	1	1551.25	1916.25	198.17	-99999	0
3039	1	1551.25	1916.25	198.26	-99999	0
3040	1	1368.75	1916.25	198.33	-99999	0
3041	1	1368.75	1916.25	198.4	-99999	0
3042	1	1368.75	1916.25	198.46	-99999	0
3043	1	1368.75	1916.25	198.53	-99999	0
3044	1	1368.75	1916.25	198.65	-99999	0
3045	1	1368.75	1916.25	198.76	-99999	0
3046	1	1368.75	1916.25	198.87	-99999	0
3047	1	1368.75	1916.25	198.97	-99999	0
3048	1	1368.75	1916.25	199.04	-99999	0
3049	1	1368.75	1916.25	199.11	-99999	0
3050	1	1368.75	1916.25	199.18	-99999	0
3051	1	1368.75	1916.25	199.25	-99999	0
3052	1	1368.75	1916.25	199.33	-99999	0
3053	1	1186.25	1916.25	199.4	-99999	0
3054	1	1186.25	1916.25	199.47	-99999	0
3055	1	1186.25	1916.25	199.54	-99999	0
3056	1	1186.25	1916.25	199.6	-99999	0
3057	1	1186.25	1916.25	199.66	-99999	0
3058	1	1186.25	1916.25	199.7	-99999	0
3059	1	1186.25	1916.25	199.75	-99999	0
3060	1	1186.25	1916.25	199.79	-99999	0
3061	1	1186.25	1916.25	199.83	-99999	0
3062	1	1003.75	1916.25	199.9	-99999	0
3063	1	1003.75	1916.25	199.98	-99999	0
3064	1	1003.75	1916.25	200.08	-99999	0
3065	1	1003.75	1916.25	200.19	-99999	0
3066	1	1003.75	1916.25	200.31	-99999	0
3067	1	1003.75	1916.25	200.5	-99999	0
3068	1	1003.75	1733.75	200.73	-99999	0
3069	1	1003.75	1733.75	201.02	-99999	0
3070	1	1003.75	1733.75	201.34	-99999	0
3071	1	1003.75	1733.75	201.72	-99999	0
3072	1	912.25	1733.75	202.18	-99999	0
3073	1	912.25	1733.75	202.41	-99999	0
3074	1	912.25	1733.75	202.66	-99999	0
3075	1	912.25	1733.75	203.12	-99999	0
3076	1	912.25	1733.75	203.35	-99999	0
3077	1	912.25	1733.75	203.58	-99999	0
3078	1	912.25	1733.75	204.16	-99999	0
3079	1	912.25	1733.75	204.45	-99999	0
3080	1	912.25	1733.75	204.75	-99999	0
3081	1	912.25	1733.75	204.99	-99999	0
3082	1	912.25	1733.75	204.95	-99999	0
3083	1	456.25	1551.25	225.02	-99999	0
3084	1	456.25	1551.25	224	-99999	0
3085	1	456.25	1551.25	222.73	-99999	0
3086	1	456.25	1551.25	222.1	-99999	0
3087	1	456.25	1551.25	221.47	-99999	0
3088	1	456.25	1551.25	220.83	-99999	0
3089	1	456.25	1551.25	220.14	-99999	0
3090	1	456.25	1551.25	219.81	-99999	0
3091	1	456.25	1551.25	219.4	-99999	0
3092	1	456.25	1551.25	218.81	-99999	0
3093	1	456.25	1551.25	218.38	-99999	0
3094	1	638.75	1551.25	217.98	-99999	0
3095	1	638.75	1551.25	217.56	-99999	0
3096	1	638.75	1368.75	217.15	-99999	0
3097	1	638.75	1368.75	216.53	-99999	0
3098	1	668.75	1368.75	215.92	-99999	0
3099	1	668.75	1368.75	215.51	-99999	0
3100	1	668.75	1368.75	215.11	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
3101	1	668.75	1368.75	214.5	-99999	0
3102	1	668.75	1368.75	214.09	-99999	0
3103	1	668.75	1368.75	213.68	-99999	0
3104	1	668.75	1368.75	213.27	-99999	0
3105	1	668.75	1368.75	212.86	-99999	0
3106	1	668.75	1368.75	212.46	-99999	0
3107	1	668.75	1368.75	212.05	-99999	0
3108	1	668.75	1368.75	211.64	-99999	0
3109	1	668.75	1368.75	211.23	-99999	0
3110	1	668.75	1368.75	210.83	-99999	0
3111	1	668.75	1368.75	210.42	-99999	0
3112	1	668.75	1368.75	209.99	-99999	0
3113	1	791.25	1368.75	209.36	-99999	0
3114	1	791.25	1368.75	208.84	-99999	0
3115	1	791.25	1368.75	208.14	-99999	0
3116	1	821.25	1368.75	207.53	-99999	0
3117	1	821.25	1368.75	206.92	-99999	0
3118	1	821.25	1368.75	206.39	-99999	0
3119	1	821.25	1368.75	205.87	-99999	0
3120	1	821.25	1368.75	204.81	-99999	0
3121	1	821.25	1368.75	203.76	-99999	0
3122	1	821.25	1368.75	203.04	-99999	0
3123	1	821.25	1368.75	202.33	-99999	0
3124	1	912.25	1368.75	201.14	-99999	0
3125	1	912.25	1368.75	200.35	-99999	0
3126	1	912.25	1368.75	200.04	-99999	0
3127	1	912.25	1368.75	199.79	-99999	0
3128	1	912.25	1368.75	199.64	-99999	0
3129	1	912.25	1368.75	199.49	-99999	0
3130	1	912.25	1368.75	199.28	-99999	0
3131	1	912.25	1368.75	199.09	-99999	0
3132	1	1003.75	1368.75	198.9	-99999	0
3133	1	1003.75	1368.75	198.78	-99999	0
3134	1	1003.75	1368.75	198.67	-99999	0
3135	1	1003.75	1368.75	198.55	-99999	0
3136	1	1003.75	1368.75	198.44	-99999	0
3137	1	1003.75	1368.75	198.22	-99999	0
3138	1	1003.75	1368.75	198.01	-99999	0
3139	1	1003.75	1368.75	197.85	-99999	0
3140	1	1003.75	1368.75	197.69	-99999	0
3141	1	1003.75	1368.75	197.54	-99999	0
3142	1	1003.75	1368.75	197.38	-99999	0
3143	1	1003.75	1368.75	197.24	-99999	0
3144	1	1003.75	1368.75	197.11	-99999	0
3145	1	1003.75	1368.75	196.83	-99999	0
3146	1	1003.75	1368.75	196.62	-99999	0
3147	1	1003.75	1368.75	196.52	-99999	0
3148	1	912.25	1368.75	196.42	-99999	0
3149	1	912.25	1368.75	196.26	-99999	0
3150	1	912.25	1368.75	196.1	-99999	0
3151	1	912.25	1368.75	195.94	-99999	0
3152	1	912.25	1368.75	195.78	-99999	0
3153	1	912.25	1368.75	195.65	-99999	0
3154	1	912.25	1368.75	195.52	-99999	0
3155	1	821.25	1368.75	195.27	-99999	0
3156	1	821.25	1368.75	195.1	-99999	0
3157	1	821.25	1368.75	194.93	-99999	0
3158	1	821.25	1368.75	194.81	-99999	0
3159	1	821.25	1368.75	194.68	-99999	0
3160	1	821.25	1368.75	194.43	-99999	0
3161	1	821.25	1368.75	194.26	-99999	0
3162	1	791.25	1368.75	194.09	-99999	0
3163	1	668.75	1368.75	193.83	-99999	0
3164	1	668.75	1368.75	193.7	-99999	0
3165	1	668.75	1368.75	193.57	-99999	0
3166	1	668.75	1368.75	193.44	-99999	0
3167	1	668.75	1368.75	193.3	-99999	0
3168	1	668.75	1368.75	193.16	-99999	0
3169	1	668.75	1368.75	193.02	-99999	0
3170	1	668.75	1368.75	192.89	-99999	0
3171	1	668.75	1368.75	192.75	-99999	0
3172	1	668.75	1368.75	192.49	-99999	0
3173	1	668.75	1368.75	192.37	-99999	0
3174	1	668.75	1368.75	192.26	-99999	0
3175	1	668.75	1368.75	192.14	-99999	0
3176	1	668.75	1368.75	192.03	-99999	0
3177	1	456.25	1551.25	191.88	-99999	0
3178	1	456.25	1551.25	191.8	-99999	0
3179	1	456.25	1551.25	191.72	-99999	0
3180	1	456.25	1551.25	191.61	-99999	0
3181	1	456.25	1551.25	191.51	-99999	0
3182	1	456.25	1551.25	191.4	-99999	0
3183	1	456.25	1551.25	191.29	-99999	0
3184	1	456.25	1551.25	191.07	-99999	0
3185	1	456.25	1551.25	190.86	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
3186	1	456.25	1551.25	190.73	-99999	0
3187	1	456.25	1551.25	190.59	-99999	0
3188	1	456.25	1551.25	190.46	-99999	0
3189	1	456.25	1551.25	190.33	-99999	0
3190	1	456.25	1551.25	190.16	-99999	0
3191	1	273.75	1551.25	189.99	-99999	0
3192	1	273.75	1551.25	189.81	-99999	0
3193	1	273.75	1551.25	189.63	-99999	0
3194	1	273.75	1551.25	189.43	-99999	0
3195	1	273.75	1551.25	189.24	-99999	0
3196	1	273.75	1551.25	189.1	-99999	0
3197	1	273.75	1551.25	188.97	-99999	0
3201	1	273.75	1003.75	188.52	-99999	0
3202	1	273.75	1003.75	188.36	-99999	0
3203	1	273.75	1003.75	188.21	-99999	0
3204	1	273.75	1003.75	188.07	-99999	0
3205	1	273.75	1003.75	187.92	-99999	0
3206	1	273.75	912.25	187.76	-99999	0
3207	1	273.75	912.25	187.61	-99999	0
3208	1	273.75	912.25	187.41	-99999	0
3209	1	456.25	912.25	186.89	-99999	0
3210	1	456.25	912.25	186.4	-99999	0
3211	1	456.25	912.25	186.21	-99999	0
3212	1	456.25	912.25	186.02	-99999	0
3213	1	456.25	912.25	185.88	-99999	0
3214	1	456.25	912.25	185.8	-99999	0
3215	1	456.25	912.25	185.72	-99999	0
3217	1	456.25	912.25	185.63	-99999	0
3218	1	456.25	912.25	185.58	-99999	0
3219	1	456.25	912.25	185.53	-99999	0
3220	1	456.25	912.25	185.45	-99999	0
3221	1	456.25	912.25	185.36	-99999	0
3222	1	456.25	912.25	185.3	-99999	0
3223	1	456.25	912.25	185.25	-99999	0
3224	1	638.75	912.25	185.11	-99999	0
3225	1	638.75	912.25	184.99	-99999	0
3226	1	638.75	912.25	184.89	-99999	0
3227	1	638.75	912.25	184.83	-99999	0
3228	1	638.75	912.25	184.85	-99999	0
3229	1	668.75	912.25	184.94	-99999	0
3230	1	668.75	912.25	185.12	-99999	0
3231	1	668.75	912.25	185.17	-99999	0
3232	1	668.75	912.25	185.22	-99999	0
3233	1	668.75	912.25	185.28	-99999	0
3234	1	668.75	912.25	185.35	-99999	0
3235	1	668.75	912.25	185.41	-99999	0
3236	1	668.75	912.25	185.48	-99999	0
3237	1	668.75	912.25	185.53	-99999	0
3238	1	668.75	912.25	185.57	-99999	0
3239	1	668.75	912.25	185.61	-99999	0
3240	1	668.75	912.25	185.66	-99999	0
3241	1	668.75	912.25	185.69	-99999	0
3242	1	668.75	912.25	185.73	-99999	0
3243	1	668.75	912.25	185.75	-99999	0
3244	1	668.75	912.25	185.77	-99999	0
3245	1	668.75	912.25	185.8	-99999	0
3246	1	668.75	912.25	185.82	-99999	0
3247	1	668.75	912.25	185.83	-99999	0
3248	1	668.75	912.25	185.84	-99999	0
3249	1	668.75	912.25	185.85	-99999	0
3250	1	668.75	912.25	185.86	-99999	0
3251	1	668.75	912.25	185.87	-99999	0
3252	1	668.75	912.25	185.87	-99999	0
3253	1	668.75	912.25	185.88	-99999	0
3254	1	668.75	912.25	185.88	-99999	0
3255	1	668.75	912.25	185.89	-99999	0
3256	1	668.75	912.25	185.9	-99999	0
3257	1	668.75	912.25	185.91	-99999	0
3258	1	668.75	912.25	185.9	-99999	0
3259	1	668.75	912.25	185.89	-99999	0
3260	1	1551.25	1916.25	185.88	-99999	0
3261	1	1551.25	1916.25	185.87	-99999	0
3262	1	1551.25	1916.25	185.85	-99999	0
3263	1	1551.25	1916.25	185.83	-99999	0
3264	1	1551.25	1916.25	185.81	-99999	0
3265	1	1551.25	1916.25	185.79	-99999	0
3266	1	1551.25	1916.25	185.76	-99999	0
3267	1	1551.25	1916.25	185.74	-99999	0
3268	1	1551.25	1916.25	185.71	-99999	0
3269	1	1551.25	1916.25	185.69	-99999	0
3270	1	1551.25	1916.25	185.64	-99999	0
3271	1	1551.25	1916.25	185.59	-99999	0
3272	1	1551.25	1916.25	185.55	-99999	0
3273	1	1551.25	1916.25	185.5	-99999	0
3274	1	1551.25	1916.25	185.42	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
3275	1	1368.75	1916.25	185.35	-99999	0
3276	1	1368.75	1916.25	185.24	-99999	0
3277	1	1368.75	1916.25	184.52	-99999	0
3278	1	1368.75	1916.25	183.8	-99999	0
3279	1	1368.75	1916.25	183.03	-99999	0
3280	1	1368.75	1916.25	184.63	-99999	0
3281	1	1368.75	1916.25	185.22	-99999	0
3282	1	1368.75	1916.25	185.3	-99999	0
3283	1	1368.75	1916.25	185.36	-99999	0
3284	1	1368.75	1916.25	185.41	-99999	0
3285	1	1368.75	1916.25	185.46	-99999	0
3286	1	1368.75	1916.25	185.5	-99999	0
3287	1	1368.75	1916.25	185.55	-99999	0
3288	1	1368.75	1916.25	185.6	-99999	0
3289	1	1368.75	1916.25	185.72	-99999	0
3290	1	1368.75	1916.25	185.87	-99999	0
3291	1	1368.75	1916.25	186.05	-99999	0
3292	1	1368.75	1916.25	186.23	-99999	0
3293	1	1368.75	1916.25	186.45	-99999	0
3294	1	1368.75	1916.25	186.7	-99999	0
3295	1	1368.75	1916.25	187.14	-99999	0
3296	1	1368.75	1916.25	187.64	-99999	0
3297	1	1368.75	1916.25	188.15	-99999	0
3298	1	1368.75	1916.25	188.68	-99999	0
3299	1	1186.25	1916.25	189.29	-99999	0
3300	1	1186.25	1916.25	189.91	-99999	0
3301	1	1186.25	1916.25	190.34	-99999	0
3302	1	1186.25	1916.25	190.78	-99999	0
3303	1	1186.25	1916.25	191.47	-99999	0
3304	1	1186.25	1916.25	192.07	-99999	0
3305	1	1186.25	1916.25	192.59	-99999	0
3306	1	1186.25	1916.25	193.11	-99999	0
3307	1	1186.25	1733.75	194.01	-99999	0
3308	1	1186.25	1733.75	194.73	-99999	0
3309	1	1186.25	1733.75	195.19	-99999	0
3310	1	1186.25	1733.75	195.64	-99999	0
3311	1	1186.25	1733.75	195.89	-99999	0
3312	1	1186.25	1733.75	196.14	-99999	0
3313	1	1186.25	1733.75	196.39	-99999	0
3314	1	1003.75	1733.75	196.64	-99999	0
3315	1	1003.75	1733.75	196.8	-99999	0
3316	1	1003.75	1733.75	196.96	-99999	0
3317	1	1003.75	1733.75	197.28	-99999	0
3318	1	1003.75	1733.75	197.66	-99999	0
3319	1	1003.75	1733.75	198.04	-99999	0
3320	1	1003.75	1733.75	198.42	-99999	0
3321	1	1003.75	1733.75	198.8	-99999	0
3322	1	1003.75	1733.75	199.43	-99999	0
3323	1	912.25	1733.75	199.86	-99999	0
3324	1	912.25	1733.75	200.29	-99999	0
3325	1	912.25	1733.75	200.83	-99999	0
3326	1	912.25	1733.75	201.37	-99999	0
3327	1	912.25	1733.75	201.66	-99999	0
3328	1	912.25	1733.75	201.96	-99999	0
3329	1	821.25	1733.75	202.26	-99999	0
3330	1	821.25	1733.75	202.56	-99999	0
3331	1	821.25	1733.75	203.07	-99999	0
3332	1	821.25	1733.75	203.57	-99999	0
3333	1	821.25	1733.75	204.06	-99999	0
3334	1	821.25	1733.75	204.54	-99999	0
3335	1	821.25	1733.75	204.73	-99999	0
3336	1	821.25	1733.75	204.72	-99999	0
3337	1	821.25	1733.75	204.7	-99999	0
3338	1	456.25	1733.75	219.58	-99999	0
3339	1	456.25	1733.75	219.55	-99999	0
3340	1	456.25	1733.75	219.5	-99999	0
3341	1	456.25	1733.75	219.45	-99999	0
3342	1	456.25	1733.75	219.43	-99999	0
3343	1	791.25	1368.75	208.81	-99999	0
3344	1	912.25	1368.75	199.28	-99999	0
3345	1	1003.75	1368.75	196.83	-99999	0
3346	1	821.25	1368.75	194.43	-99999	0
3347	1	668.75	1368.75	192.03	-99999	0
3348	1	273.75	1551.25	189.9	-99999	0
3349	1	456.25	1551.25	195.19	-99999	0
3350	1	456.25	1551.25	190.87	-99999	0
3351	1	456.25	1551.25	186.55	-99999	0
3352	1	1368.75	1916.25	196.97	-99999	0
3353	1	1368.75	1916.25	191.14	-99999	0
3354	1	1368.75	1916.25	191.22	-99999	0
3355	1	1368.75	1916.25	185.47	-99999	0
3356	1	1368.75	1916.25	185.53	-99999	0
3357	1	1368.75	1916.25	191.72	-99999	0
3358	1	1368.75	1916.25	185.6	-99999	0
3359	1	1186.25	1916.25	199.53	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
3360	1	1186.25	1916.25	197.59	-99999	0
3361	1	1186.25	1916.25	198.45	-99999	0
3362	1	1186.25	1916.25	197.36	-99999	0
3363	1	1186.25	1916.25	198.11	-99999	0
3364	1	1186.25	1916.25	198.86	-99999	0
3365	1	1186.25	1916.25	197.9	-99999	0
3366	1	1186.25	1916.25	198.39	-99999	0
3367	1	1186.25	1916.25	196.94	-99999	0
3368	1	273.75	456.25	184.09	-99999	0
3369	1	273.75	1733.75	204.71	-99999	0
3370	1	273.75	1733.75	204.96	-99999	0
3371	1	273.75	1733.75	205.2	-99999	0
3372	1	273.75	1733.75	205.45	-99999	0
3373	1	273.75	1733.75	205.7	-99999	0
3374	1	273.75	1733.75	205.87	-99999	0
3375	1	273.75	1733.75	206.04	-99999	0
3376	1	273.75	1733.75	206.21	-99999	0
3377	1	273.75	1733.75	206.38	-99999	0
3378	1	273.75	1733.75	206.65	-99999	0
3379	1	273.75	1733.75	206.94	-99999	0
3380	1	273.75	1733.75	207.22	-99999	0
3381	1	273.75	1733.75	207.38	-99999	0
3382	1	273.75	1733.75	205.05	-99999	0
3383	1	273.75	1733.75	205.28	-99999	0
3384	1	273.75	1733.75	205.51	-99999	0
3385	1	273.75	1733.75	205.94	-99999	0
3386	1	273.75	1733.75	206.37	-99999	0
3387	1	273.75	1733.75	206.6	-99999	0
3388	1	273.75	1733.75	206.82	-99999	0
3389	1	273.75	1733.75	207.01	-99999	0
3390	1	273.75	1733.75	207.21	-99999	0
3391	1	273.75	1733.75	207.36	-99999	0
3392	1	273.75	1733.75	207.38	-99999	0
3393	1	273.75	1916.25	207.52	-99999	0
3394	1	273.75	1916.25	207.8	-99999	0
3395	1	273.75	1916.25	208.22	-99999	0
3396	1	273.75	1916.25	208.68	-99999	0
3397	1	273.75	1916.25	209.13	-99999	0
3398	1	273.75	1916.25	209.53	-99999	0
3399	1	273.75	1916.25	209.88	-99999	0
3400	1	273.75	1916.25	210.13	-99999	0
3401	1	273.75	1916.25	210.38	-99999	0
3402	1	273.75	1916.25	210.87	-99999	0
3403	1	273.75	1916.25	211.16	-99999	0
3404	1	273.75	1916.25	211.45	-99999	0
3405	1	273.75	1916.25	211.88	-99999	0
3406	1	273.75	1733.75	212.11	-99999	0
3407	1	273.75	1733.75	212.34	-99999	0
3408	1	273.75	1733.75	212.8	-99999	0
3409	1	273.75	1733.75	213.18	-99999	0
3410	1	273.75	1733.75	213.56	-99999	0
3411	1	273.75	1733.75	213.93	-99999	0
3412	1	273.75	1733.75	214.3	-99999	0
3413	1	273.75	1733.75	214.59	-99999	0
3414	1	273.75	1733.75	214.88	-99999	0
3415	1	273.75	1733.75	215.13	-99999	0
3416	1	273.75	1733.75	215.38	-99999	0
3417	1	273.75	1551.25	215.61	-99999	0
3418	1	273.75	1551.25	215.83	-99999	0
3419	1	273.75	1551.25	216.28	-99999	0
3420	1	273.75	1551.25	216.58	-99999	0
3421	1	273.75	1551.25	216.88	-99999	0
3422	1	273.75	1551.25	217.32	-99999	0
3423	1	273.75	1551.25	217.76	-99999	0
3424	1	273.75	1551.25	217.97	-99999	0
3425	1	273.75	1551.25	218.19	-99999	0
3426	1	273.75	1551.25	218.34	-99999	0
3427	1	273.75	1551.25	218.44	-99999	0
3428	1	273.75	1551.25	218.54	-99999	0
3429	1	273.75	1551.25	218.64	-99999	0
3430	1	273.75	1551.25	218.74	-99999	0
3431	1	273.75	1551.25	218.87	-99999	0
3432	1	273.75	1551.25	219.01	-99999	0
3433	1	273.75	1551.25	219.24	-99999	0
3434	1	273.75	1551.25	219.35	-99999	0
3435	1	273.75	1551.25	219.47	-99999	0
3436	1	273.75	1551.25	219.58	-99999	0
3437	1	273.75	1551.25	219.7	-99999	0
3438	1	273.75	1551.25	219.92	-99999	0
3439	1	273.75	1551.25	220.04	-99999	0
3440	1	273.75	1551.25	220.15	-99999	0
3441	1	273.75	1551.25	220.26	-99999	0
3442	1	273.75	1551.25	220.38	-99999	0
3443	1	273.75	1551.25	220.5	-99999	0
3444	1	273.75	1551.25	220.62	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
3445	1	273.75	1551.25	220.74	-99999	0
3446	1	273.75	1551.25	220.86	-99999	0
3447	1	273.75	1551.25	220.98	-99999	0
3448	1	273.75	1551.25	221.1	-99999	0
3449	1	273.75	1551.25	221.22	-99999	0
3450	1	273.75	1551.25	221.34	-99999	0
3451	1	273.75	1551.25	221.47	-99999	0
3452	1	273.75	1551.25	221.6	-99999	0
3453	1	273.75	1551.25	221.73	-99999	0
3454	1	273.75	1551.25	221.86	-99999	0
3455	1	273.75	1551.25	221.98	-99999	0
3456	1	273.75	1551.25	222.05	-99999	0
3457	1	273.75	1551.25	222.11	-99999	0
3458	1	273.75	1551.25	222.18	-99999	0
3459	1	273.75	1551.25	222.24	-99999	0
3460	1	273.75	1551.25	222.37	-99999	0
3461	1	273.75	1551.25	222.49	-99999	0
3462	1	273.75	1551.25	222.6	-99999	0
3463	1	273.75	1551.25	222.72	-99999	0
3464	1	273.75	1551.25	222.84	-99999	0
3465	1	273.75	1551.25	222.96	-99999	0
3466	1	273.75	1551.25	223.08	-99999	0
3467	1	273.75	1551.25	223.2	-99999	0
3468	1	273.75	1551.25	223.31	-99999	0
3469	1	273.75	1551.25	223.43	-99999	0
3470	1	273.75	1551.25	223.55	-99999	0
3471	1	273.75	1551.25	223.68	-99999	0
3472	1	273.75	1551.25	223.78	-99999	0
3474	1	912.25	1186.25	195.18	-99999	0
3475	1	912.25	1186.25	195.17	-99999	0
3476	1	912.25	1186.25	195.15	-99999	0
3477	1	912.25	1186.25	195.12	-99999	0
3478	1	912.25	1186.25	195.11	-99999	0
3479	1	912.25	1186.25	195.1	-99999	0
3480	1	912.25	1186.25	195.09	-99999	0
3481	1	912.25	1186.25	195.07	-99999	0
3482	1	912.25	1186.25	195.06	-99999	0
3483	1	912.25	1186.25	195.04	-99999	0
3484	1	912.25	1186.25	195.01	-99999	0
3485	1	912.25	1186.25	194.99	-99999	0
3486	1	912.25	1186.25	194.93	-99999	0
3487	1	912.25	1186.25	194.9	-99999	0
3488	1	912.25	1186.25	194.87	-99999	0
3489	1	912.25	1186.25	195.69	-99999	0
3490	1	912.25	1186.25	195.9	-99999	0
3491	1	912.25	1186.25	196.1	-99999	0
3492	1	912.25	1186.25	196.41	-99999	0
3493	1	912.25	1186.25	196.62	-99999	0
3494	1	912.25	1186.25	196.65	-99999	0
3495	1	912.25	1186.25	196.68	-99999	0
3496	1	912.25	1186.25	196.71	-99999	0
3497	1	912.25	1186.25	196.74	-99999	0
3498	1	912.25	1186.25	196.75	-99999	0
3499	1	912.25	1186.25	196.75	-99999	0
3500	1	912.25	1186.25	196.76	-99999	0
3501	1	912.25	1186.25	196.77	-99999	0
3502	1	912.25	1186.25	196.78	-99999	0
3503	1	912.25	1186.25	196.79	-99999	0
3504	1	912.25	1186.25	196.79	-99999	0
3505	1	912.25	1186.25	196.8	-99999	0
3506	1	912.25	1186.25	196.81	-99999	0
3507	1	912.25	1186.25	196.81	-99999	0
3508	1	912.25	1186.25	196.81	-99999	0
3509	1	912.25	1186.25	196.81	-99999	0
3510	1	912.25	1186.25	196.82	-99999	0
3511	1	912.25	1186.25	196.82	-99999	0
3512	1	912.25	1186.25	196.82	-99999	0
3513	1	912.25	1186.25	196.82	-99999	0
3514	1	912.25	1186.25	196.83	-99999	0
3515	1	912.25	1186.25	196.83	-99999	0
3516	1	912.25	1186.25	196.84	-99999	0
3517	1	912.25	1186.25	196.84	-99999	0
3518	1	912.25	1186.25	196.85	-99999	0
3519	1	912.25	1186.25	196.86	-99999	0
3520	1	912.25	1186.25	196.87	-99999	0
3521	1	912.25	1186.25	196.88	-99999	0
3522	1	912.25	1186.25	196.89	-99999	0
3523	1	912.25	1186.25	196.91	-99999	0
3524	1	912.25	1186.25	196.92	-99999	0
3525	1	912.25	1186.25	196.94	-99999	0
3526	1	912.25	1186.25	196.97	-99999	0
3527	1	912.25	1186.25	197	-99999	0
3528	1	912.25	1186.25	197.04	-99999	0
3529	1	912.25	1186.25	197.07	-99999	0
3530	1	912.25	1186.25	197.11	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
3531	1	821.25	1186.25	197.19	-99999	0
3532	1	821.25	1186.25	197.4	-99999	0
3533	1	821.25	1186.25	197.56	-99999	0
3534	1	821.25	1186.25	197.72	-99999	0
3535	1	821.25	1186.25	198.08	-99999	0
3536	1	821.25	1186.25	198.46	-99999	0
3537	1	821.25	1186.25	198.85	-99999	0
3538	1	821.25	1186.25	199.25	-99999	0
3539	1	821.25	1186.25	199.64	-99999	0
3540	1	821.25	1186.25	199.97	-99999	0
3541	1	821.25	1186.25	200.3	-99999	0
3542	1	821.25	1186.25	200.82	-99999	0
3543	1	791.25	1186.25	201.31	-99999	0
3544	1	791.25	1186.25	201.79	-99999	0
3545	1	791.25	1186.25	202.19	-99999	0
3546	1	791.25	1186.25	202.47	-99999	0
3547	1	791.25	1186.25	202.76	-99999	0
3548	1	668.75	1186.25	203.04	-99999	0
3549	1	668.75	1186.25	203.44	-99999	0
3550	1	668.75	1186.25	203.91	-99999	0
3551	1	668.75	1186.25	204.53	-99999	0
3552	1	668.75	1186.25	205.11	-99999	0
3553	1	668.75	1186.25	205.45	-99999	0
3554	1	668.75	1186.25	205.79	-99999	0
3555	1	668.75	1186.25	206.05	-99999	0
3556	1	668.75	1186.25	206.3	-99999	0
3557	1	638.75	1186.25	206.59	-99999	0
3558	1	456.25	1186.25	210.86	-99999	0
3559	1	638.75	1186.25	206.83	-99999	0
3561	1	638.75	1186.25	207.07	-99999	0
3562	1	456.25	1186.25	210.64	-99999	0
3563	1	638.75	1186.25	207.3	-99999	0
3564	1	456.25	1186.25	210.43	-99999	0
3565	1	638.75	1186.25	207.54	-99999	0
3566	1	456.25	1186.25	210.23	-99999	0
3567	1	638.75	1186.25	207.76	-99999	0
3568	1	456.25	1186.25	209.95	-99999	0
3569	1	638.75	1186.25	207.99	-99999	0
3570	1	456.25	1186.25	209.66	-99999	0
3571	1	638.75	1186.25	208.4	-99999	0
3572	1	456.25	1186.25	209.38	-99999	0
3573	1	638.75	1186.25	208.64	-99999	0
3574	1	456.25	1186.25	209.12	-99999	0
3575	1	638.75	1186.25	208.87	-99999	0
3576	1	912.25	1186.25	185.66	-99999	0
3577	1	912.25	1186.25	185.56	-99999	0
3578	1	912.25	1186.25	185.32	-99999	0
3579	1	912.25	1186.25	185.19	-99999	0
3580	1	912.25	1186.25	185.15	-99999	0
3581	1	912.25	1186.25	185.13	-99999	0
3582	1	912.25	1186.25	185.11	-99999	0
3583	1	912.25	1186.25	185.1	-99999	0
3584	1	912.25	1186.25	185.09	-99999	0
3585	1	912.25	1186.25	185.13	-99999	0
3586	1	912.25	1186.25	185.16	-99999	0
3587	1	912.25	1186.25	185.29	-99999	0
3588	1	912.25	1186.25	185.34	-99999	0
3589	1	912.25	1186.25	185.39	-99999	0
3590	1	912.25	1186.25	186.18	-99999	0
3591	1	912.25	1186.25	188.57	-99999	0
3592	1	912.25	1186.25	189.15	-99999	0
3593	1	912.25	1186.25	190.06	-99999	0
3594	1	912.25	1186.25	190.41	-99999	0
3595	1	912.25	1186.25	190.76	-99999	0
3596	1	912.25	1186.25	191.46	-99999	0
3597	1	912.25	1186.25	191.9	-99999	0
3598	1	912.25	1186.25	192.34	-99999	0
3599	1	912.25	1186.25	192.87	-99999	0
3600	1	821.25	1186.25	193.43	-99999	0
3601	1	821.25	1186.25	193.98	-99999	0
3602	1	821.25	1186.25	194.28	-99999	0
3603	1	821.25	1186.25	194.58	-99999	0
3604	1	821.25	1186.25	194.88	-99999	0
3605	1	821.25	1186.25	195.18	-99999	0
3606	1	821.25	1186.25	195.64	-99999	0
3607	1	821.25	1186.25	196.09	-99999	0
3608	1	821.25	1186.25	196.56	-99999	0
3609	1	821.25	1186.25	197.02	-99999	0
3610	1	821.25	1186.25	197.78	-99999	0
3611	1	821.25	1186.25	198.46	-99999	0
3612	1	821.25	1186.25	198.84	-99999	0
3613	1	821.25	1186.25	199.22	-99999	0
3614	1	791.25	1186.25	199.81	-99999	0
3615	1	791.25	1186.25	200.47	-99999	0
3616	1	791.25	1186.25	201.25	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
3617	1	791.25	1186.25	201.72	-99999	0
3618	1	668.75	1186.25	202.18	-99999	0
3619	1	668.75	1186.25	202.63	-99999	0
3620	1	668.75	1186.25	203.08	-99999	0
3621	1	668.75	1186.25	203.82	-99999	0
3622	1	668.75	1186.25	204.59	-99999	0
3623	1	668.75	1186.25	205.35	-99999	0
3624	1	668.75	1186.25	205.54	-99999	0
3625	1	668.75	1186.25	205.73	-99999	0
3626	1	668.75	1186.25	206.27	-99999	0
3627	1	638.75	1186.25	206.57	-99999	0
3628	1	638.75	1186.25	206.86	-99999	0
3629	1	456.25	1186.25	210.88	-99999	0
3630	1	638.75	1186.25	207.2	-99999	0
3631	1	456.25	1186.25	210.8	-99999	0
3632	1	638.75	1186.25	207.54	-99999	0
3633	1	456.25	1186.25	210.57	-99999	0
3634	1	638.75	1186.25	207.96	-99999	0
3635	1	456.25	1186.25	210.36	-99999	0
3636	1	456.25	1186.25	210.16	-99999	0
3637	1	638.75	1186.25	208.39	-99999	0
3638	1	638.75	1186.25	209.53	-99999	0
3639	1	456.25	1186.25	209.94	-99999	0
3640	1	638.75	1186.25	208.73	-99999	0
3641	1	638.75	1186.25	209.08	-99999	0
3642	1	821.25	1186.25	194.45	-99999	0
3643	1	821.25	1186.25	194.92	-99999	0
3644	1	821.25	1186.25	195.43	-99999	0
3645	1	821.25	1186.25	195.94	-99999	0
3646	1	821.25	1186.25	196.44	-99999	0
3647	1	821.25	1186.25	196.95	-99999	0
3648	1	821.25	1186.25	197.33	-99999	0
3649	1	668.75	1186.25	205.7	-99999	0
3650	1	668.75	1186.25	205.95	-99999	0
3651	1	273.75	1186.25	221.73	-99999	0
3652	1	273.75	1186.25	221.5	-99999	0
3653	1	273.75	1186.25	221.27	-99999	0
3654	1	273.75	1186.25	221.05	-99999	0
3655	1	273.75	1186.25	220.82	-99999	0
3656	1	273.75	1186.25	220.57	-99999	0
3657	1	273.75	1186.25	220.32	-99999	0
3658	1	273.75	1186.25	220.04	-99999	0
3659	1	273.75	1186.25	219.77	-99999	0
3660	1	273.75	1186.25	219.43	-99999	0
3661	1	273.75	1186.25	219.09	-99999	0
3662	1	273.75	1186.25	218.75	-99999	0
3663	1	273.75	1186.25	218.41	-99999	0
3664	1	273.75	1186.25	218.03	-99999	0
3665	1	273.75	1186.25	217.84	-99999	0
3666	1	273.75	1186.25	217.64	-99999	0
3667	1	273.75	1186.25	217.26	-99999	0
3668	1	273.75	1186.25	216.88	-99999	0
3669	1	273.75	1186.25	216.55	-99999	0
3670	1	273.75	1186.25	216.21	-99999	0
3671	1	273.75	1186.25	215.95	-99999	0
3672	1	273.75	1186.25	215.69	-99999	0
3673	1	273.75	1186.25	215.27	-99999	0
3674	1	273.75	1186.25	215.07	-99999	0
3675	1	273.75	1186.25	214.86	-99999	0
3676	1	273.75	1186.25	214.69	-99999	0
3677	1	273.75	1186.25	214.52	-99999	0
3678	1	273.75	1186.25	214.35	-99999	0
3679	1	273.75	1186.25	214.18	-99999	0
3680	1	273.75	1186.25	213.96	-99999	0
3681	1	273.75	1186.25	213.75	-99999	0
3682	1	273.75	1186.25	213.53	-99999	0
3683	1	273.75	1186.25	213.31	-99999	0
3684	1	273.75	1186.25	213.03	-99999	0
3685	1	273.75	1186.25	212.74	-99999	0
3686	1	273.75	1186.25	212.42	-99999	0
3687	1	273.75	1186.25	212.11	-99999	0
3688	1	273.75	1186.25	211.84	-99999	0
3689	1	273.75	1186.25	211.57	-99999	0
3690	1	273.75	1186.25	211.15	-99999	0
3691	1	273.75	1186.25	210.86	-99999	0
3692	1	273.75	1186.25	221.4	-99999	0
3693	1	273.75	1186.25	221.04	-99999	0
3694	1	273.75	1186.25	220.67	-99999	0
3695	1	273.75	1186.25	220.15	-99999	0
3696	1	273.75	1186.25	219.89	-99999	0
3697	1	273.75	1186.25	219.63	-99999	0
3698	1	273.75	1186.25	219.26	-99999	0
3699	1	273.75	1186.25	218.9	-99999	0
3700	1	273.75	1186.25	219.1	-99999	0
3701	1	273.75	1186.25	218.9	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
3702	1	273.75	1186.25	219.3	-99999	0
3703	1	273.75	1186.25	219.54	-99999	0
3704	1	273.75	1186.25	219.79	-99999	0
3705	1	273.75	1186.25	218.9	-99999	0
3706	1	273.75	1186.25	220.08	-99999	0
3707	1	273.75	1186.25	220.37	-99999	0
3708	1	273.75	1186.25	220.66	-99999	0
3709	1	273.75	1186.25	220.94	-99999	0
3710	1	273.75	1186.25	221.2	-99999	0
3711	1	273.75	1186.25	218.61	-99999	0
3712	1	273.75	1186.25	221.4	-99999	0
3713	1	273.75	1186.25	218.27	-99999	0
3714	1	273.75	1186.25	217.93	-99999	0
3715	1	273.75	1186.25	217.59	-99999	0
3716	1	273.75	1186.25	217.11	-99999	0
3717	1	273.75	1186.25	216.44	-99999	0
3718	1	273.75	1186.25	215.77	-99999	0
3719	1	273.75	1186.25	215.12	-99999	0
3720	1	273.75	1551.25	236.33	-99999	0
3721	1	456.25	1368.75	237.13	-99999	0
3722	1	456.25	1368.75	237.28	-99999	0
3723	1	456.25	1368.75	237.21	-99999	0
3724	1	456.25	1368.75	237.53	-99999	0
3725	1	456.25	1368.75	237.17	-99999	0
3726	1	456.25	1368.75	237.28	-99999	0
3727	1	456.25	1368.75	237.14	-99999	0
3728	1	456.25	1368.75	237.41	-99999	0
3729	1	456.25	1368.75	237.58	-99999	0
3730	1	456.25	1368.75	237.78	-99999	0
3731	1	456.25	1368.75	237.28	-99999	0
3732	1	456.25	1368.75	237.53	-99999	0
3733	1	456.25	1368.75	237.38	-99999	0
3734	1	456.25	1368.75	237.22	-99999	0
3735	1	456.25	1368.75	237.47	-99999	0
3736	1	456.25	1368.75	237.66	-99999	0
3737	1	456.25	1368.75	238.01	-99999	0
3738	1	456.25	1368.75	237.57	-99999	0
3739	1	456.25	1368.75	237.17	-99999	0
3740	1	456.25	1368.75	237.79	-99999	0
3741	1	456.25	1368.75	237.94	-99999	0
3742	1	456.25	1368.75	237.66	-99999	0
3743	1	456.25	1368.75	238.17	-99999	0
3744	1	456.25	1368.75	237.91	-99999	0
3745	1	456.25	1368.75	237.6	-99999	0
3746	1	456.25	1368.75	238.07	-99999	0
3747	1	456.25	1368.75	237.41	-99999	0
3748	1	456.25	1368.75	237.81	-99999	0
3749	1	456.25	1368.75	238.04	-99999	0
3750	1	456.25	1368.75	238.22	-99999	0
3751	1	456.25	1368.75	237.96	-99999	0
3752	1	456.25	1368.75	238.14	-99999	0
3753	1	456.25	1368.75	238.03	-99999	0
3754	1	456.25	1368.75	237.94	-99999	0
3755	1	456.25	1368.75	237.81	-99999	0
3756	1	456.25	1368.75	238.09	-99999	0
3757	1	456.25	1368.75	238.16	-99999	0
3758	1	456.25	1368.75	238.23	-99999	0
3759	1	456.25	1368.75	238.1	-99999	0
3760	1	456.25	1368.75	238.02	-99999	0
3761	1	456.25	1368.75	238.23	-99999	0
3762	1	456.25	1368.75	238.23	-99999	0
3763	1	456.25	1368.75	238.45	-99999	0
3764	1	456.25	1368.75	238.24	-99999	0
3765	1	456.25	1368.75	238.33	-99999	0
3766	1	456.25	1368.75	238.47	-99999	0
3767	1	456.25	1368.75	238.68	-99999	0
3768	1	456.25	1368.75	238.42	-99999	0
3769	1	456.25	1368.75	238.27	-99999	0
3770	1	456.25	1368.75	238.31	-99999	0
3771	1	456.25	1368.75	238.61	-99999	0
3772	1	456.25	1368.75	238.52	-99999	0
3773	1	456.25	1368.75	238.43	-99999	0
3774	1	456.25	1368.75	238.62	-99999	0
3775	1	456.25	1368.75	238.77	-99999	0
3776	1	456.25	1368.75	238.92	-99999	0
3777	1	456.25	1368.75	238.36	-99999	0
3778	1	456.25	1368.75	238.54	-99999	0
3779	1	456.25	1368.75	238.71	-99999	0
3780	1	456.25	1368.75	238.93	-99999	0
3781	1	456.25	1368.75	238.63	-99999	0
3782	1	456.25	1368.75	238.81	-99999	0
3783	1	456.25	1368.75	238.41	-99999	0
3784	1	456.25	1368.75	238.56	-99999	0
3785	1	456.25	1368.75	238.71	-99999	0
3786	1	456.25	1368.75	239.16	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
3787	1	456.25	1368.75	238.9	-99999	0
3788	1	456.25	1368.75	239.08	-99999	0
3789	1	456.25	1368.75	238.78	-99999	0
3790	1	456.25	1368.75	238.7	-99999	0
3791	1	456.25	1368.75	239	-99999	0
3792	1	456.25	1368.75	238.84	-99999	0
3793	1	456.25	1368.75	238.64	-99999	0
3794	1	456.25	1368.75	239.07	-99999	0
3795	1	456.25	1368.75	239.33	-99999	0
3796	1	456.25	1368.75	238.91	-99999	0
3797	1	456.25	1368.75	239.24	-99999	0
3798	1	456.25	1368.75	238.83	-99999	0
3799	1	456.25	1368.75	239.15	-99999	0
3800	1	456.25	1368.75	238.98	-99999	0
3801	1	456.25	1368.75	239.23	-99999	0
3802	1	456.25	1368.75	239.06	-99999	0
3803	1	456.25	1368.75	238.82	-99999	0
3804	1	456.25	1368.75	239.49	-99999	0
3805	1	456.25	1368.75	239.4	-99999	0
3806	1	456.25	1368.75	238.97	-99999	0
3807	1	456.25	1368.75	239.31	-99999	0
3808	1	456.25	1368.75	239.14	-99999	0
3809	1	456.25	1368.75	239.5	-99999	0
3810	1	456.25	1368.75	239.22	-99999	0
3811	1	456.25	1368.75	239.41	-99999	0
3812	1	456.25	1368.75	239.01	-99999	0
3813	1	456.25	1368.75	239.12	-99999	0
3814	1	456.25	1368.75	239.3	-99999	0
3815	1	456.25	1368.75	239.5	-99999	0
3816	1	456.25	1368.75	239.35	-99999	0
3817	1	456.25	1368.75	239.27	-99999	0
3818	1	456.25	1368.75	239.4	-99999	0
3819	1	456.25	1368.75	239.45	-99999	0
3820	1	456.25	1368.75	239.26	-99999	0
3821	1	456.25	1368.75	239.4	-99999	0
3822	1	456.25	1368.75	239.51	-99999	0
3823	1	456.25	1368.75	239.4	-99999	0
3824	1	456.25	1368.75	239.51	-99999	0
3825	1	456.25	1368.75	239.51	-99999	0
3826	1	456.25	1368.75	239.59	-99999	0
3827	1	456.25	1368.75	239.69	-99999	0
3828	1	456.25	1368.75	239.59	-99999	0
3829	1	456.25	1368.75	239.55	-99999	0
3830	1	456.25	1368.75	239.79	-99999	0
3831	1	456.25	1368.75	239.6	-99999	0
3832	1	456.25	1368.75	239.69	-99999	0
3833	1	456.25	1368.75	239.64	-99999	0
3834	1	456.25	1368.75	239.88	-99999	0
3835	1	456.25	1368.75	239.69	-99999	0
3836	1	456.25	1368.75	239.56	-99999	0
3837	1	456.25	1368.75	239.81	-99999	0
3838	1	456.25	1368.75	239.74	-99999	0
3839	1	456.25	1368.75	239.61	-99999	0
3840	1	456.25	1368.75	239.99	-99999	0
3841	1	456.25	1368.75	239.79	-99999	0
3842	1	456.25	1368.75	239.89	-99999	0
3843	1	456.25	1368.75	239.67	-99999	0
3844	1	456.25	1368.75	239.98	-99999	0
3845	1	456.25	1368.75	239.72	-99999	0
3846	1	456.25	1368.75	239.85	-99999	0
3847	1	456.25	1368.75	239.96	-99999	0
3848	1	456.25	1368.75	240.09	-99999	0
3849	1	456.25	1368.75	239.68	-99999	0
3850	1	456.25	1368.75	239.77	-99999	0
3851	1	456.25	1368.75	240	-99999	0
3852	1	456.25	1368.75	239.91	-99999	0
3853	1	456.25	1368.75	240.04	-99999	0
3854	1	456.25	1368.75	239.61	-99999	0
3855	1	456.25	1368.75	240.04	-99999	0
3856	1	456.25	1368.75	239.98	-99999	0
3857	1	456.25	1368.75	239.83	-99999	0
3858	1	456.25	1368.75	240.12	-99999	0
3859	1	456.25	1368.75	240.04	-99999	0
3860	1	456.25	1368.75	239.76	-99999	0
3861	1	456.25	1368.75	240.08	-99999	0
3862	1	456.25	1368.75	239.88	-99999	0
3863	1	456.25	1368.75	239.71	-99999	0
3864	1	456.25	1368.75	240.12	-99999	0
3865	1	456.25	1368.75	240.02	-99999	0
3866	1	456.25	1368.75	239.93	-99999	0
3867	1	456.25	1368.75	239.84	-99999	0
3868	1	456.25	1368.75	239.92	-99999	0
3869	1	456.25	1368.75	240.12	-99999	0
3870	1	456.25	1368.75	239.98	-99999	0
3871	1	456.25	1368.75	240.12	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
3872	1	456.25	1368.75	239.83	-99999	0
3873	1	456.25	1368.75	239.92	-99999	0
3874	1	456.25	1368.75	240.05	-99999	0
3875	1	456.25	1368.75	240.22	-99999	0
3876	1	456.25	1368.75	240.03	-99999	0
3877	1	456.25	1368.75	240	-99999	0
3878	1	456.25	1368.75	239.96	-99999	0
3879	1	456.25	1368.75	240.06	-99999	0
3880	1	456.25	1368.75	240.16	-99999	0
3881	1	456.25	1368.75	240.33	-99999	0
3882	1	456.25	1368.75	240.16	-99999	0
3883	1	456.25	1368.75	240.09	-99999	0
3884	1	456.25	1368.75	240.9	-99999	0
3885	1	456.25	1368.75	240.24	-99999	0
3886	1	456.25	1368.75	240.88	-99999	0
3887	1	456.25	1368.75	240.3	-99999	0
3888	1	456.25	1368.75	240.13	-99999	0
3889	1	456.25	1368.75	240.3	-99999	0
3890	1	456.25	1368.75	240.44	-99999	0
3891	1	456.25	1368.75	240.36	-99999	0
3892	1	456.25	1368.75	240.54	-99999	0
3893	1	1003.75	1733.75	255.16	-99999	0
3894	1	273.75	1733.75	263.56	-99999	0
3895	1	273.75	1733.75	264.22	-99999	0
3896	1	273.75	1733.75	264.83	-99999	0
3897	1	273.75	1733.75	265.46	-99999	0
3898	1	273.75	1733.75	266.09	-99999	0
3899	1	273.75	1733.75	266.79	-99999	0
3900	1	273.75	1733.75	267.14	-99999	0
3901	1	273.75	1733.75	267.48	-99999	0
3902	1	273.75	1733.75	267.77	-99999	0
3903	1	273.75	1733.75	268.06	-99999	0
3904	1	273.75	1733.75	268.29	-99999	0
3905	1	273.75	1733.75	268.41	-99999	0
3906	1	273.75	1733.75	268.52	-99999	0
3907	1	273.75	1733.75	268.65	-99999	0
3908	1	273.75	1733.75	268.71	-99999	0
3909	1	273.75	1733.75	268.74	-99999	0
3910	1	273.75	1733.75	268.77	-99999	0
3911	1	273.75	1733.75	268.82	-99999	0
3912	1	273.75	1733.75	268.87	-99999	0
3913	1	273.75	1733.75	268.97	-99999	0
3914	1	273.75	1733.75	269.48	-99999	0
3915	1	273.75	1733.75	270.14	-99999	0
3916	1	273.75	1733.75	271.45	-99999	0
3917	1	273.75	1733.75	272.19	-99999	0
3918	1	273.75	1733.75	273.08	-99999	0
3919	1	273.75	1733.75	273.98	-99999	0
3920	1	1003.75	1733.75	255.11	-99999	0
3921	1	1003.75	1733.75	255.24	-99999	0
3922	1	1186.25	1733.75	255.51	-99999	0
3923	1	1186.25	1733.75	255.73	-99999	0
3924	1	1186.25	1733.75	256.61	-99999	0
3925	1	1186.25	1733.75	257.16	-99999	0
3926	1	1186.25	1733.75	258.69	-99999	0
3927	1	1186.25	1733.75	259.78	-99999	0
3928	1	1186.25	1733.75	260.68	-99999	0
3929	1	273.75	1733.75	261.69	-99999	0
3930	1	1003.75	1551.25	241.45	-99999	0
3931	1	1003.75	1551.25	241.66	-99999	0
3932	1	1003.75	1551.25	241.98	-99999	0
3933	1	1003.75	1551.25	242.3	-99999	0
3934	1	1003.75	1551.25	242.57	-99999	0
3935	1	1003.75	1551.25	242.84	-99999	0
3936	1	1003.75	1551.25	243.12	-99999	0
3937	1	1003.75	1551.25	243.41	-99999	0
3938	1	1003.75	1551.25	243.66	-99999	0
3939	1	1003.75	1551.25	243.91	-99999	0
3940	1	1003.75	1551.25	244.12	-99999	0
3941	1	1003.75	1551.25	244.33	-99999	0
3942	1	1003.75	1551.25	244.59	-99999	0
3943	1	1003.75	1551.25	244.86	-99999	0
3944	1	1003.75	1551.25	245.15	-99999	0
3945	1	1003.75	1551.25	245.43	-99999	0
3946	1	1003.75	1551.25	245.72	-99999	0
3947	1	1003.75	1551.25	246.41	-99999	0
3948	1	1003.75	1551.25	246.82	-99999	0
3949	1	1003.75	1551.25	246.97	-99999	0
3950	1	1003.75	1551.25	247.22	-99999	0
3951	1	1003.75	1551.25	247.29	-99999	0
3952	1	1003.75	1551.25	247.41	-99999	0
3953	1	1003.75	1551.25	247.6	-99999	0
3954	1	1003.75	1551.25	247.66	-99999	0
3955	1	1003.75	1551.25	247.74	-99999	0
3956	1	1003.75	1551.25	247.82	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
3957	1	1003.75	1551.25	247.85	-99999	0
3958	1	1003.75	1551.25	247.89	-99999	0
3959	1	1003.75	1551.25	247.91	-99999	0
3960	1	1003.75	1551.25	247.94	-99999	0
3961	1	1003.75	1551.25	247.97	-99999	0
3962	1	1003.75	1551.25	247.98	-99999	0
3963	1	1003.75	1551.25	247.99	-99999	0
3964	1	1003.75	1551.25	248.01	-99999	0
3965	1	1003.75	1551.25	248.02	-99999	0
3966	1	1003.75	1551.25	248.05	-99999	0
3967	1	1003.75	1551.25	248.1	-99999	0
3968	1	1003.75	1551.25	248.19	-99999	0
3969	1	1003.75	1551.25	248.22	-99999	0
3970	1	1003.75	1551.25	248.25	-99999	0
3971	1	1003.75	1551.25	248.3	-99999	0
3972	1	1003.75	1551.25	248.35	-99999	0
3973	1	1003.75	1551.25	248.4	-99999	0
3974	1	1003.75	1551.25	248.42	-99999	0
3975	1	1003.75	1551.25	248.44	-99999	0
3976	1	1003.75	1551.25	248.53	-99999	0
3977	1	1003.75	1551.25	248.58	-99999	0
3978	1	1003.75	1551.25	248.63	-99999	0
3979	1	1003.75	1551.25	248.67	-99999	0
3980	1	1003.75	1551.25	248.72	-99999	0
3981	1	1003.75	1551.25	248.77	-99999	0
3982	1	1003.75	1551.25	248.82	-99999	0
3983	1	1003.75	1551.25	248.92	-99999	0
3984	1	1003.75	1551.25	249.11	-99999	0
3985	1	1003.75	1551.25	249.2	-99999	0
3986	1	1003.75	1551.25	249.29	-99999	0
3987	1	1003.75	1551.25	249.36	-99999	0
3988	1	1003.75	1551.25	249.42	-99999	0
3989	1	1003.75	1551.25	249.5	-99999	0
3990	1	1003.75	1551.25	249.7	-99999	0
3991	1	912.25	1551.25	249.87	-99999	0
3992	1	912.25	1551.25	249.97	-99999	0
3993	1	912.25	1551.25	250.11	-99999	0
3994	1	912.25	1551.25	250.22	-99999	0
3995	1	912.25	1551.25	250.32	-99999	0
3996	1	912.25	1551.25	250.43	-99999	0
3997	1	821.25	1551.25	250.53	-99999	0
3998	1	821.25	1551.25	250.64	-99999	0
3999	1	821.25	1551.25	250.76	-99999	0
4000	1	821.25	1551.25	250.85	-99999	0
4001	1	821.25	1551.25	250.95	-99999	0
4002	1	821.25	1551.25	251.03	-99999	0
4003	1	821.25	1551.25	251.11	-99999	0
4004	1	791.25	1551.25	251.27	-99999	0
4005	1	668.75	1551.25	251.43	-99999	0
4006	1	668.75	1551.25	251.01	-99999	0
4007	1	668.75	1551.25	251.09	-99999	0
4008	1	668.75	1551.25	251.22	-99999	0
4009	1	668.75	1551.25	251.34	-99999	0
4010	1	668.75	1551.25	251.47	-99999	0
4011	1	668.75	1368.75	251.6	-99999	0
4012	1	668.75	1368.75	251.71	-99999	0
4013	1	668.75	1368.75	251.83	-99999	0
4014	1	668.75	1368.75	251.95	-99999	0
4015	1	668.75	1368.75	252.06	-99999	0
4016	1	638.75	1368.75	252.13	-99999	0
4017	1	638.75	1368.75	252.25	-99999	0
4018	1	456.25	1368.75	252.94	-99999	0
4019	1	456.25	1368.75	253.11	-99999	0
4020	1	456.25	1368.75	253.27	-99999	0
4021	1	456.25	1368.75	253.35	-99999	0
4022	1	456.25	1368.75	253.44	-99999	0
4023	1	456.25	1368.75	253.52	-99999	0
4024	1	456.25	1368.75	253.6	-99999	0
4025	1	456.25	1368.75	253.7	-99999	0
4026	1	456.25	1368.75	253.8	-99999	0
4027	1	456.25	1368.75	253.9	-99999	0
4028	1	456.25	1368.75	254.01	-99999	0
4029	1	456.25	1368.75	254.09	-99999	0
4030	1	456.25	1368.75	254.16	-99999	0
4031	1	456.25	1368.75	254.24	-99999	0
4032	1	456.25	1368.75	254.32	-99999	0
4033	1	456.25	1368.75	254.42	-99999	0
4034	1	456.25	1368.75	254.52	-99999	0
4035	1	791.25	1733.75	254.59	-99999	0
4036	1	791.25	1733.75	254.65	-99999	0
4037	1	791.25	1733.75	254.69	-99999	0
4038	1	791.25	1733.75	254.73	-99999	0
4039	1	791.25	1733.75	254.78	-99999	0
4040	1	791.25	1733.75	254.82	-99999	0
4041	1	791.25	1733.75	254.86	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4042	1	791.25	1733.75	254.91	-99999	0
4043	1	791.25	1733.75	254.95	-99999	0
4044	1	791.25	1733.75	254.99	-99999	0
4045	1	791.25	1733.75	255.03	-99999	0
4046	1	791.25	1733.75	255.08	-99999	0
4047	1	791.25	1733.75	255.12	-99999	0
4048	1	791.25	1733.75	255.16	-99999	0
4049	1	791.25	1733.75	255.2	-99999	0
4050	1	821.25	1733.75	255.24	-99999	0
4051	1	821.25	1733.75	255.29	-99999	0
4052	1	821.25	1733.75	255.33	-99999	0
4053	1	821.25	1733.75	255.37	-99999	0
4054	1	821.25	1733.75	255.41	-99999	0
4055	1	821.25	1733.75	255.45	-99999	0
4056	1	821.25	1733.75	255.5	-99999	0
4057	1	821.25	1733.75	255.54	-99999	0
4058	1	821.25	1733.75	255.58	-99999	0
4059	1	821.25	1733.75	255.62	-99999	0
4060	1	912.25	1733.75	255.66	-99999	0
4061	1	912.25	1733.75	255.71	-99999	0
4062	1	912.25	1733.75	255.75	-99999	0
4063	1	912.25	1733.75	255.79	-99999	0
4064	1	912.25	1733.75	255.83	-99999	0
4065	1	912.25	1733.75	255.87	-99999	0
4066	1	912.25	1733.75	255.92	-99999	0
4067	1	912.25	1733.75	255.96	-99999	0
4068	1	912.25	1733.75	256	-99999	0
4069	1	912.25	1733.75	256.04	-99999	0
4070	1	912.25	1733.75	256.08	-99999	0
4071	1	1003.75	1733.75	256.13	-99999	0
4072	1	1003.75	1733.75	256.17	-99999	0
4073	1	1003.75	1733.75	256.21	-99999	0
4074	1	1003.75	1733.75	256.25	-99999	0
4075	1	1003.75	1733.75	256.29	-99999	0
4076	1	1003.75	1733.75	256.33	-99999	0
4077	1	1003.75	1733.75	256.37	-99999	0
4078	1	1003.75	1551.25	241.67	-99999	0
4079	1	1003.75	1551.25	241.95	-99999	0
4080	1	1003.75	1551.25	242.23	-99999	0
4081	1	1003.75	1551.25	242.69	-99999	0
4082	1	1003.75	1551.25	242.95	-99999	0
4083	1	1003.75	1551.25	243.22	-99999	0
4084	1	1003.75	1551.25	243.46	-99999	0
4085	1	1003.75	1551.25	243.71	-99999	0
4086	1	1003.75	1551.25	243.99	-99999	0
4087	1	1003.75	1551.25	244.27	-99999	0
4088	1	1003.75	1551.25	244.62	-99999	0
4089	1	1003.75	1551.25	244.97	-99999	0
4090	1	1003.75	1551.25	245.23	-99999	0
4091	1	1003.75	1551.25	245.49	-99999	0
4092	1	1003.75	1551.25	245.97	-99999	0
4093	1	1003.75	1551.25	246.52	-99999	0
4094	1	1003.75	1551.25	246.87	-99999	0
4095	1	1003.75	1551.25	247.15	-99999	0
4096	1	1003.75	1551.25	247.48	-99999	0
4097	1	1003.75	1551.25	247.65	-99999	0
4098	1	1003.75	1551.25	247.93	-99999	0
4099	1	1003.75	1551.25	248.14	-99999	0
4100	1	1003.75	1551.25	248.27	-99999	0
4101	1	1003.75	1551.25	248.42	-99999	0
4102	1	1003.75	1551.25	248.45	-99999	0
4103	1	1003.75	1551.25	248.49	-99999	0
4104	1	1003.75	1551.25	248.52	-99999	0
4105	1	1003.75	1551.25	248.56	-99999	0
4106	1	1003.75	1551.25	248.61	-99999	0
4107	1	1003.75	1551.25	248.63	-99999	0
4108	1	1003.75	1551.25	248.66	-99999	0
4109	1	1003.75	1551.25	248.68	-99999	0
4110	1	1003.75	1551.25	248.68	-99999	0
4111	1	1003.75	1551.25	248.69	-99999	0
4112	1	1003.75	1551.25	248.7	-99999	0
4113	1	1003.75	1551.25	248.71	-99999	0
4114	1	1003.75	1551.25	248.72	-99999	0
4115	1	1003.75	1551.25	248.74	-99999	0
4116	1	1003.75	1551.25	248.76	-99999	0
4117	1	1003.75	1551.25	248.77	-99999	0
4118	1	1003.75	1551.25	248.79	-99999	0
4119	1	1003.75	1551.25	248.86	-99999	0
4120	1	1003.75	1551.25	248.92	-99999	0
4121	1	1003.75	1551.25	248.97	-99999	0
4122	1	1003.75	1551.25	249.09	-99999	0
4123	1	1003.75	1551.25	249.22	-99999	0
4124	1	1003.75	1551.25	249.29	-99999	0
4125	1	1003.75	1551.25	249.42	-99999	0
4126	1	1003.75	1551.25	249.54	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4127	1	1003.75	1551.25	249.65	-99999	0
4128	1	912.25	1551.25	249.77	-99999	0
4129	1	912.25	1551.25	249.91	-99999	0
4130	1	912.25	1551.25	250.01	-99999	0
4131	1	912.25	1551.25	250.15	-99999	0
4132	1	912.25	1551.25	250.28	-99999	0
4133	1	912.25	1551.25	250.42	-99999	0
4134	1	821.25	1551.25	250.56	-99999	0
4135	1	821.25	1551.25	250.7	-99999	0
4136	1	821.25	1551.25	250.8	-99999	0
4137	1	821.25	1551.25	250.97	-99999	0
4138	1	821.25	1551.25	251.13	-99999	0
4139	1	791.25	1551.25	251.29	-99999	0
4140	1	668.75	1551.25	251.14	-99999	0
4141	1	668.75	1551.25	251.03	-99999	0
4142	1	668.75	1551.25	251.13	-99999	0
4143	1	668.75	1551.25	251.27	-99999	0
4144	1	668.75	1551.25	251.43	-99999	0
4145	1	668.75	1368.75	251.59	-99999	0
4146	1	668.75	1368.75	251.75	-99999	0
4147	1	668.75	1368.75	251.93	-99999	0
4148	1	668.75	1368.75	252.07	-99999	0
4149	1	638.75	1368.75	252.19	-99999	0
4150	1	638.75	1368.75	252.31	-99999	0
4151	1	456.25	1368.75	252.94	-99999	0
4152	1	456.25	1368.75	253.1	-99999	0
4153	1	456.25	1368.75	253.18	-99999	0
4154	1	456.25	1368.75	253.26	-99999	0
4155	1	456.25	1368.75	253.42	-99999	0
4156	1	456.25	1368.75	253.5	-99999	0
4157	1	456.25	1368.75	253.58	-99999	0
4158	1	456.25	1368.75	253.69	-99999	0
4159	1	456.25	1368.75	253.79	-99999	0
4160	1	456.25	1368.75	253.99	-99999	0
4161	1	456.25	1368.75	254.12	-99999	0
4162	1	456.25	1368.75	254.25	-99999	0
4163	1	456.25	1368.75	254.36	-99999	0
4164	1	456.25	1368.75	254.48	-99999	0
4165	1	791.25	1733.75	254.6	-99999	0
4166	1	791.25	1733.75	254.65	-99999	0
4167	1	791.25	1733.75	254.7	-99999	0
4168	1	791.25	1733.75	254.73	-99999	0
4169	1	791.25	1733.75	254.75	-99999	0
4170	1	791.25	1733.75	254.78	-99999	0
4171	1	791.25	1733.75	254.8	-99999	0
4172	1	791.25	1733.75	254.83	-99999	0
4173	1	791.25	1733.75	254.86	-99999	0
4174	1	791.25	1733.75	254.91	-99999	0
4175	1	791.25	1733.75	254.95	-99999	0
4176	1	791.25	1733.75	254.99	-99999	0
4177	1	791.25	1733.75	255.05	-99999	0
4178	1	791.25	1733.75	255.09	-99999	0
4179	1	791.25	1733.75	255.11	-99999	0
4180	1	791.25	1733.75	255.17	-99999	0
4181	1	791.25	1733.75	255.2	-99999	0
4182	1	821.25	1733.75	255.24	-99999	0
4183	1	821.25	1733.75	255.28	-99999	0
4184	1	821.25	1733.75	255.35	-99999	0
4185	1	821.25	1733.75	255.4	-99999	0
4186	1	821.25	1733.75	255.45	-99999	0
4187	1	821.25	1733.75	255.53	-99999	0
4188	1	821.25	1733.75	255.59	-99999	0
4189	1	821.25	1733.75	255.62	-99999	0
4190	1	912.25	1733.75	255.66	-99999	0
4191	1	912.25	1733.75	255.7	-99999	0
4192	1	912.25	1733.75	255.75	-99999	0
4193	1	912.25	1733.75	255.79	-99999	0
4194	1	912.25	1733.75	255.82	-99999	0
4195	1	912.25	1733.75	255.89	-99999	0
4196	1	912.25	1733.75	255.93	-99999	0
4197	1	912.25	1733.75	256	-99999	0
4198	1	912.25	1733.75	256.04	-99999	0
4199	1	912.25	1733.75	256.08	-99999	0
4200	1	1003.75	1733.75	256.12	-99999	0
4201	1	1003.75	1733.75	256.17	-99999	0
4202	1	1003.75	1733.75	256.22	-99999	0
4203	1	1003.75	1733.75	256.27	-99999	0
4204	1	1003.75	1733.75	256.35	-99999	0
4205	1	1003.75	1733.75	255.09	-99999	0
4206	1	273.75	456.25	256.08	-99999	0
4207	1	273.75	456.25	256.93	-99999	0
4208	1	273.75	456.25	255.56	-99999	0
4209	1	273.75	456.25	256.67	-99999	0
4210	1	273.75	456.25	258.74	-99999	0
4211	1	273.75	456.25	258.19	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4212	1	273.75	456.25	260.61	-99999	0
4213	1	273.75	456.25	259.64	-99999	0
4214	1	273.75	456.25	262.04	-99999	0
4215	1	273.75	456.25	261.09	-99999	0
4216	1	273.75	456.25	263.48	-99999	0
4217	1	273.75	456.25	262.55	-99999	0
4218	1	273.75	456.25	263.93	-99999	0
4219	1	273.75	456.25	265.07	-99999	0
4220	1	273.75	456.25	266.51	-99999	0
4221	1	273.75	456.25	266.38	-99999	0
4222	1	273.75	456.25	267.95	-99999	0
4223	1	273.75	456.25	267.6	-99999	0
4224	1	273.75	456.25	269.39	-99999	0
4225	1	273.75	456.25	268.82	-99999	0
4226	1	273.75	456.25	270.83	-99999	0
4227	1	273.75	456.25	270.82	-99999	0
4228	1	273.75	456.25	272.26	-99999	0
4229	1	273.75	456.25	271.81	-99999	0
4230	1	273.75	456.25	272.8	-99999	0
4231	1	273.75	456.25	273.69	-99999	0
4232	1	273.75	456.25	275.12	-99999	0
4233	1	273.75	456.25	275.19	-99999	0
4234	1	273.75	456.25	276.55	-99999	0
4235	1	273.75	456.25	277.74	-99999	0
4236	1	273.75	456.25	277.58	-99999	0
4237	1	273.75	456.25	279.16	-99999	0
4238	1	273.75	456.25	279.04	-99999	0
4239	1	791.25	1733.75	254.65	-99999	0
4240	1	791.25	1733.75	254.65	-99999	0
4241	1	1003.75	1551.25	249.29	-99999	0
4242	1	668.75	1368.75	252.18	-99999	0
4243	1	456.25	1368.75	252.94	-99999	0
4244	1	638.75	1186.25	240.75	-99999	0
4245	1	638.75	1186.25	240.45	-99999	0
4246	1	638.75	1186.25	240	-99999	0
4247	1	668.75	1186.25	239.47	-99999	0
4248	1	668.75	1186.25	238.95	-99999	0
4249	1	668.75	1186.25	238.43	-99999	0
4250	1	668.75	1186.25	237.9	-99999	0
4251	1	668.75	1186.25	237.55	-99999	0
4252	1	668.75	1186.25	237.21	-99999	0
4253	1	668.75	1186.25	236.68	-99999	0
4254	1	668.75	1186.25	236.02	-99999	0
4255	1	668.75	1186.25	235.41	-99999	0
4256	1	791.25	1186.25	234.79	-99999	0
4257	1	821.25	1186.25	234.18	-99999	0
4258	1	821.25	1186.25	234.38	-99999	0
4259	1	821.25	1186.25	234.13	-99999	0
4260	1	821.25	1186.25	233.88	-99999	0
4261	1	821.25	1186.25	233.66	-99999	0
4262	1	821.25	1186.25	233.44	-99999	0
4263	1	821.25	1186.25	233.42	-99999	0
4264	1	821.25	1186.25	233.41	-99999	0
4265	1	821.25	1186.25	233.39	-99999	0
4266	1	821.25	1186.25	233.37	-99999	0
4267	1	821.25	1186.25	233.36	-99999	0
4268	1	912.25	1186.25	233.35	-99999	0
4269	1	912.25	1186.25	233.34	-99999	0
4270	1	912.25	1186.25	233.34	-99999	0
4271	1	912.25	1186.25	233.33	-99999	0
4272	1	912.25	1186.25	233.33	-99999	0
4273	1	912.25	1186.25	233.32	-99999	0
4274	1	912.25	1186.25	233.31	-99999	0
4275	1	912.25	1186.25	233.28	-99999	0
4276	1	912.25	1186.25	233.27	-99999	0
4277	1	912.25	1186.25	233.26	-99999	0
4278	1	912.25	1186.25	233.26	-99999	0
4279	1	912.25	1186.25	233.25	-99999	0
4280	1	912.25	1186.25	233.26	-99999	0
4281	1	912.25	1186.25	233.28	-99999	0
4282	1	912.25	1186.25	233.31	-99999	0
4283	1	912.25	1186.25	233.35	-99999	0
4284	1	912.25	1186.25	233.38	-99999	0
4285	1	912.25	1186.25	233.41	-99999	0
4286	1	912.25	1186.25	233.45	-99999	0
4287	1	912.25	1186.25	233.49	-99999	0
4288	1	912.25	1186.25	233.53	-99999	0
4289	1	912.25	1186.25	233.58	-99999	0
4290	1	912.25	1186.25	233.61	-99999	0
4291	1	912.25	1186.25	233.63	-99999	0
4292	1	912.25	1186.25	233.64	-99999	0
4293	1	912.25	1186.25	233.66	-99999	0
4294	1	912.25	1186.25	233.67	-99999	0
4295	1	912.25	1186.25	233.68	-99999	0
4296	1	912.25	1186.25	233.69	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4297	1	912.25	1186.25	233.71	-99999	0
4298	1	912.25	1186.25	233.72	-99999	0
4299	1	912.25	1186.25	233.75	-99999	0
4300	1	912.25	1186.25	233.78	-99999	0
4301	1	912.25	1186.25	233.84	-99999	0
4302	1	912.25	1186.25	233.9	-99999	0
4303	1	912.25	1186.25	233.97	-99999	0
4304	1	912.25	1186.25	234.04	-99999	0
4305	1	821.25	1186.25	234.28	-99999	0
4306	1	821.25	1186.25	234.51	-99999	0
4307	1	821.25	1186.25	234.73	-99999	0
4308	1	821.25	1186.25	234.91	-99999	0
4309	1	791.25	1186.25	235.07	-99999	0
4310	1	791.25	1186.25	235.18	-99999	0
4311	1	791.25	1368.75	235.32	-99999	0
4312	1	791.25	1368.75	235.38	-99999	0
4313	1	791.25	1368.75	235.44	-99999	0
4314	1	791.25	1368.75	235.5	-99999	0
4315	1	791.25	1368.75	235.59	-99999	0
4316	1	791.25	1368.75	235.68	-99999	0
4317	1	791.25	1368.75	235.78	-99999	0
4318	1	791.25	1368.75	235.88	-99999	0
4319	1	791.25	1368.75	236.08	-99999	0
4320	1	668.75	1368.75	236.24	-99999	0
4321	1	668.75	1368.75	236.41	-99999	0
4322	1	668.75	1368.75	236.58	-99999	0
4323	1	638.75	1368.75	236.74	-99999	0
4324	1	638.75	1368.75	236.88	-99999	0
4325	1	456.25	1368.75	237.01	-99999	0
4326	1	456.25	1368.75	237.08	-99999	0
4327	1	456.25	1368.75	237.14	-99999	0
4328	1	456.25	1368.75	237.23	-99999	0
4329	1	456.25	1368.75	237.31	-99999	0
4330	1	456.25	1368.75	237.41	-99999	0
4331	1	456.25	1368.75	237.52	-99999	0
4332	1	456.25	1368.75	237.62	-99999	0
4333	1	456.25	1368.75	237.72	-99999	0
4334	1	273.75	1368.75	237.91	-99999	0
4335	1	273.75	1368.75	237.59	-99999	0
4336	1	273.75	1368.75	237.44	-99999	0
4337	1	273.75	1368.75	237.26	-99999	0
4338	1	273.75	1368.75	237.05	-99999	0
4339	1	273.75	1368.75	237.98	-99999	0
4340	1	456.25	1186.25	237.82	-99999	0
4341	1	456.25	1186.25	237.72	-99999	0
4342	1	456.25	1186.25	237.67	-99999	0
4343	1	456.25	1186.25	237.62	-99999	0
4344	1	456.25	1186.25	237.57	-99999	0
4345	1	456.25	1186.25	237.53	-99999	0
4346	1	456.25	1186.25	237.45	-99999	0
4347	1	456.25	1186.25	237.37	-99999	0
4348	1	456.25	1186.25	237.28	-99999	0
4349	1	456.25	1186.25	237.2	-99999	0
4350	1	456.25	1186.25	237.16	-99999	0
4351	1	456.25	1186.25	237.11	-99999	0
4352	1	456.25	1186.25	237.03	-99999	0
4353	1	456.25	1186.25	236.93	-99999	0
4354	1	456.25	1186.25	234.69	-99999	0
4355	1	456.25	1186.25	236.84	-99999	0
4356	1	456.25	1186.25	234.72	-99999	0
4357	1	456.25	1186.25	234.75	-99999	0
4358	1	456.25	1186.25	234.78	-99999	0
4359	1	456.25	1186.25	234.81	-99999	0
4360	1	456.25	1186.25	236.74	-99999	0
4361	1	456.25	1186.25	234.85	-99999	0
4362	1	456.25	1186.25	234.9	-99999	0
4363	1	456.25	1186.25	236.65	-99999	0
4364	1	456.25	1186.25	234.98	-99999	0
4365	1	456.25	1186.25	235.02	-99999	0
4366	1	456.25	1186.25	236.55	-99999	0
4367	1	456.25	1186.25	235.05	-99999	0
4368	1	456.25	1186.25	235.1	-99999	0
4369	1	456.25	1186.25	235.13	-99999	0
4370	1	456.25	1186.25	236.45	-99999	0
4371	1	456.25	1186.25	235.16	-99999	0
4372	1	456.25	1186.25	235.19	-99999	0
4373	1	456.25	1186.25	235.23	-99999	0
4374	1	456.25	1186.25	236.34	-99999	0
4375	1	456.25	1186.25	235.27	-99999	0
4376	1	456.25	1186.25	235.3	-99999	0
4377	1	456.25	1186.25	235.34	-99999	0
4378	1	456.25	1186.25	236.24	-99999	0
4379	1	456.25	1186.25	236.2	-99999	0
4380	1	456.25	1186.25	235.4	-99999	0
4381	1	456.25	1186.25	236.15	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4382	1	456.25	1186.25	235.47	-99999	0
4383	1	456.25	1186.25	236.11	-99999	0
4384	1	456.25	1186.25	236.08	-99999	0
4385	1	456.25	1186.25	235.56	-99999	0
4386	1	456.25	1186.25	236	-99999	0
4387	1	456.25	1186.25	235.6	-99999	0
4388	1	456.25	1186.25	235.62	-99999	0
4389	1	456.25	1186.25	235.65	-99999	0
4390	1	456.25	1186.25	235.92	-99999	0
4391	1	456.25	1186.25	235.68	-99999	0
4392	1	456.25	1186.25	235.71	-99999	0
4393	1	456.25	1186.25	235.83	-99999	0
4394	1	456.25	1186.25	235.74	-99999	0
4395	1	456.25	1186.25	235.8	-99999	0
4396	1	456.25	1186.25	235.77	-99999	0
4397	1	638.75	1003.75	240.9	-99999	0
4398	1	638.75	1003.75	241.37	-99999	0
4399	1	638.75	1003.75	241.55	-99999	0
4400	1	638.75	1003.75	241.7	-99999	0
4401	1	638.75	1003.75	241.95	-99999	0
4402	1	668.75	1003.75	242.19	-99999	0
4403	1	668.75	1003.75	242.41	-99999	0
4404	1	668.75	1003.75	242.63	-99999	0
4405	1	668.75	1003.75	243.03	-99999	0
4406	1	668.75	1003.75	243.46	-99999	0
4407	1	668.75	1003.75	243.75	-99999	0
4408	1	668.75	1003.75	244.13	-99999	0
4409	1	668.75	1003.75	244.54	-99999	0
4410	1	668.75	1003.75	245.51	-99999	0
4411	1	668.75	1003.75	245.96	-99999	0
4412	1	791.25	1003.75	246.38	-99999	0
4413	1	791.25	1186.25	246.89	-99999	0
4414	1	821.25	1186.25	247.26	-99999	0
4415	1	821.25	1186.25	247.59	-99999	0
4416	1	821.25	1186.25	248.07	-99999	0
4417	1	821.25	1186.25	248.38	-99999	0
4418	1	821.25	1186.25	248.61	-99999	0
4419	1	821.25	1186.25	248.78	-99999	0
4420	1	821.25	1186.25	248.97	-99999	0
4421	1	821.25	1186.25	249.16	-99999	0
4422	1	821.25	1186.25	249.29	-99999	0
4423	1	821.25	1186.25	249.41	-99999	0
4424	1	821.25	1186.25	249.46	-99999	0
4425	1	821.25	1186.25	249.51	-99999	0
4426	1	821.25	1186.25	249.54	-99999	0
4427	1	821.25	1186.25	249.58	-99999	0
4428	1	821.25	1186.25	249.64	-99999	0
4429	1	821.25	1186.25	249.72	-99999	0
4430	1	821.25	1186.25	249.79	-99999	0
4431	1	821.25	1186.25	250.01	-99999	0
4432	1	791.25	1186.25	250.23	-99999	0
4433	1	791.25	1186.25	250.39	-99999	0
4434	1	668.75	1368.75	250.55	-99999	0
4435	1	668.75	1368.75	250.65	-99999	0
4436	1	668.75	1368.75	250.76	-99999	0
4437	1	668.75	1368.75	250.87	-99999	0
4438	1	668.75	1368.75	250.93	-99999	0
4439	1	638.75	1368.75	250.98	-99999	0
4440	1	638.75	1368.75	251.04	-99999	0
4441	1	638.75	1368.75	251.1	-99999	0
4442	1	638.75	1368.75	251.2	-99999	0
4443	1	456.25	1368.75	251.26	-99999	0
4444	1	456.25	1368.75	251.29	-99999	0
4445	1	456.25	1368.75	251.32	-99999	0
4446	1	456.25	1368.75	251.38	-99999	0
4447	1	456.25	1368.75	251.44	-99999	0
4448	1	456.25	1368.75	251.56	-99999	0
4449	1	456.25	1368.75	251.67	-99999	0
4450	1	456.25	1368.75	251.61	-99999	0
4451	1	456.25	1368.75	251.25	-99999	0
4452	1	273.75	1368.75	252.07	-99999	0
4453	1	273.75	1368.75	252.1	-99999	0
4454	1	273.75	1368.75	251.86	-99999	0
4455	1	273.75	1368.75	251.69	-99999	0
4456	1	273.75	1368.75	251.53	-99999	0
4457	1	273.75	1368.75	251.32	-99999	0
4458	1	273.75	1368.75	251.12	-99999	0
4459	1	273.75	1368.75	250.9	-99999	0
4460	1	273.75	1368.75	250.69	-99999	0
4461	1	273.75	1368.75	250.44	-99999	0
4462	1	273.75	1368.75	250.19	-99999	0
4463	1	456.25	1186.25	249.87	-99999	0
4464	1	456.25	1186.25	249.55	-99999	0
4465	1	456.25	1186.25	249.23	-99999	0
4466	1	456.25	1186.25	248.91	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4467	1	456.25	1186.25	248.57	-99999	0
4468	1	456.25	1186.25	248.23	-99999	0
4469	1	456.25	1186.25	247.65	-99999	0
4470	1	456.25	1186.25	247.07	-99999	0
4471	1	456.25	1186.25	246.45	-99999	0
4472	1	456.25	1186.25	246.15	-99999	0
4473	1	456.25	1186.25	235.34	-99999	0
4474	1	456.25	1186.25	245.84	-99999	0
4475	1	456.25	1186.25	235.42	-99999	0
4476	1	456.25	1186.25	235.47	-99999	0
4477	1	456.25	1186.25	245.53	-99999	0
4478	1	456.25	1186.25	235.52	-99999	0
4479	1	456.25	1186.25	245.22	-99999	0
4480	1	456.25	1186.25	235.69	-99999	0
4481	1	456.25	1186.25	235.8	-99999	0
4482	1	456.25	1186.25	235.93	-99999	0
4483	1	456.25	1186.25	244.59	-99999	0
4484	1	456.25	1186.25	236.24	-99999	0
4485	1	456.25	1186.25	236.52	-99999	0
4486	1	456.25	1186.25	243.93	-99999	0
4487	1	456.25	1186.25	236.8	-99999	0
4488	1	456.25	1186.25	243.34	-99999	0
4489	1	456.25	1186.25	237.1	-99999	0
4490	1	456.25	1186.25	243	-99999	0
4491	1	456.25	1186.25	237.45	-99999	0
4492	1	456.25	1186.25	237.76	-99999	0
4493	1	456.25	1186.25	242.66	-99999	0
4494	1	456.25	1186.25	238.07	-99999	0
4495	1	456.25	1186.25	242.31	-99999	0
4496	1	456.25	1186.25	241.98	-99999	0
4497	1	456.25	1186.25	238.61	-99999	0
4498	1	456.25	1186.25	241.64	-99999	0
4499	1	456.25	1186.25	238.93	-99999	0
4500	1	456.25	1186.25	241.24	-99999	0
4501	1	456.25	1186.25	239.25	-99999	0
4502	1	456.25	1186.25	239.56	-99999	0
4503	1	456.25	1186.25	240.84	-99999	0
4504	1	456.25	1186.25	240.38	-99999	0
4505	1	456.25	1186.25	239.92	-99999	0
4506	1	456.25	1186.25	239.71	-99999	0
4507	1	821.25	1186.25	234.71	-99999	0
4508	1	821.25	1186.25	235.66	-99999	0
4509	1	821.25	1186.25	237.01	-99999	0
4510	1	821.25	1186.25	238.82	-99999	0
4511	1	821.25	1186.25	241.49	-99999	0
4512	1	821.25	1186.25	243.31	-99999	0
4513	1	821.25	1186.25	244.77	-99999	0
4514	1	821.25	1186.25	246.1	-99999	0
4515	1	791.25	1368.75	236.93	-99999	0
4516	1	791.25	1368.75	238.37	-99999	0
4517	1	791.25	1368.75	239.81	-99999	0
4518	1	791.25	1368.75	241.26	-99999	0
4519	1	791.25	1368.75	242.7	-99999	0
4520	1	791.25	1368.75	244.15	-99999	0
4521	1	791.25	1368.75	245.59	-99999	0
4522	1	791.25	1368.75	247.04	-99999	0
4523	1	791.25	1368.75	248.48	-99999	0
4524	1	456.25	1368.75	238.62	-99999	0
4525	1	456.25	1368.75	237.78	-99999	0
4526	1	456.25	1368.75	240.21	-99999	0
4527	1	456.25	1368.75	241.8	-99999	0
4528	1	456.25	1368.75	243.39	-99999	0
4529	1	456.25	1368.75	244.97	-99999	0
4530	1	456.25	1368.75	246.28	-99999	0
4531	1	456.25	1368.75	247.59	-99999	0
4532	1	456.25	1368.75	248.9	-99999	0
4533	1	456.25	1368.75	250.79	-99999	0
4534	1	456.25	1368.75	250.19	-99999	0
4535	1	456.25	1186.25	239.48	-99999	0
4536	1	456.25	1186.25	238.53	-99999	0
4537	1	456.25	1186.25	240.54	-99999	0
4538	1	456.25	1186.25	241.58	-99999	0
4539	1	456.25	1186.25	242.62	-99999	0
4540	1	456.25	1186.25	243.66	-99999	0
4541	1	456.25	1186.25	244.71	-99999	0
4542	1	456.25	1186.25	245.75	-99999	0
4543	1	456.25	1186.25	246.79	-99999	0
4544	1	456.25	1186.25	248.37	-99999	0
4545	1	456.25	1186.25	247.83	-99999	0
4546	1	456.25	1186.25	239.27	-99999	0
4547	1	456.25	1186.25	239.09	-99999	0
4548	1	456.25	1186.25	238.9	-99999	0
4549	1	456.25	1186.25	238.54	-99999	0
4550	1	456.25	1186.25	238.18	-99999	0
4551	1	456.25	1186.25	237.89	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m²/d) **	Maximum-Constraint (m²/d) **
4552	1	456.25	1186.25	237.6	-99999	0
4553	1	456.25	1186.25	237.02	-99999	0
4554	1	456.25	1186.25	236.44	-99999	0
4555	1	456.25	1186.25	236.1	-99999	0
4556	1	273.75	1733.75	234.14	-99999	0
4557	1	273.75	1733.75	234.29	-99999	0
4558	1	273.75	1733.75	234.42	-99999	0
4559	1	273.75	1733.75	234.46	-99999	0
4560	1	273.75	1733.75	234.49	-99999	0
4561	1	273.75	1733.75	234.52	-99999	0
4562	1	273.75	1733.75	234.21	-99999	0
4563	1	273.75	1733.75	234.55	-99999	0
4564	1	273.75	1733.75	234.43	-99999	0
4565	1	273.75	1733.75	234.57	-99999	0
4566	1	273.75	1733.75	234.48	-99999	0
4567	1	273.75	1733.75	234.61	-99999	0
4568	1	273.75	1733.75	234.14	-99999	0
4569	1	273.75	1733.75	234.52	-99999	0
4570	1	273.75	1733.75	234.64	-99999	0
4571	1	273.75	1733.75	234.32	-99999	0
4572	1	273.75	1733.75	234.55	-99999	0
4573	1	273.75	1733.75	234.66	-99999	0
4574	1	273.75	1733.75	234.68	-99999	0
4575	1	273.75	1733.75	234.45	-99999	0
4576	1	273.75	1733.75	234.59	-99999	0
4577	1	273.75	1733.75	234.7	-99999	0
4578	1	273.75	1733.75	234.72	-99999	0
4579	1	273.75	1733.75	234.5	-99999	0
4580	1	273.75	1733.75	234.73	-99999	0
4581	1	273.75	1733.75	234.62	-99999	0
4582	1	273.75	1733.75	234.65	-99999	0
4583	1	273.75	1733.75	234.54	-99999	0
4584	1	273.75	1733.75	234.76	-99999	0
4585	1	273.75	1733.75	234.67	-99999	0
4586	1	273.75	1733.75	234.79	-99999	0
4587	1	273.75	1733.75	234.59	-99999	0
4588	1	273.75	1733.75	234.69	-99999	0
4589	1	273.75	1733.75	234.74	-99999	0
4590	1	273.75	1733.75	234.71	-99999	0
4591	1	273.75	1733.75	234.83	-99999	0
4592	1	273.75	1733.75	234.63	-99999	0
4593	1	273.75	1733.75	234.74	-99999	0
4594	1	273.75	1733.75	234.87	-99999	0
4595	1	273.75	1733.75	234.67	-99999	0
4596	1	273.75	1733.75	234.77	-99999	0
4597	1	273.75	1733.75	234.8	-99999	0
4598	1	273.75	1733.75	234.7	-99999	0
4599	1	273.75	1733.75	234.92	-99999	0
4600	1	273.75	1733.75	234.82	-99999	0
4601	1	273.75	1733.75	234.73	-99999	0
4602	1	273.75	1733.75	234.85	-99999	0
4603	1	273.75	1733.75	234.81	-99999	0
4604	1	273.75	1733.75	234.75	-99999	0
4605	1	273.75	1733.75	234.98	-99999	0
4606	1	273.75	1733.75	234.88	-99999	0
4607	1	273.75	1733.75	234.78	-99999	0
4608	1	273.75	1733.75	234.81	-99999	0
4609	1	273.75	1733.75	234.97	-99999	0
4610	1	273.75	1733.75	235.05	-99999	0
4611	1	273.75	1733.75	234.94	-99999	0
4612	1	273.75	1733.75	234.84	-99999	0
4613	1	273.75	1733.75	235.02	-99999	0
4614	1	273.75	1733.75	235.08	-99999	0
4615	1	273.75	1733.75	234.97	-99999	0
4616	1	273.75	1733.75	234.99	-99999	0
4617	1	273.75	1733.75	234.88	-99999	0
4618	1	273.75	1733.75	235.11	-99999	0
4619	1	273.75	1733.75	235.01	-99999	0
4620	1	273.75	1733.75	234.91	-99999	0
4621	1	273.75	1733.75	235.17	-99999	0
4622	1	273.75	1733.75	234.95	-99999	0
4623	1	273.75	1733.75	235	-99999	0
4624	1	273.75	1733.75	235.07	-99999	0
4625	1	273.75	1733.75	235.22	-99999	0
4626	1	273.75	1733.75	234.98	-99999	0
4627	1	273.75	1733.75	235.13	-99999	0
4628	1	273.75	1733.75	235.29	-99999	0
4629	1	273.75	1733.75	235.02	-99999	0
4630	1	273.75	1733.75	235.05	-99999	0
4631	1	273.75	1733.75	235.29	-99999	0
4632	1	273.75	1733.75	235.2	-99999	0
4633	1	273.75	1733.75	235.23	-99999	0
4634	1	273.75	1733.75	235.11	-99999	0
4635	1	273.75	1733.75	234.84	-99999	0
4636	1	273.75	1733.75	235.26	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
4637	1	273.75	1733.75	235.21	-99999	0
4638	1	273.75	1733.75	235.17	-99999	0
4639	1	273.75	1733.75	235.21	-99999	0
4640	1	273.75	1733.75	234.66	-99999	0
4641	1	273.75	1733.75	235.26	-99999	0
4642	1	273.75	1733.75	234.66	-99999	0
4643	1	273.75	1916.25	225.3	-99999	0
4645	1	1003.75	1186.25	236.43	-99999	0
4646	1	1003.75	1186.25	236.84	-99999	0
4647	1	1003.75	1186.25	236.17	-99999	0
4648	1	1003.75	1186.25	237.31	-99999	0
4650	1	1003.75	1186.25	236.59	-99999	0
4651	1	1003.75	1186.25	235.82	-99999	0
4652	1	1003.75	1186.25	236.93	-99999	0
4654	1	1003.75	1186.25	237.41	-99999	0
4655	1	1003.75	1186.25	238.13	-99999	0
4656	1	1003.75	1186.25	236.68	-99999	0
4657	1	1003.75	1186.25	237.24	-99999	0
4658	1	1003.75	1186.25	238.5	-99999	0
4660	1	1003.75	1186.25	235.93	-99999	0
4661	1	1003.75	1186.25	237.81	-99999	0
4662	1	1003.75	1186.25	239.34	-99999	0
4663	1	1003.75	1186.25	235.15	-99999	0
4664	1	1003.75	1186.25	234.94	-99999	0
4665	1	1003.75	1186.25	239.02	-99999	0
4666	1	1003.75	1186.25	238.36	-99999	0
4667	1	1003.75	1186.25	240.4	-99999	0
4668	1	1003.75	1186.25	239.67	-99999	0
4669	1	1003.75	1186.25	234.75	-99999	0
4670	1	1003.75	1186.25	239.23	-99999	0
4671	1	1003.75	1186.25	240.39	-99999	0
4672	1	1003.75	1186.25	240.87	-99999	0
4673	1	1003.75	1186.25	239.87	-99999	0
4674	1	1003.75	1186.25	240.87	-99999	0
4675	1	1003.75	1186.25	240.57	-99999	0
4676	1	1003.75	1186.25	240.87	-99999	0
4677	1	1003.75	1186.25	240.87	-99999	0
4678	1	456.25	1186.25	230.98	-99999	0
4679	1	456.25	1186.25	230.85	-99999	0
4680	1	456.25	1186.25	230.65	-99999	0
4681	1	456.25	1186.25	231.14	-99999	0
4682	1	456.25	1186.25	230.37	-99999	0
4683	1	456.25	1186.25	231.22	-99999	0
4684	1	456.25	1186.25	231.3	-99999	0
4685	1	456.25	1186.25	231.35	-99999	0
4686	1	456.25	1186.25	231.4	-99999	0
4687	1	456.25	1186.25	231.44	-99999	0
4688	1	456.25	1186.25	231.49	-99999	0
4689	1	456.25	1186.25	230.03	-99999	0
4690	1	456.25	1186.25	231.61	-99999	0
4691	1	456.25	1186.25	231.72	-99999	0
4692	1	638.75	1186.25	229.63	-99999	0
4693	1	456.25	1186.25	231.92	-99999	0
4694	1	456.25	1186.25	232.12	-99999	0
4695	1	456.25	1186.25	232.26	-99999	0
4696	1	638.75	1186.25	229.2	-99999	0
4697	1	668.75	1003.75	228.89	-99999	0
4698	1	668.75	1003.75	228.57	-99999	0
4699	1	668.75	1003.75	228.23	-99999	0
4700	1	668.75	1003.75	227.89	-99999	0
4701	1	668.75	1003.75	227.65	-99999	0
4702	1	668.75	1003.75	227.42	-99999	0
4703	1	791.25	1003.75	227.19	-99999	0
4704	1	791.25	1003.75	227.04	-99999	0
4705	1	791.25	1003.75	226.96	-99999	0
4706	1	791.25	1003.75	226.88	-99999	0
4707	1	791.25	1003.75	226.74	-99999	0
4708	1	791.25	1003.75	226.64	-99999	0
4709	1	791.25	1003.75	226.59	-99999	0
4710	1	668.75	791.25	226.98	-99999	0
4711	1	668.75	791.25	227.79	-99999	0
4712	1	668.75	791.25	227.74	-99999	0
4713	1	668.75	791.25	227.69	-99999	0
4714	1	668.75	791.25	227.63	-99999	0
4715	1	1733.75	2463.75	233.78	-99999	0
4716	1	1733.75	2463.75	234	-99999	0
4717	1	1733.75	2463.75	234.26	-99999	0
4718	1	1733.75	2463.75	234.5	-99999	0
4719	1	1733.75	2463.75	234.69	-99999	0
4720	1	1733.75	2463.75	234.86	-99999	0
4721	1	1733.75	2463.75	234.95	-99999	0
4722	1	1733.75	2463.75	235.04	-99999	0
4723	1	1733.75	2463.75	235.1	-99999	0
4724	1	1733.75	2463.75	235.11	-99999	0
4725	1	1733.75	2463.75	235.11	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
4726	1	1733.75	2463.75	235.12	-99999	0
4727	1	1733.75	2463.75	235.13	-99999	0
4728	1	1733.75	2463.75	235.14	-99999	0
4729	1	1733.75	2463.75	235.15	-99999	0
4730	1	1733.75	2463.75	235.16	-99999	0
4731	1	1733.75	2463.75	235.17	-99999	0
4732	1	1733.75	2463.75	234.78	-99999	0
4733	1	1733.75	2463.75	234.9	-99999	0
4734	1	1733.75	2463.75	235	-99999	0
4735	1	1733.75	2463.75	235.13	-99999	0
4736	1	1733.75	2463.75	235	-99999	0
4737	1	1733.75	2463.75	234.87	-99999	0
4738	1	1733.75	2463.75	234.74	-99999	0
4739	1	1733.75	2463.75	234.55	-99999	0
4740	1	1733.75	2463.75	234.36	-99999	0
4741	1	1733.75	2463.75	234.26	-99999	0
4742	1	1733.75	2463.75	234.16	-99999	0
4743	1	1733.75	2463.75	233.96	-99999	0
4744	1	1733.75	2463.75	233.79	-99999	0
4745	1	1733.75	2463.75	233.61	-99999	0
4746	1	1733.75	2463.75	233.54	-99999	0
4747	1	1733.75	2463.75	233.43	-99999	0
4748	1	1733.75	2463.75	233.34	-99999	0
4749	1	1733.75	2463.75	233.19	-99999	0
4750	1	1733.75	2463.75	233.77	-99999	0
4751	1	1733.75	2463.75	234.14	-99999	0
4752	1	1733.75	2463.75	234.52	-99999	0
4753	1	1733.75	2463.75	234.79	-99999	0
4754	1	1733.75	2463.75	234.89	-99999	0
4755	1	1733.75	2463.75	234.99	-99999	0
4756	1	1733.75	2463.75	235.05	-99999	0
4757	1	1733.75	2463.75	235.07	-99999	0
4758	1	1733.75	2463.75	235.1	-99999	0
4759	1	1733.75	2463.75	235.12	-99999	0
4760	1	1733.75	2463.75	235.12	-99999	0
4761	1	1733.75	2463.75	235.11	-99999	0
4762	1	1733.75	2463.75	235.11	-99999	0
4763	1	1733.75	2463.75	235.1	-99999	0
4764	1	1733.75	2463.75	235.1	-99999	0
4765	1	1733.75	2463.75	235.1	-99999	0
4766	1	1733.75	2463.75	235.09	-99999	0
4767	1	1733.75	2463.75	234.93	-99999	0
4768	1	1733.75	2463.75	234.86	-99999	0
4769	1	1733.75	2463.75	234.8	-99999	0
4770	1	1733.75	2463.75	234.73	-99999	0
4771	1	1733.75	2463.75	234.69	-99999	0
4772	1	1733.75	2463.75	234.59	-99999	0
4773	1	1733.75	2463.75	234.5	-99999	0
4774	1	1733.75	2463.75	234.4	-99999	0
4775	1	1733.75	2463.75	234.3	-99999	0
4776	1	1733.75	2463.75	234.23	-99999	0
4777	1	1733.75	2463.75	234.15	-99999	0
4778	1	1733.75	2463.75	234	-99999	0
4779	1	1733.75	2463.75	233.9	-99999	0
4780	1	1733.75	2463.75	233.81	-99999	0
4781	1	1733.75	2463.75	233.72	-99999	0
4782	1	1733.75	2463.75	233.64	-99999	0
4783	1	1733.75	2463.75	233.56	-99999	0
4784	1	1733.75	2463.75	233.47	-99999	0
4785	1	1733.75	2463.75	233.39	-99999	0
4786	1	1733.75	2463.75	233.31	-99999	0
4787	1	1733.75	2463.75	233.23	-99999	0
4788	1	1733.75	2463.75	233.15	-99999	0
4789	1	2463.75	2553.75	233.07	-99999	0
4790	1	2463.75	2553.75	232.98	-99999	0
4791	1	2463.75	2553.75	232.93	-99999	0
4792	1	2463.75	2553.75	232.9	-99999	0
4793	1	2463.75	2553.75	232.89	-99999	0
4794	1	2463.75	2553.75	232.95	-99999	0
4795	1	2463.75	2553.75	232.98	-99999	0
4796	1	2463.75	2553.75	233.02	-99999	0
4797	1	2463.75	2553.75	233.06	-99999	0
4798	1	2463.75	2553.75	233.09	-99999	0
4799	1	2463.75	2553.75	233.16	-99999	0
4800	1	2463.75	2553.75	233.06	-99999	0
4801	1	2463.75	2553.75	233.02	-99999	0
4802	1	2463.75	2553.75	232.98	-99999	0
4803	1	2463.75	2553.75	232.94	-99999	0
4804	1	2463.75	2553.75	232.89	-99999	0
4805	1	2463.75	2553.75	232.86	-99999	0
4806	1	2463.75	2553.75	232.88	-99999	0
4807	1	2463.75	2553.75	232.91	-99999	0
4808	1	2463.75	2553.75	232.95	-99999	0
4809	1	2463.75	2553.75	232.99	-99999	0
4810	1	2463.75	2553.75	233.03	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
4811	1	2463.75	2553.75	233.06	-99999	0
4812	1	2463.75	2553.75	233.11	-99999	0
4813	1	273.75	2098.75	233.17	-99999	0
4814	1	273.75	2098.75	233.23	-99999	0
4815	1	2098.75	2463.75	231.3	-99999	0
4816	1	2098.75	2463.75	230	-99999	0
4817	1	273.75	668.75	233.31	-99999	0
4818	1	273.75	668.75	233.34	-99999	0
4819	1	273.75	668.75	233.46	-99999	0
4820	1	273.75	668.75	233.53	-99999	0
4821	1	273.75	668.75	233.59	-99999	0
4822	1	273.75	668.75	233.65	-99999	0
4823	1	273.75	668.75	233.71	-99999	0
4824	1	273.75	668.75	233.77	-99999	0
4825	1	273.75	668.75	233.83	-99999	0
4826	1	273.75	668.75	233.89	-99999	0
4827	1	273.75	668.75	233.95	-99999	0
4828	1	273.75	668.75	233.98	-99999	0
4829	1	273.75	668.75	234.01	-99999	0
4830	1	273.75	668.75	234.06	-99999	0
4831	1	273.75	668.75	234.11	-99999	0
4832	1	273.75	668.75	234.17	-99999	0
4833	1	273.75	668.75	234.22	-99999	0
4834	1	273.75	668.75	234.27	-99999	0
4835	1	273.75	668.75	234.32	-99999	0
4836	1	273.75	668.75	234.35	-99999	0
4837	1	273.75	668.75	234.38	-99999	0
4838	1	273.75	668.75	234.43	-99999	0
4839	1	273.75	668.75	234.48	-99999	0
4840	1	273.75	668.75	234.57	-99999	0
4841	1	273.75	668.75	234.61	-99999	0
4842	1	273.75	668.75	234.64	-99999	0
4843	1	273.75	668.75	234.68	-99999	0
4844	1	273.75	668.75	234.72	-99999	0
4845	1	273.75	668.75	234.79	-99999	0
4846	1	273.75	668.75	234.86	-99999	0
4847	1	273.75	668.75	234.89	-99999	0
4848	1	273.75	668.75	234.93	-99999	0
4849	1	273.75	668.75	234.97	-99999	0
4850	1	273.75	668.75	235	-99999	0
4851	1	273.75	668.75	235.04	-99999	0
4852	1	273.75	668.75	235.08	-99999	0
4853	1	273.75	668.75	235.16	-99999	0
4854	1	273.75	668.75	235.24	-99999	0
4855	1	273.75	668.75	235.32	-99999	0
4856	1	273.75	668.75	235.36	-99999	0
4857	1	273.75	668.75	235.4	-99999	0
4858	1	273.75	668.75	235.44	-99999	0
4859	1	273.75	668.75	235.48	-99999	0
4860	1	273.75	668.75	235.52	-99999	0
4861	1	273.75	668.75	235.56	-99999	0
4862	1	273.75	668.75	235.6	-99999	0
4863	1	273.75	668.75	235.64	-99999	0
4864	1	273.75	668.75	235.7	-99999	0
4865	1	273.75	668.75	235.76	-99999	0
4866	1	273.75	668.75	235.82	-99999	0
4867	1	273.75	668.75	235.88	-99999	0
4868	1	273.75	668.75	235.95	-99999	0
4869	1	273.75	668.75	236.01	-99999	0
4870	1	273.75	668.75	236.07	-99999	0
4871	1	273.75	668.75	236.13	-99999	0
4872	1	273.75	668.75	236.17	-99999	0
4873	1	273.75	668.75	236.21	-99999	0
4874	1	273.75	668.75	236.26	-99999	0
4875	1	273.75	668.75	236.3	-99999	0
4876	1	273.75	668.75	236.34	-99999	0
4877	1	273.75	668.75	236.38	-99999	0
4878	1	273.75	668.75	236.47	-99999	0
4879	1	273.75	668.75	236.51	-99999	0
4880	1	273.75	668.75	236.55	-99999	0
4881	1	273.75	668.75	236.63	-99999	0
4882	1	273.75	668.75	236.68	-99999	0
4883	1	273.75	668.75	236.72	-99999	0
4884	1	273.75	668.75	236.8	-99999	0
4885	1	273.75	668.75	236.85	-99999	0
4886	1	273.75	668.75	236.91	-99999	0
4887	1	273.75	668.75	236.96	-99999	0
4888	1	273.75	668.75	237.01	-99999	0
4889	1	273.75	668.75	237.09	-99999	0
4890	1	273.75	668.75	237.13	-99999	0
4891	1	273.75	668.75	237.17	-99999	0
4892	1	273.75	668.75	233.23	-99999	0
4893	1	273.75	668.75	233.29	-99999	0
4894	1	273.75	668.75	233.35	-99999	0
4895	1	273.75	668.75	233.41	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
4896	1	273.75	668.75	233.44	-99999	0
4897	1	273.75	668.75	233.47	-99999	0
4898	1	273.75	668.75	233.5	-99999	0
4899	1	273.75	668.75	233.54	-99999	0
4900	1	273.75	668.75	233.58	-99999	0
4901	1	273.75	668.75	233.61	-99999	0
4902	1	273.75	668.75	233.65	-99999	0
4903	1	273.75	668.75	233.69	-99999	0
4904	1	273.75	668.75	233.73	-99999	0
4905	1	273.75	668.75	233.76	-99999	0
4906	1	273.75	668.75	233.8	-99999	0
4907	1	273.75	668.75	233.85	-99999	0
4908	1	273.75	668.75	233.89	-99999	0
4909	1	273.75	668.75	233.93	-99999	0
4910	1	273.75	668.75	234.01	-99999	0
4911	1	273.75	668.75	234.06	-99999	0
4912	1	273.75	668.75	234.1	-99999	0
4913	1	273.75	668.75	234.17	-99999	0
4914	1	273.75	668.75	234.23	-99999	0
4915	1	273.75	668.75	234.27	-99999	0
4916	1	273.75	668.75	234.3	-99999	0
4917	1	273.75	668.75	234.37	-99999	0
4918	1	273.75	668.75	234.43	-99999	0
4919	1	273.75	668.75	234.49	-99999	0
4920	1	273.75	668.75	234.52	-99999	0
4921	1	273.75	668.75	234.55	-99999	0
4922	1	273.75	668.75	234.58	-99999	0
4923	1	273.75	668.75	234.61	-99999	0
4924	1	273.75	668.75	234.64	-99999	0
4925	1	273.75	668.75	234.67	-99999	0
4926	1	273.75	668.75	234.7	-99999	0
4927	1	273.75	668.75	234.73	-99999	0
4928	1	273.75	668.75	234.79	-99999	0
4929	1	273.75	668.75	234.85	-99999	0
4930	1	273.75	668.75	234.89	-99999	0
4931	1	273.75	668.75	234.92	-99999	0
4932	1	273.75	668.75	234.99	-99999	0
4933	1	273.75	668.75	235.06	-99999	0
4934	1	273.75	668.75	235.13	-99999	0
4935	1	273.75	668.75	235.2	-99999	0
4936	1	273.75	668.75	235.28	-99999	0
4937	1	273.75	668.75	235.35	-99999	0
4938	1	273.75	668.75	235.42	-99999	0
4939	1	273.75	668.75	235.47	-99999	0
4940	1	273.75	668.75	235.53	-99999	0
4941	1	273.75	668.75	235.59	-99999	0
4942	1	273.75	668.75	235.65	-99999	0
4943	1	273.75	668.75	235.7	-99999	0
4944	1	273.75	668.75	235.76	-99999	0
4945	1	273.75	668.75	235.82	-99999	0
4946	1	273.75	668.75	235.87	-99999	0
4947	1	273.75	668.75	235.94	-99999	0
4948	1	273.75	668.75	236	-99999	0
4949	1	273.75	668.75	236.06	-99999	0
4950	1	273.75	668.75	236.12	-99999	0
4951	1	273.75	668.75	236.18	-99999	0
4952	1	273.75	668.75	236.24	-99999	0
4953	1	273.75	668.75	236.3	-99999	0
4954	1	273.75	668.75	236.36	-99999	0
4955	1	273.75	668.75	236.41	-99999	0
4956	1	273.75	668.75	236.45	-99999	0
4957	1	273.75	668.75	236.54	-99999	0
4958	1	273.75	668.75	236.59	-99999	0
4959	1	273.75	668.75	236.63	-99999	0
4960	1	273.75	668.75	236.72	-99999	0
4961	1	273.75	668.75	236.77	-99999	0
4962	1	273.75	668.75	236.81	-99999	0
4963	1	273.75	668.75	236.9	-99999	0
4964	1	273.75	668.75	236.95	-99999	0
4965	1	273.75	668.75	236.99	-99999	0
4966	1	273.75	668.75	237.03	-99999	0
4967	1	273.75	668.75	237.08	-99999	0
4968	1	273.75	668.75	237.12	-99999	0
4969	1	273.75	668.75	237.16	-99999	0
4970	1	273.75	668.75	237.2	-99999	0
4971	1	273.75	1916.25	237.24	-99999	0
4972	1	273.75	1916.25	237.25	-99999	0
4973	1	1916.25	2463.75	237.32	-99999	0
4974	1	1916.25	2463.75	237.37	-99999	0
4975	1	1916.25	2463.75	237.42	-99999	0
4976	1	1916.25	2463.75	237.47	-99999	0
4977	1	1916.25	2463.75	237.52	-99999	0
4978	1	1916.25	2463.75	237.57	-99999	0
4979	1	1916.25	2463.75	237.62	-99999	0
4980	1	1916.25	2463.75	237.71	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
4981	1	1916.25	2463.75	237.83	-99999	0
4982	1	1916.25	2463.75	237.94	-99999	0
4983	1	1916.25	2463.75	238.06	-99999	0
4984	1	1916.25	2463.75	238.18	-99999	0
4985	1	1916.25	2463.75	238.29	-99999	0
4986	1	1916.25	2463.75	238.39	-99999	0
4987	1	1916.25	2463.75	238.47	-99999	0
4988	1	1916.25	2463.75	238.54	-99999	0
4989	1	1916.25	2463.75	238.62	-99999	0
4990	1	1916.25	2463.75	238.7	-99999	0
4991	1	1916.25	2463.75	238.78	-99999	0
4992	1	1916.25	2463.75	238.86	-99999	0
4993	1	1916.25	2463.75	239.01	-99999	0
4994	1	1916.25	2463.75	239.21	-99999	0
4995	1	1916.25	2463.75	239.36	-99999	0
4996	1	1916.25	2463.75	239.5	-99999	0
4997	1	1916.25	2463.75	239.75	-99999	0
4998	1	1916.25	2463.75	239.94	-99999	0
4999	1	1916.25	2463.75	240.13	-99999	0
5000	1	1916.25	2463.75	240.21	-99999	0
5001	1	1916.25	2463.75	240.3	-99999	0
5002	1	1916.25	2463.75	240.46	-99999	0
5003	1	1916.25	2463.75	240.67	-99999	0
5004	1	1916.25	2463.75	240.86	-99999	0
5005	1	1916.25	2463.75	240.88	-99999	0
5006	1	1916.25	2463.75	240.89	-99999	0
5007	1	1916.25	2463.75	240.91	-99999	0
5008	1	1916.25	2463.75	240.92	-99999	0
5009	1	1916.25	2463.75	240.95	-99999	0
5010	1	1916.25	2463.75	240.97	-99999	0
5011	1	1916.25	2463.75	240.99	-99999	0
5012	1	1916.25	2463.75	241.01	-99999	0
5013	1	1916.25	2463.75	241.04	-99999	0
5014	1	1916.25	2463.75	241.06	-99999	0
5015	1	1916.25	2463.75	237.32	-99999	0
5016	1	1916.25	2463.75	237.36	-99999	0
5017	1	1916.25	2463.75	237.4	-99999	0
5018	1	1916.25	2463.75	237.48	-99999	0
5019	1	1916.25	2463.75	237.56	-99999	0
5020	1	1916.25	2463.75	237.6	-99999	0
5021	1	1916.25	2463.75	237.63	-99999	0
5022	1	1916.25	2463.75	237.71	-99999	0
5023	1	1916.25	2463.75	237.77	-99999	0
5024	1	1916.25	2463.75	237.82	-99999	0
5025	1	1916.25	2463.75	237.88	-99999	0
5026	1	1916.25	2463.75	237.94	-99999	0
5027	1	1916.25	2463.75	238.05	-99999	0
5028	1	1916.25	2463.75	238.1	-99999	0
5029	1	1916.25	2463.75	238.16	-99999	0
5030	1	1916.25	2463.75	238.26	-99999	0
5031	1	1916.25	2463.75	238.36	-99999	0
5032	1	1916.25	2463.75	238.42	-99999	0
5033	1	1916.25	2463.75	238.49	-99999	0
5034	1	1916.25	2463.75	238.62	-99999	0
5035	1	1916.25	2463.75	238.68	-99999	0
5036	1	1916.25	2463.75	238.75	-99999	0
5037	1	1916.25	2463.75	238.82	-99999	0
5038	1	1916.25	2463.75	238.89	-99999	0
5039	1	1916.25	2463.75	239.05	-99999	0
5040	1	1916.25	2463.75	239.13	-99999	0
5041	1	1916.25	2463.75	239.22	-99999	0
5042	1	1916.25	2463.75	239.39	-99999	0
5043	1	1916.25	2463.75	239.57	-99999	0
5044	1	1916.25	2463.75	239.7	-99999	0
5045	1	1916.25	2463.75	239.83	-99999	0
5046	1	1916.25	2463.75	239.94	-99999	0
5047	1	1916.25	2463.75	240.04	-99999	0
5048	1	1916.25	2463.75	240.2	-99999	0
5049	1	1916.25	2463.75	240.36	-99999	0
5050	1	1916.25	2463.75	240.53	-99999	0
5051	1	1916.25	2463.75	240.7	-99999	0
5052	1	1916.25	2463.75	240.8	-99999	0
5053	1	1916.25	2463.75	240.9	-99999	0
5054	1	1916.25	2463.75	240.92	-99999	0
5055	1	1916.25	2463.75	240.94	-99999	0
5056	1	1916.25	2463.75	240.98	-99999	0
5057	1	1916.25	2463.75	241.01	-99999	0
5058	1	1916.25	2463.75	241.04	-99999	0
5059	1	1916.25	2463.75	241.08	-99999	0
5060	1	1916.25	2463.75	241.1	-99999	0
5061	1	1916.25	2463.75	241.12	-99999	0
5062	1	1916.25	2463.75	241.14	-99999	0
5063	1	1368.75	1916.25	241.08	-99999	0
5064	1	1368.75	1916.25	241.11	-99999	0
5065	1	1368.75	1916.25	241.15	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
5066	1	1368.75	1916.25	241.19	-99999	0
5067	1	1368.75	1916.25	241.22	-99999	0
5068	1	1368.75	1916.25	241.27	-99999	0
5069	1	1368.75	1916.25	241.31	-99999	0
5070	1	1368.75	1916.25	241.33	-99999	0
5071	1	1368.75	1916.25	241.36	-99999	0
5072	1	1368.75	1916.25	241.39	-99999	0
5073	1	1368.75	1916.25	241.42	-99999	0
5074	1	1368.75	1916.25	241.45	-99999	0
5075	1	1368.75	1916.25	241.48	-99999	0
5076	1	1368.75	1916.25	241.51	-99999	0
5077	1	1368.75	1916.25	241.54	-99999	0
5078	1	1368.75	1916.25	241.56	-99999	0
5079	1	1368.75	1916.25	241.57	-99999	0
5080	1	1368.75	1916.25	241.59	-99999	0
5081	1	1368.75	1916.25	241.61	-99999	0
5082	1	1368.75	1916.25	241.63	-99999	0
5083	1	1368.75	1916.25	241.17	-99999	0
5084	1	1368.75	1916.25	241.2	-99999	0
5085	1	1368.75	1916.25	241.23	-99999	0
5086	1	1368.75	1916.25	241.26	-99999	0
5087	1	1368.75	1916.25	241.27	-99999	0
5088	1	1368.75	1916.25	241.29	-99999	0
5089	1	1368.75	1916.25	241.33	-99999	0
5090	1	1368.75	1916.25	241.36	-99999	0
5091	1	1368.75	1916.25	241.39	-99999	0
5092	1	1368.75	1916.25	241.42	-99999	0
5093	1	1368.75	1916.25	241.45	-99999	0
5094	1	1368.75	1916.25	241.49	-99999	0
5095	1	1368.75	1916.25	241.51	-99999	0
5096	1	1368.75	1916.25	241.53	-99999	0
5097	1	1368.75	1916.25	241.57	-99999	0
5098	1	1368.75	1916.25	241.59	-99999	0
5099	1	1368.75	1916.25	241.6	-99999	0
5100	1	1368.75	1916.25	241.63	-99999	0
5101	1	1368.75	1916.25	241.65	-99999	0
5102	1	791.25	1733.75	241.65	-99999	0
5103	1	791.25	1733.75	241.68	-99999	0
5104	1	791.25	1733.75	241.71	-99999	0
5105	1	791.25	1733.75	241.71	-99999	0
5106	1	791.25	1733.75	241.62	-99999	0
5107	1	791.25	1733.75	241.49	-99999	0
5108	1	791.25	1733.75	241.45	-99999	0
5109	1	791.25	1733.75	241.39	-99999	0
5110	1	791.25	1733.75	241.31	-99999	0
5111	1	791.25	1733.75	241.23	-99999	0
5112	1	791.25	1733.75	241.12	-99999	0
5113	1	791.25	1733.75	240.99	-99999	0
5114	1	791.25	1733.75	240.82	-99999	0
5115	1	791.25	1733.75	240.61	-99999	0
5116	1	791.25	1733.75	240.41	-99999	0
5117	1	791.25	1733.75	240.2	-99999	0
5118	1	791.25	1733.75	240	-99999	0
5119	1	791.25	1733.75	239.65	-99999	0
5120	1	791.25	1733.75	239.31	-99999	0
5121	1	791.25	1733.75	238.99	-99999	0
5122	1	791.25	1733.75	238.67	-99999	0
5123	1	791.25	1733.75	238.45	-99999	0
5124	1	791.25	1733.75	238.23	-99999	0
5125	1	821.25	1733.75	241.68	-99999	0
5126	1	791.25	1733.75	241.71	-99999	0
5127	1	791.25	1733.75	241.73	-99999	0
5128	1	791.25	1733.75	241.76	-99999	0
5129	1	791.25	1733.75	241.68	-99999	0
5130	1	791.25	1733.75	241.6	-99999	0
5131	1	791.25	1733.75	241.5	-99999	0
5132	1	791.25	1733.75	241.46	-99999	0
5133	1	791.25	1733.75	241.43	-99999	0
5134	1	791.25	1733.75	241.37	-99999	0
5135	1	791.25	1733.75	241.25	-99999	0
5136	1	791.25	1733.75	241.12	-99999	0
5137	1	791.25	1733.75	241.04	-99999	0
5138	1	791.25	1733.75	240.95	-99999	0
5139	1	791.25	1733.75	240.9	-99999	0
5140	1	791.25	1733.75	240.84	-99999	0
5141	1	791.25	1733.75	240.72	-99999	0
5142	1	791.25	1733.75	240.41	-99999	0
5143	1	791.25	1733.75	240.08	-99999	0
5144	1	791.25	1733.75	239.69	-99999	0
5145	1	791.25	1733.75	239.3	-99999	0
5146	1	791.25	1733.75	238.51	-99999	0
5147	1	791.25	1733.75	241.73	-99999	0
5148	1	791.25	1733.75	241.63	-99999	0
5149	1	791.25	1733.75	241.51	-99999	0
5150	1	791.25	1733.75	241.39	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
5151	1	791.25	1733.75	241.37	-99999	0
5152	1	791.25	1733.75	241.71	-99999	0
5153	1	1733.75	1916.25	242.05	-99999	0
5154	1	1733.75	1916.25	242.73	-99999	0
5155	1	1733.75	1916.25	243.11	-99999	0
5156	1	1733.75	1916.25	243.47	-99999	0
5157	1	1733.75	1916.25	243.98	-99999	0
5158	1	1733.75	1916.25	244.49	-99999	0
5159	1	1733.75	1916.25	245.07	-99999	0
5160	1	1733.75	1916.25	245.58	-99999	0
5161	1	1733.75	1916.25	245.93	-99999	0
5162	1	1733.75	1916.25	246.28	-99999	0
5163	1	1733.75	1916.25	246.85	-99999	0
5164	1	1733.75	1916.25	247.25	-99999	0
5165	1	1733.75	1916.25	247.66	-99999	0
5166	1	1733.75	1916.25	247.93	-99999	0
5167	1	1733.75	1916.25	248.08	-99999	0
5168	1	1733.75	1916.25	248.2	-99999	0
5169	1	1733.75	1916.25	248.35	-99999	0
5170	1	1733.75	1916.25	248.5	-99999	0
5171	1	1733.75	1916.25	248.8	-99999	0
5172	1	1733.75	1916.25	249.27	-99999	0
5173	1	1733.75	1916.25	250.06	-99999	0
5174	1	1733.75	1916.25	250	-99999	0
5176	1	912.25	1733.75	239.39	-99999	0
5177	1	912.25	1733.75	239	-99999	0
5178	1	912.25	1733.75	238.6	-99999	0
5179	1	912.25	1733.75	238.19	-99999	0
5180	1	912.25	1733.75	237.86	-99999	0
5181	1	912.25	1733.75	237.77	-99999	0
5182	1	912.25	1733.75	237.68	-99999	0
5183	1	912.25	1733.75	237.58	-99999	0
5184	1	912.25	1733.75	237.49	-99999	0
5185	1	912.25	1733.75	237.38	-99999	0
5186	1	912.25	1733.75	237.08	-99999	0
5187	1	912.25	1733.75	236.89	-99999	0
5188	1	912.25	1733.75	236.36	-99999	0
5189	1	912.25	1733.75	235.46	-99999	0
5190	1	912.25	1733.75	234.73	-99999	0
5191	1	912.25	1733.75	233.92	-99999	0
5192	1	912.25	1733.75	233.17	-99999	0
5193	1	912.25	1733.75	232.73	-99999	0
5194	1	912.25	1733.75	232.3	-99999	0
5195	1	912.25	1733.75	238.1	-99999	0
5196	1	912.25	1733.75	237.76	-99999	0
5197	1	912.25	1733.75	237.33	-99999	0
5198	1	912.25	1733.75	236.91	-99999	0
5199	1	912.25	1733.75	236.4	-99999	0
5200	1	912.25	1733.75	235.74	-99999	0
5201	1	912.25	1733.75	235.32	-99999	0
5202	1	912.25	1733.75	234.64	-99999	0
5203	1	912.25	1733.75	234.01	-99999	0
5204	1	912.25	1733.75	233.62	-99999	0
5205	1	912.25	1733.75	233.23	-99999	0
5206	1	912.25	1733.75	232.49	-99999	0
5207	1	1186.25	1916.25	231.61	-99999	0
5208	1	1186.25	1916.25	231.18	-99999	0
5209	1	1186.25	1916.25	230.77	-99999	0
5210	1	1186.25	1916.25	230.24	-99999	0
5211	1	1186.25	1916.25	229.76	-99999	0
5212	1	1186.25	1916.25	229.54	-99999	0
5213	1	1186.25	1916.25	229.31	-99999	0
5214	1	1186.25	1916.25	229.13	-99999	0
5215	1	1186.25	1916.25	228.95	-99999	0
5216	1	1186.25	1916.25	228.78	-99999	0
5217	1	1186.25	1916.25	228.6	-99999	0
5218	1	1186.25	1916.25	228.6	-99999	0
5219	1	1186.25	1916.25	231.65	-99999	0
5220	1	1186.25	1916.25	230.64	-99999	0
5221	1	1186.25	1916.25	230.33	-99999	0
5222	1	1186.25	1916.25	229.99	-99999	0
5223	1	1186.25	1916.25	229.62	-99999	0
5224	1	1186.25	1916.25	229.25	-99999	0
5225	1	1186.25	1916.25	228.91	-99999	0
5226	1	1186.25	1916.25	228.6	-99999	0
5227	1	821.25	1916.25	228.33	-99999	0
5228	1	821.25	1916.25	228.06	-99999	0
5229	1	821.25	1916.25	227.72	-99999	0
5230	1	821.25	1916.25	227.01	-99999	0
5231	1	821.25	1916.25	226.68	-99999	0
5232	1	821.25	1916.25	226.49	-99999	0
5233	1	821.25	1916.25	226.2	-99999	0
5234	1	821.25	1916.25	224.5	-99999	0
5235	1	912.25	1551.25	225.19	-99999	0
5236	1	912.25	1551.25	225.28	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ³ /d) **	Maximum-Constraint (m ³ /d) **
5237	1	912.25	1551.25	225.46	-99999	0
5238	1	912.25	1551.25	225.67	-99999	0
5239	1	1003.75	1551.25	225.91	-99999	0
5240	1	1003.75	1551.25	226	-99999	0
5241	1	1003.75	1551.25	226.06	-99999	0
5242	1	1003.75	1551.25	226.12	-99999	0
5243	1	1003.75	1551.25	226.11	-99999	0
5244	1	1003.75	1551.25	225.83	-99999	0
5245	1	1003.75	1551.25	226.01	-99999	0
5246	1	1003.75	1551.25	226.19	-99999	0
5247	1	1003.75	1551.25	226.61	-99999	0
5248	1	1003.75	1551.25	226.86	-99999	0
5249	1	1003.75	1551.25	226.96	-99999	0
5250	1	1186.25	1551.25	226.67	-99999	0
5251	1	1186.25	1551.25	226.72	-99999	0
5252	1	1186.25	1551.25	226.9	-99999	0
5253	1	1186.25	1551.25	227.07	-99999	0
5254	1	1186.25	1551.25	227.1	-99999	0
5255	1	1186.25	1551.25	227.25	-99999	0
5256	1	1186.25	1551.25	227.64	-99999	0
5257	1	1186.25	1551.25	227.7	-99999	0
5258	1	1186.25	1551.25	227.72	-99999	0
5259	1	1186.25	1551.25	227.73	-99999	0
5260	1	1186.25	1551.25	227.75	-99999	0
5261	1	668.75	1916.25	223.47	-99999	0
5262	1	668.75	1916.25	223.78	-99999	0
5263	1	668.75	1916.25	224.22	-99999	0
5264	1	668.75	1916.25	224.75	-99999	0
5265	1	668.75	1916.25	225.06	-99999	0
5266	1	668.75	1916.25	225.3	-99999	0
5267	1	668.75	1916.25	225.71	-99999	0
5268	1	668.75	791.25	227.76	-99999	0
5269	1	668.75	791.25	227.99	-99999	0
5270	1	668.75	791.25	227.92	-99999	0
5271	1	668.75	791.25	227.89	-99999	0
5272	1	668.75	791.25	227.86	-99999	0
5421	1	273.75	2463.75	262.54	0	-99999
5422	1	273.75	2463.75	259.92	0	-99999
5423	1	273.75	2463.75	256.03	0	-99999
5424	1	273.75	2463.75	243.84	0	-99999
5425	1	273.75	2463.75	246.18	0	-99999
5426	1	273.75	2463.75	246.92	0	-99999
5427	1	273.75	2463.75	255.97	0	-99999
5428	1	273.75	2463.75	246.9	0	-99999
5429	1	273.75	2463.75	248.69	0	-99999
5430	1	273.75	2463.75	248.63	0	-99999
5431	1	273.75	2463.75	248.56	0	-99999
5432	1	273.75	2463.75	246.11	0	-99999
5433	1	273.75	2463.75	245.86	0	-99999
5435	1	273.75	2463.75	248.71	0	-99999
5436	1	273.75	2463.75	250.29	0	-99999
5437	1	273.75	2463.75	245.57	0	-99999
5438	1	273.75	2463.75	241.47	0	-99999
5439	1	273.75	2463.75	242.71	0	-99999
5440	1	273.75	2463.75	248.16	0	-99999
5441	1	273.75	2463.75	225.65	0	86.4
5442	1	273.75	2463.75	230.54	0	86.4
5443	1	273.75	2463.75	225.51	0	86.4
5444	1	273.75	2463.75	229	0	86.4
5445	1	273.75	2463.75	232.42	0	86.4
5446	1	273.75	2463.75	232.14	0	86.4
5447	1	273.75	2463.75	233.8	0	86.4
5448	1	273.75	2463.75	232.32	0	86.4
5451	3	0	638.75	239.02	-99999	0.021025
5452	3	0	638.75	238.99	-99999	0.018125
5453	3	0	638.75	238.96	-99999	0.014425
5454	3	0	638.75	238.93	-99999	0.012475
5455	3	0	638.75	238.91	-99999	0.009625
5456	3	0	638.75	238.9	-99999	0.005575
5457	3	0	638.75	238.88	-99999	0.005525
5458	3	0	638.75	238.87	-99999	0.01155
5459	3	0	638.75	238.84	-99999	0.018225
5460	3	0	638.75	238.79	-99999	0.013825
5461	3	0	638.75	238.76	-99999	0.0093
5462	3	0	638.75	238.73	-99999	0.00925
5463	3	0	638.75	238.7	-99999	0.006775
5464	3	0	638.75	238.68	-99999	0.004925
5465	3	0	638.75	238.66	-99999	0.00465
5466	3	0	638.75	238.64	-99999	0.00775
5467	3	0	638.75	238.58	-99999	0.00445
5468	3	0	638.75	238.55	-99999	0.00175
5469	3	0	638.75	238.52	-99999	0.00125
5470	3	0	638.75	238.5	-99999	0.0005
5471	3	0	638.75	238.47	-99999	0.001525
5472	3	0	638.75	238.05	-99999	0.002975

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m³/d) **	Maximum-Constraint (m³/d) **
5473	3	0	638.75	237.68	-99999	0.002425
5474	3	0	638.75	237.34	-99999	0.001875
5475	3	0	638.75	236.89	-99999	0.001075
5476	3	0	638.75	236.55	-99999	0.000225
5477	3	0	638.75	236.3	-99999	0
5478	3	0	638.75	236.08	-99999	0
5479	3	0	638.75	235.98	-99999	0
5480	3	0	638.75	235.8	-99999	0
5481	3	0	638.75	235.72	-99999	0
5482	3	0	638.75	235.58	-99999	0
5483	3	0	638.75	235.5	-99999	0
5484	3	0	1186.25	237.53	-99999	0
5485	3	0	1186.25	237.48	-99999	0
5486	3	0	1186.25	237.32	-99999	0
5487	3	0	1186.25	237.3	-99999	0
5488	3	0	1186.25	237.28	-99999	0
5489	3	0	1186.25	237.26	-99999	0
5490	3	0	1186.25	237.23	-99999	0
5491	3	0	1186.25	237.2	-99999	0
5492	3	0	1186.25	237.17	-99999	0
5493	3	0	1186.25	237.14	-99999	0
5494	3	0	1186.25	237.01	-99999	0
5495	3	0	1186.25	236.98	-99999	0
5496	3	0	1186.25	236.88	-99999	0
5497	3	0	1186.25	236.84	-99999	0
5498	3	0	1186.25	236.8	-99999	0
5499	3	0	1186.25	236.74	-99999	0
5500	3	0	1186.25	236.69	-99999	0
5501	3	0	1186.25	236.63	-99999	0
5502	3	0	1186.25	236.58	-99999	0
5503	3	0	1186.25	236.54	-99999	0
5504	3	0	1186.25	236.51	-99999	0
5505	3	0	1186.25	236.44	-99999	0
5506	3	0	1186.25	236.4	-99999	0
5507	3	0	1186.25	236.36	-99999	0
5508	3	0	1186.25	236.33	-99999	0
5509	3	0	1186.25	236.3	-99999	0
5510	3	0	1186.25	236.28	-99999	0
5511	3	0	1186.25	236.21	-99999	0
5512	3	0	1186.25	236.14	-99999	0
5513	3	0	1186.25	236.07	-99999	0
5514	3	0	1186.25	236.02	-99999	0
5515	3	0	1186.25	235.94	-99999	0
5516	3	0	1186.25	235.88	-99999	0
5517	3	0	1186.25	235.83	-99999	0
5518	3	0	1186.25	235.8	-99999	0
5519	3	0	1186.25	235.77	-99999	0
5520	3	0	1186.25	235.74	-99999	0
5521	3	0	1186.25	235.7	-99999	0
5522	3	0	1186.25	235.66	-99999	0
5523	3	0	1186.25	235.61	-99999	0
5524	3	0	1186.25	235.56	-99999	0
5525	3	0	1186.25	235.51	-99999	0
5526	3	0	1186.25	235.46	-99999	0
5527	3	0	1186.25	235.41	-99999	0
5528	3	0	1186.25	235.35	-99999	0
5529	3	0	1186.25	235.27	-99999	0
5530	3	0	1186.25	235.21	-99999	0
5531	3	0	1186.25	235.14	-99999	0
5532	3	0	1186.25	235.05	-99999	0
5533	1	1003.75	1551.25	223.3	-99999	0
5534	1	1003.75	2098.75	234.9	-99999	0
5535	1	1368.75	1733.75	232	-99999	0
5536	3	0	1003.75	235.62	-99999	0
5537	3	0	1003.75	235.61	-99999	0
5538	3	0	1003.75	235.6	-99999	0
5539	3	0	1003.75	235.59	-99999	0
5540	3	0	1003.75	235.58	-99999	0
5541	3	0	1003.75	235.57	-99999	0
5542	3	0	1003.75	235.57	-99999	0
5543	3	0	1003.75	235.56	-99999	0
5544	3	0	1003.75	235.56	-99999	0
5545	3	0	1003.75	235.52	-99999	0
5546	3	0	1003.75	235.49	-99999	0
5547	3	0	1003.75	235.47	-99999	0
5548	3	0	1003.75	235.45	-99999	0
5549	3	0	1003.75	235.43	-99999	0
5550	3	0	1003.75	235.4	-99999	0
5551	3	0	1003.75	235.37	-99999	0
5552	3	0	1003.75	235.35	-99999	0
5553	3	0	1003.75	235.34	-99999	0
5554	3	0	1003.75	235.32	-99999	0
5555	3	0	1003.75	235.29	-99999	0
5556	3	0	1003.75	235.28	-99999	0
5557	3	0	1003.75	235.26	-99999	0

Beilage 1.2 Stressperioden-ID's zur Definition der modulgesteuerten (IFM) Randbedingungen

ID Stressperiode	ID Randbedingungsart *	d (von)	d (bis)	Randbedingungswert (m NN)	Minimum-Constraint (m ² /d) **	Maximum-Constraint (m ² /d) **
5558	3	0	1003.75	235.25	-99999	0
5559	3	0	1003.75	235.23	-99999	0
5560	3	0	1003.75	235.2	-99999	0
5561	3	0	1003.75	235.17	-99999	0
5562	3	0	1003.75	235.15	-99999	0
5563	3	0	1003.75	235.12	-99999	0
5564	3	0	1003.75	235.09	-99999	0
5565	3	0	1003.75	235.07	-99999	0
5566	3	0	1003.75	235.05	-99999	0
5567	3	0	1003.75	235.03	-99999	0
5568	3	0	1003.75	235.01	-99999	0
5569	3	0	1003.75	234.99	-99999	0
5570	3	0	1003.75	234.96	-99999	0
5571	3	0	1003.75	234.95	-99999	0
5572	3	0	1003.75	234.93	-99999	0
5573	3	0	1003.75	234.91	-99999	0
5574	3	0	1003.75	234.89	-99999	0
5575	3	0	1003.75	234.87	-99999	0
5576	3	0	1003.75	234.86	-99999	0
5577	3	0	1003.75	234.84	-99999	0
5578	3	0	1003.75	234.81	-99999	0
5579	3	0	1003.75	234.76	-99999	0
5580	3	0	1003.75	234.73	-99999	0
5581	3	0	1003.75	234.7	-99999	0
5582	3	0	1003.75	234.67	-99999	0
5583	3	0	1003.75	234.64	-99999	0
5584	3	0	1003.75	234.59	-99999	0
5585	3	0	1003.75	234.56	-99999	0
5586	3	0	1003.75	234.53	-99999	0
5587	3	0	1003.75	234.5	-99999	0
5588	3	0	1003.75	234.44	-99999	0
5589	3	0	1003.75	234.4	-99999	0
5590	3	0	1003.75	234.37	-99999	0
5591	3	0	1003.75	234.35	-99999	0
5592	3	0	1003.75	234.34	-99999	0
5593	3	0	1003.75	234.28	-99999	0
5594	3	0	1003.75	234.27	-99999	0
5595	3	0	1003.75	234.24	-99999	0
5596	3	0	1003.75	234.19	-99999	0
5597	1	0	273.75	235.6	-99999	0
5598	1	456.25	1368.75	236.85	-99999	0
5599	1	456.25	1368.75	236.86	-99999	0
5600	1	456.25	1368.75	236.87	-99999	0
5601	1	456.25	1368.75	236.89	-99999	0
5602	1	456.25	1368.75	236.91	-99999	0
5603	1	456.25	1368.75	236.93	-99999	0
5604	1	456.25	1368.75	236.94	-99999	0
5605	1	456.25	1368.75	236.96	-99999	0
5606	1	456.25	1368.75	236.97	-99999	0
5607	1	456.25	1368.75	236.98	-99999	0
5608	1	456.25	1368.75	236.99	-99999	0
5609	1	456.25	1368.75	237.02	-99999	0
5610	1	456.25	1368.75	237.05	-99999	0
5611	1	456.25	1368.75	237.07	-99999	0

- * 1: Festpotentialrandbedingung (Dirichlet)
- 3: Transferrandbedingung (Cauchy)
- ** Ist ein Wert von -99999 definiert, wird Constraint-Wert ignoriert.

